

Manual

HYDRA@WEB Project Time Recording WEB-PR 8.1

Version 1.0.23049

Last changed on: 02.09.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	HYDRA@Web Project Time Recording - Overview.....	4
2	General HYDRA@WEB Operating Instructions.....	5
2.1	Basic functions	5
2.2	Navigation	7
2.3	Use of functions	9
2.4	Print	15
3	Project Time Recording using HYDRA@WEB	17

1 HYDRA@Web Project Time Recording - Overview

Possible fields of application

Hours performed for project orders can be uploaded/confirmed via the Intranet or Internet using this function package.

Implementation notes

The function package is used if:

- employees are to upload their hours performed for project orders
- time recording is not to be performed by logging on and off, as it is normally the case at shop floor terminals, but by entering an absolute duration
- this upload is to be performed using an Internet browser

Integration

This function package is based on the HYDRA shop floor data collection (function package shop floor/order data management).

Functions

- Transfer of released project orders from an ERP system by the HYDRA ERP interface** or from SAP PS using the SAP interface CA-PDC / CC4**.
- Creation of project orders in the MES Operation Center**.
- Display of the pool of orders (= order list including different selection options) with all project orders assigned to an employee that can be uploaded using HYDRA@WEB.
- Input dialog for the upload of durations relating to projects (relating to orders). Data are posted in the HYDRA database.
- Evaluation and display of uploaded data (durations) including cancellation function (deletion of log records generated from the upload).
- Evaluation and editing options for data on project orders in the MES Operation Center, e.g. order information, order overview, maintenance of postings**.
- Upload of recorded times to an ERP system using the HYDRA ERP interface** or SAP PS using the SAP interface CA-PDC / CC4**.

** subject to the license.

2 General HYDRA@WEB Operating Instructions

Depending on the scope of your installation, HYDRA@WEB gives you access to various applications such as the Web portal or the Web client with an array of different functions. This chapter provides a description of the general use of HYDRA@WEB and focuses on the functions typical in all applications.

2.1 Basic functions

In the "Function" section in the navigation menu of each HYDRA@WEB application you are given a description of the basic functions listed below.

2.1.1.1 *Login and logoff*

You will need to log in to a HYDRA system in order to make use of the HYDRA@WEB functions. Depending on the application, there are several different login methods.

System selection

From the "System" selection list, you can select the HYDRA system that you would like to work with. The available systems are defined during initial installation or by your administrator.

Log in with a user name

The user logs in by entering the name of a user name created in HYDRA and the corresponding password. A user logs in this way, for example, when logging into the Web client application.



Keep in mind that most browsers remember the user name and often also offer to store the corresponding password. This is not a HYDRA@WEB function and for this reason it cannot be deactivated there.

Log in with a personnel number/ badge number

When logging in using a personnel number or a badge number, you will require the pin code that was entered in the master data for the corresponding person. So, this kind of log in does not require that a HYDRA user was created. A user logs in this way, for example, when logging into the Web portal application.

Logoff

You close an application by logging off - you will only be able to use the application's functions again after logging back in.



If an application is not used for a longer period of time, the user may be logged off automatically.

2.1.1.2 Language selection

From the list "Language selection" you can define in which of the languages installed you would like HYDRA@WEB to be shown. Upon request, MPDV can make additional language packages available.

2.1.1.3 Help

HYDRA@WEB provides you with context dependent help functions, i.e. the content of the help file displayed focuses on the content of the current window.

If a help file is available for the current content, a link will be displayed accordingly in the "Function" section of the navigation menu.

2.2 Navigation

HYDRA@WEB offers different options to switch between different functions. Among them is the menu, the side navigations and the links from the applications themselves.

2.2.1.1 Navigating in the menu

Depending on which application is active, from the navigation menu on the left hand side of the browser window, you can go to the available functions and the function that is currently called up in other pages.

In some cases, the available functions may be divided into submenus. To save space, only the functions of the current menu are visible.

Keep in mind that the menu adapts itself dynamically to the current function. For example, oftentimes it is only possible to go to a detail function if data has already been selected in the current (overview) function.

The screenshot shows the HYDRA@WEB interface for the 'Order shift log' function. On the left, a navigation menu lists various options, with 'Graphic order shift log' highlighted. The main content area displays a table of shift records. The table has columns for Shift date, Shift, Workplace, Order, OP, Article, Production, Total time, Yield (P), Scrap (P), Unit (P), SUT, and DC. The first three rows of the table are checked, and the third row (20/04/2012, Shift 1, Workplace 52276A, Order 4000LL10) is highlighted with a red box. The table also includes filters for Workplace, Group, Cost center, Shift, and Date.

Shift date	Shift	Workplace	Order	OP	Article	Production	Total time	Yield (P)	Scrap (P)	Unit (P)	SUT	DC
20/04/2012	1	40312	4000LL10	0010	30-74532	0:00:00	0:01:07	500	0	1	ST	0:00:00
18/04/2012	1	50505	10000001	0005	801001-5	0:00:13	0:00:13	0	0	ST	0:00:00	0:
20/04/2012	1	52276A	4000LL10	0030	30-74532	0:00:26	0:00:26	3	0	ST	0:00:00	0:
18/04/2012	1	60615	A3000405	0400	SAR-FFU021-M-9005	0:00:00	0:00:32	0	0	ST	0:00:00	0:
14/05/2012	2	60623	A3000012	0300	SAL-FKA011-M-9005	0:00:00	0:00:00	0	0	ST	0:00:00	0:
14/05/2012	2	60623	A3000012	0400	SAL-FKA011-M-9005	0:25:00	0:00:00	0	0	ST	0:00:00	0:
15/05/2012	1	60623	A3000012	0400	SAL-FKA011-M-9005	0:25:00	0:00:00	0	0	ST	0:00:00	0:
15/05/2012	2	60623	A3000012	0400	SAL-FKA011-M-9005	1:38:00	0:00:00	0	0	ST	0:00:00	0:
19/04/2012	2	9090C	QM987200	0100	SAL-FFI-9005	0:02:21	0:02:21	0	0	ST	0:00:00	0:
18/04/2012	2	9091C	10000002	0004	800001-4	0:00:00	5:16:48	0	0	ST	0:00:00	0:
19/04/2012	1	9091C	10000002	0004	800001-4	0:00:00	7:30:00	0	0	ST	0:00:00	0:
19/04/2012	2	9091C	10000002	0004	800001-4	0:00:00	7:30:00	0	0	ST	0:00:00	0:
20/04/2012	1	9091C	10000002	0004	800001-4	0:00:00	3:53:33	0	0	ST	0:00:00	0:

Illustration 1: The go-to option in the "Graphic order shift log" detail function does not appear until after at least one data record was highlighted in the "Order shift log" in the Web client application.

2.2.1.2 Page navigation

For performance reasons, the number of data records that can be shown on one page in the browser when a query is made in a function is limited (by default to a maximum of 150 data records).

If a data query delivers more than the maximum number of data records, the results are divided up onto several pages. The data from the subsequent pages are loaded into the local browser by the server only after the corresponding page is selected in the page navigator.

Order status	Order	Final Article	Article designation	Number of OPs	Target quantity	Yield (B)	Scrap (B)	Unit (B)	Target setup time
begonnen	10000001	801001	Airbag Fließheck/Rechts	4	1,000	839	3	ST	0:12:
begonnen	10000002	800001	Airbag Fließheck/Links	4	2,000	32	8	ST	0:12:
vorbereitet	10000003	803001	Airbag Stufenheck/Rechts	4	10,000		0	ST	0:12:
vorbereitet	10000004	802001	Airbag Stufenheck/Links	4	10,000	1	0	ST	0:05:
vorbereitet	10001000	9961	Clip, naturfarben	1	0	50	0	ST	1:00:
fertig	10001100	9968	Gehäuse Fließheck/Rechts	1	0	7,611	10	ST	1:47:
begonnen	10001104	9967	Gehäuse Fließheck/Links	1	0	4,040	4	ST	2:05:
vorbereitet	10001106	9970	Gehäuse	1	0		0	ST	1:47:

Illustration 2: In this illustration, 330 data records were calculated as a result of the data selection; shown here are the first 150 records. By clicking on the "2" in the page navigator, the next 150 data records are displayed, etc.

The number of data records displayed is controlled via the URL of the displayed web page. Where necessary, they can be modified manually so that when data is queried, the page displays either a larger or smaller number of data records. For example, Illustration 2 was generated by the following URL.



```
<server>/WebClient/IndexData/0/PageSize/150?query=&applicationName=_OrderRelatedStatistics
```

However, you can also easily modify the parameters for PageSize in the URL in order to display all of the data records on one page.

```
<server>/WebClient/IndexData/0/PageSize/400?query=&applicationName=_OrderRelatedStatistics
```



Keep in mind that if you modify the sort sequence by clicking on the column header this will reset the page counter to 1 (cf. 2.3.1.4).

2.2.1.3 Favorites

HYDRA@WEB is a web application, which is why navigation between separate pages involves URLs being transmitted to the web server, which then transmits the web page that matches the URL to the local browser. When data is queried, in addition to the selected function, the web server also transmits the parameters that result in the data selection.

This is why HYDRA@WEB makes it easy to use the favorites function of your browser to store queries as links in the browser's favorites bar, which can then be called up from there at a later date by simply clicking on them. Of course, you can also send these lines, by e-mail for example.




Illustration 3: In this application, first the machine history for machine "50612" was saved in the browser's favorites bar as a link for the time period between "1.1.12" to "1.31.12". After logging into the system, this evaluation was then reestablished from the favorites bar.



Keep in mind that the links will only deliver data if the user has logged himself into the relevant HYDRA system first. If a link is called up without logging in first, the system will display the login page.



The system does not store the results of the evaluation, but instead it saves the parameters that led to the evaluation. So, if this link is called up at a later time, the results may be different.

2.3 Use of functions

This section illustrates the common control elements of the different HYDRA@WEB functions. In particular, the chapter will discuss how to select data, how to use selection dialogs and how to go to overviews in detail functions.

2.3.1.1 Data selection

Many functions have a selection area to select data in order to control the quantity of data displayed.

In some cases, HYDRA@WEB supports the ability to enter selection parameters using special entry elements (e.g. to enter dates) or by using selection dialogs (cf. Section 2.3.1.2).

After entering the selection parameters in the input fields in the selection area, the data query is started by clicking on the arrow icon and the results are then shown in the data area.

If the query returns more data records than the maximum number of results that can be shown on one page, the results are divided onto several pages (s. Section 2.2.1.2).

2.3.1.2 *Selection dialogs*

Selection dialogs are a tool to help you enter selection parameters for elements available in the system, such as when entering workplace numbers.

If a selection dialog is available for an input field, a magnifier icon is shown behind the input field. Clicking on the magnifier icon will open the selection dialog, from where you can calculate the desired value.

Machine history

Workplace: 50612 to Cost center: Date: 01.01.12 to 31.01.2012

Group: to Report group: Cost center:

Short designation:

Data records: 1 to 50 of 260 1 2 3 4 5 6 >

Resource	Short name	Designation	Group	Cost center	Comp.	Workplace type
6058	NAEHEN	Nähmaschine	HANDARB	BDE100		
33021	HAND02	Handarbeitsplatz Entgraten, Reinigen	FINISH	4500	01	
33022	HAND03	Handarbeitsplatz Entgraten, Reinigen	FINISH	4500	01	
33023	HAND04	Handarbeitsplatz Entgraten, Reinigen	FINISH	4500	01	
33025	HAND05	Handarbeitsplatz Entgraten, Reinigen	FINISH	4500	01	
40312	HAND01	Handarbeitsplatz Entgraten, Reinigen	FINISH	4500	01	
406457A	AUFSTE 1	Aufsteckplatz 1	AUFSTECK	105		
406457B	AUFSTE 2	Aufsteckplatz 2	AUFSTECK	105		
50500	ROHRMONL	Extrusionsmaschine / Rollenfertigung	MONTAGE	BDE100		
50504	HPTMONR3	Hauptmontage rechts 3	MONTAGE	BDE100		
50505	HPTMONL1	Schneidmaschine / Rollenschneiden	MONTAGE	BDE100		
50506	ENDMONL	Endmontage links	MONTAGE	BDE100		
50507	ENDMONR	Endmontage rechts	MONTAGE	BDE100		
50508	HPTMONL2	Hauptmontage links 2	MONTAGE	BDE100		

07/01/2012 07:58:30 Machine status ALLG. STOERUNG 50612 ARB-320S

Illustration 4: In a selection dialog (here using selecting workplaces as an example) you can then in turn first limit the number of data to be displayed by entering selection parameters and then click on the arrow icon to send the selection query to the server. After the results are displayed, click on the desired data record; this will close the window and the relevant value will be assumed in the input field.

2.3.1.3 Linking/ drill down

In certain (overview) functions, there is the option to go to a detail function from the current page (drill down) If only the current data record can be transmitted as the basis for the drill down, then a magnifier icon will appear in front of this data record (cf. Illustration 5).

HYDRA@WEB

Attendance overview

User: Schreiber
System: SCC7-2

Person to Company
Area Cost center

Status ☒ Present ☒ Planned absent ☒ Unplanned absent ☒ Off

Search name A B G H M P S W

Company	Person	Name	Status	Location	Present at	Phone	Mobile phone
BSP	50014	Albert, Claudia	Present	Nord		05231/7943-154	0172 3459373
BSP	0001	1000					
BSP	4050						
BSP	9666						
BSP	5020						
BSP	8574						
BSP	0001	1000					
BSP	9385						
BSP	4025						
BSP	4078						
BSP	667						
BSP	0001	1000					

Details of attendance overview

Company: BSP
Person: 50014
Area: FE
Name: Albert, Claudia
Phone: 05231/7943-154
Mobile phone: 0172 3459373
E-mail: claudia.albert@bsp.de

User: Schreiber
System: SCC7-2

Function: [Attendance overview](#)

Language selection: Englisch (Groß)

[Back](#)

[Attendance overview](#)

Illustration 5: From the current data record, go to a detail function by clicking on the magnifier icon, here for example the "Attendance overview" function.

If the function supports transmitting several data records, then the desired data records are selected by clicking on the check boxes and the go-to function is shown in the menu. (cf. Section 2.2.1.1). You can also select all of the data records displayed by clicking on the check box in the selection column header.




Illustration 6: In this illustration, all of the displayed data records were highlighted by clicking on the header line and then the detail function "Graphic efficiency report" (dynamically shown in the menu) was called up.



Only the data records displayed can be transmitted to a detail function. So, if a query returns data records on more than one page, only those data records can be transmitted to the detail function that are displayed on the current page.

2.3.1.4 Sorting in table view

When in table view, the way the data records are sorted can be changed by clicking on the column header. The first time you click on a header, the data records are sorted in ascending order. If the data records are already sorted based on a column, then you will reverse the sorting sequence if you click on the same column again.



Keep in mind that the sorting relates to all of the data records that match the data query and not to all of the data records currently being displayed. Any change to the sorting sequence will therefore then return the page counter to page 1 if several pages are shown.



Keep in mind that other than the sorting sequence, the table view cannot be modified by a user activity. Only the customizing option will allow columns to be moved, shown, and hidden or their width to be modified.

2.4 Print

HYDRA@WEB does not have its own print function, but instead uses the print function in your browser (called up, for example, by clicking on CTRL + P).



Keep in mind that only the data area is printed (so, not the menu, for example) and only the data records that are currently being displayed.

Machine history

Page 1 of 3

Machine history

Workplace		to		Cost center		
Group		to		Date	09/1/2012 to 16/05/2012	
Short designation				Shift	☐ 1 ☐ 2 ☐ 3 ☐ 4	
Report group				Time	00:00 to 23:59	

Data records: 1 to 150 of 15952 [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [>](#)

Date	Type	Type	Event	Order	Article	Person	Last name	First name	Workplace	Short name	Group	Cost center	Status	Status designation
09/01/2012 00:02:23		Machine status	ALLG. STOERUNG						50612	ARB-320S	SPRGUSS1	4010	99	ALLG. STOERUNG
09/01/2012 00:17:46		Machine status	PRODUKTION						50612	ARB-320S	SPRGUSS1	4010	1	PRODUKTION
09/01/2012 00:21:55		Machine status	ALLG. STOERUNG						NA43	NAKAMU43	NC	4110	99	ALLG. STOERUNG
09/01/2012 00:22:23		Machine status	PRODUKTION						NA43	NAKAMU43	NC	4110	1	PRODUKTION
09/01/2012 00:22:25		Machine status	ALLG. STOERUNG						BI40	BIHLER40	STANZEN2	4210	99	ALLG. STOERUNG
09/01/2012 00:25:48		Machine status	PRODUKTION						BI40	BIHLER40	STANZEN2	4210	1	PRODUKTION
09/01/2012 00:32:21		Machine status	ALLG. STOERUNG						50612	ARB-320S	SPRGUSS1	4010	99	ALLG. STOERUNG
09/01/2012 00:34:07		Machine status	PRODUKTION						50612	ARB-320S	SPRGUSS1	4010	1	PRODUKTION
09/01/2012 00:34:58		Machine status	ALLG. STOERUNG						50612	ARB-320S	SPRGUSS1	4010	99	ALLG. STOERUNG
09/01/2012 00:35:02		Machine status	PRODUKTION						50612	ARB-320S	SPRGUSS1	4010	1	PRODUKTION
09/01/2012 00:59:31		Machine status	ALLG. STOERUNG						BI40	BIHLER40	STANZEN2	4210	99	ALLG. STOERUNG
09/01/2012 01:01:07		Machine status	PRODUKTION						BI40	BIHLER40	STANZEN2	4210	1	PRODUKTION
09/01/2012 01:03:25		Machine status	ALLG. STOERUNG						BI40	BIHLER40	STANZEN2	4210	99	ALLG. STOERUNG
09/01/2012 01:04:15		Machine status	PRODUKTION						BI40	BIHLER40	STANZEN2	4210	1	PRODUKTION
09/01/2012 01:09:56		Machine status	ALLG. STOERUNG						BI40	BIHLER40	STANZEN2	4210	99	ALLG. STOERUNG
09/01/2012 01:11:02		Machine status	ALLG. STOERUNG						BUE01	BUEHLER1	DRUCKGUS	4210	99	ALLG. STOERUNG
09/01/2012		Machine status	PRODUKTION						BI40	BIHLER40	STANZEN2	4210	1	PRODUKTION

Illustration 7: Example for printing out a function with table view

Performance profile

Page 1 of 1

Graphic performance profile



Illustration 8 Example for printing out a detail function with graphics

3 Project Time Recording using HYDRA@WEB

Usage

Completion confirmations/uploads document the status of operation processing and allow for forecasts being made on how the project will develop. Exact completion confirmations/uploads are required to ensure realistic and exact project planning and project tracking.

The following data may be entered for uploads:

- Point in time
- Actual duration
- Indicator on the upload status (partial upload, final upload)

Integration

The recorded uploads are integrated in BDE (shop floor data collection) and can be evaluated in most BDE functions of MOC.

Prerequisite

These configurations have to be made or the following requirements need to be met to be able to capture project times:

User Administration

Create the user WEB and block this user within the user administration.

Then assign the responsibility areas of the workplaces recorded by project time recording using HYDRA@WEB to this user.

This user does not require any function authorizations.

Workplace configuration

The following has to be configured for workplaces onto which project times are to be posted/uploaded:

- The “posting onto OPs that are not logged on” option has to be set.
- Sequencing list: The sequencing list setting should be set to "M" (pool of machines/workplaces) or "H" (group control). Please also consider the notes on the planning process in the “work plan” section.



For these workplaces project time may ONLY be uploaded/posted by HYDRA@WEB. Postings like “log OP on” or “log OP off” using the terminal or MOC are not supported.

HR master

Two issues have to be taken into account when persons/users are configured:

- A pin code needs to be assigned, in order for a person to be able to log on to the system. The user may authenticate to the system either by using the badge number and the pin code or the company with personnel number and pin code.
- A (master) workplace must be assigned to the person who is supposed to log on to the system in the BDE tab of the HR master. The operations for which the person is to perform the uploads/postings have to be planned for this workplace.

Work plan

- To provide for differentiated uploads, the order including its operations should correspond to the individual activities that are to be carried out within the project / order or to the activities which are possible within the scope of the project / order.
- The orders are to be created with order type “5 – project order”. Only operations of the order type 5 may be collected using this application. ←
- Each operation which is to be uploaded has to be planned for a corresponding workplace. Thus, the operations either should already be planned (in detail) by the ERP/PPS system or by using one of the planning functions provided by HYDRA.



Provided that planning is performed using HYDRA shop floor scheduling (HLS) or graphic order sequencing (GAV), the remaining run time formula needs to be defined so as for it to be reduced based on the actual duration (time posted onto RPA 11).

Procedure for uploads using HYDRA@WEB

Proceed as follows to capture uploads/confirmations:

1. Open the menu item "order list"
2. [Select the operation](#) for which uploads are to be made from the order list
3. [Enter the data to be uploaded](#).

These steps are described in more detail in the paragraphs that follow.



The menu item "direct posting" allows for data to be entered directly. In this case, specific input fields are not pre-assigned and have to be entered manually. It is recommended, however, to enter data using the menu item "order list".

Select the operation

There are the following options to find the requested operation:

- Search by the order number (including wildcard characters).
- Search by the project order (including wildcard characters).
- Search by the operation's article (including wildcard characters)
- Search by the operation's OP designation (including wildcard characters).

In general, only operations of the (master) workplace defined for the person are selected. If any other workplace is entered, no operations will be shown.



If no workplace is defined for the person and no workplace is entered, no data will be shown.

If no workplace is defined for the person and a workplace is entered, the operations planned for this workplace will be shown.



For these workplaces project time may ONLY be uploaded/posted by HYDRA@WEB. Postings like "log OP on" or "log OP off" using the terminal or MOC are not supported. The system does not check this!

If necessary, enter the required selection criteria. Please consider case sensitivity. All fields support wildcard characters (except for the "workplace" field). As soon as data are requested , the operations matching the entered selection criteria are searched.

If operations are found, they will be shown in a list (150 operations per page). The following data are displayed:

Field	Meaning
MES order number	Combined order/ OP number. The combined order/sequence/OP number will be shown here if the system is configured for sequence processing.  Please note that only orders/operations of the order type 5 are displayed in general. Irrespective of whether or which further selection criteria have been entered.
Project	Project number
Article	Article number (from the operation)
Article designation	Article designation
OP designation	Operation designation
Workplace	Workplace for which the operation is planned.
Group	Workplace group for which the operation is planned.

Now choose the operation onto which you would like to post/upload data by clicking the button  in the left column of the relevant data row.

Input of upload data

Enter your project times in the dialog "enter upload".

Provided that the order search function was used beforehand, the "MES order number" and "workplace" fields are automatically assigned the data from the overview. In addition to this, the date and time fields are assigned with current values (current point in time).

Now enter the data for the upload:

Field	Comment
-------	---------

Field	Comment
MES order number	Combined order/ OP number. The combined order/sequence/OP number is to be entered here if the system is configured for sequence processing.
Workplace	If no workplace is entered, data will be posted onto the first workplace of the group for which the operation is planned.
Date	Assigned to the current date.
Time	Assigned to the current time .
Duration	Duration to be uploaded in hrs:min.
Finish operation	Specifies whether or not the operation is finished. Set to "No" by default
Person	Pre-assigned to the personnel number used for logging in, cannot be changed.

The entered data are posted in HYDRA and the dialog is closed, once the input has been confirmed by clicking the relevant button.

Posting

The entered data are posted, once they have been confirmed in the dialog. It is an interruption posting from the system's point of view (DLG=A_UN|ANR=<MES Order Number>|MNR=<Workplace>|DATB=<Date>|ZEIB=<Time>|EGR:BMK11=<Duration>|). Consequently, a BDE log record of the record type U is generated in HYDRA.



However, the interruption posting will only be sent if a duration greater than 0 is entered.

Provided that the workplace has been configured as a "group workplace " (type = G), a personal BDE log record of the record type B is generated in addition to the order-related posting.

Der Service sendet den Parameter **OPT:AGISTPNR=G** in den Dialogdaten an den Leitrechner. Dadurch wird bei einer AG-IST-Meldung an GAP einen "B"-Satz für die meldende Person angelegt. Der "B"-Satz ist eine 1:1 Kopie des "U" oder "E"-Satz. Es erfolgt keine spezielle Behandlung von Personaleinsatz oder den Personal-BMKs - diese Zeitleistungen müssen im Leistungscode konfiguriert bzw. eingegeben werden.

Provided that the option "finish operation" has been set to "yes", a logoff/finish posting (DLG=A_BE) is sent, once the duration has been uploaded/posted onto the operation. This logoff posting results in the generation of a BDE log record of the record type E and the operation is finished (status "finished"). This logoff posting is sent even if no upload is performed as the duration "0" is entered.

Once the operation has been finished, nobody can post data onto the operation anymore.

The logoff/finish posting (DLG=A_BE) is assigned the current point in time (of the server), in contrast to the interruption posting (DLG=A_UN) for which the point in time (date, time) may be entered or changed manually. Consequently the times for interruption postings and logoff postings always vary.

Posting to RPA

The captured actual duration is posted onto RPA 11 of the operation.

Start date/finish date

Start date and finish date are only used for informational purposes. They do not affect the actual duration. The period of time between the start date and the finish date is not double-checked with respect to the actual duration.

Start date and finish date are always identical (the end date is not computed based on the start date and the duration).

Shift date/shift

The shift date as well as the shift number defined for the posting are derived from the entered start date.



The data captured by using project time recording cannot be recalculated in the event maintenance. Consequently, postings need to be edited in the maintenance of postings.

Displaying and canceling of uploads

You can view your uploads by the menu item "order-related postings". To do so, enter the period of time for which you want to view the uploads/postings (date from / to, pre-assigned by default to <today> minus 7 days until <today>). Then the system determines the data records from the start date as of 0.00 midnight until the end date 11.59 pm.



Whether or not all uploads/postings can be shown for the specified period of time depends on their retention period configured in HYDRA. Uploads/postings of the last 35 days are available by default.

The uploads/postings you have entered are shown (150 uploads per page), once data have been requested:

Field	Meaning
MES order number	Combined order/ OP number. The combined order/sequence/OP number will be shown here if the system is configured for sequence processing.
Article	Article number (from the operation)
Article designation	Article designation

Field	Meaning
OP designation	Operation designation
Workplace	Workplace for which the upload/posting has been made
Duration	The duration from the recorded posting/upload posted onto RPA 11
Start	Posting time of the upload
Record type	"Interruption of order" if the option "finish operation" is set to "No" for the upload. "Finishing of order" if the option "finish operation" is set to "yes" for the upload.



The list of order-related postings includes the interrupted orders (DLG=A_UN) as well as the finished orders (DLG=A_BE). Normally, the postings for finishing orders can be distinguished from them for interrupting orders by the duration 00:00.

A posting/upload can be canceled, i.e. deleted by choosing the respective upload from the list of uploads by clicking the button ✓ at the beginning of the row and deleting this one by using the relevant function.

Consequently, the selected posting is deleted. If there is a corresponding posting of the record type B, it will also be deleted.

If the posting of a finished operation is deleted, the operation status will again be set to "U = interrupted".



An upload/posting can only be deleted, provided it has not yet been uploaded to the ERP/PPS system.

The option "change after upload" set for the order type is not evaluated, i.e. once a posting has been uploaded, it can no longer be deleted even if the option is set differently for the order type. In this case, deletion has to be performed in MOC.

Evaluations in MOC

The times recorded and posted onto the operation are shown at following positions in MOC:

Order information

Shows the actual durations posted onto RPA 11 of an operation.

Order overview > Progress

Shows the posted actual durations in the column of RPA 11, just as it is the case for the "status" tab of the order information dialog.

Order-related postings

The actual durations posted onto the resource performance account 11 can be displayed and changed in the maintenance of postings dialog.

Personnel report

Provided that the workplace, for which you posted data, has been configured as group workplace, this report shows the actual durations posted onto resource performance accounts.

Upload to the ERP system

The recorded data are uploaded to the ERP/PPS system. For further information on the upload structure, please refer to the respective documentation dealing with the interface.