

MDP II Online Seminar

Table of Contents

1.	MDP Seminar Examples	3
1.1.	Create New User-Defined Window in WinLine	3
1.1.1.	Create a New Window in CWLCTK.....	3
1.1.2.	Make New Window Available in WinLine	5
1.1.3.	Set Up and Attach New Window Script to New Window	9
1.2.	New Field in AR/AP Account Base Info.....	11
1.2.1.	Add New Table Column to Table T051	11
1.2.2.	Prepare Window MESO086 for User Group in CWLCTK	11
1.3.	New Field in Sales Rep Base Info	14
1.3.1.	Add New Table Column to Table T034.....	14
1.3.2.	Prepare Window FAKT015 for User Group in CWLCTK	14
1.3.3.	Prepare and Attach Window Script for Window FAKT015	18
1.4.	Add New Table to WinLine Database	21
1.4.1.	Add New User-Defined Table to WinLine Company Database	21


1. MDP Seminar Examples

The ten examples that are demonstrated in the MDP seminar are documented in full in this document. All required window, menu and report settings and corresponding CTK window scripts are listed from the online seminar.

1.1. Create New User-Defined Window in WinLine

1.1.1. Create a New Window in CWLCTK

Create a new window in CWLCTK for application module area MESO for user group Management:



Note:

Window numbering for user-defined windows starts from 900.


When a new window will be accessed from different modules areas (e.g., from AR/AP Account Base Info which can be opened in ACC1, ACC2, etc.), you should create the new window in module area MESO. When a window will only be used in a particular module (e.g., posting window in ACC1), it can be created in the relevant module area.

An existing window number in a module area other than MESO always has calling precedence over the same window number in module area MESO.

Example:

Window MESO900 and MAIN900 are set up in CWLCTK. When window ID 900 is opened with a CTK menu item in module area MAIN, window MAIN900 is opened. When window MAIN900 is deleted, window MESO900 is opened as default window.

The window name is entered in the Title field of the New Window dialogue:



Insert the following controls now in the new window and assign the following properties:

Edit Field

var length property = 20
view = 495
var = 0000


Checkbox control

view = 495
var = 0001

Combo box control


list height = 5
list width = 22
view = 495
var = 0002

Now insert the button control and assign the IDINFO icon as the button icon symbol to the button control:



Additionally, set the "Macro Events" checkbox property for both the OK and EXIT button controls in the window.

Once the control elements are inserted in the window (edit field, checkbox, combobox), you can apply the standard WinLine style guide layout properties to a control with the appropriate menu item. The controls are formatted automatically:




1.1.2. Make New Window Available in WinLine


The following four approaches can be used to open a new user-defined window in WinLine:

Approach 1: Using External Programs


Configure a new macro to open the window:



And start the macro as an external program item:


***Approach 2: New Menu Item***

Set up a new menu item in module area MAIN in the "Parameters" menu and attach window ID 900 to the menu:




Approach 3: From the Cockpit

You can insert either a new Cockpit entry with the existing macro or a Cockpit entry for the new menu item from the previous steps.




Approach 4: From another CTK script


Set up a CTK window script in WinLine START named MAIN76:



The window script is then attached in CWLCTK to window MAIN076 for user group Management:



The new user-defined window is then opened automatically at the window script startup of menu item "General Settings" in WinLine START:



1.1.3. Set Up and Attach New Window Script to New Window

By means of an attached CTK window script to new window MESO900, the following three actions can be scripted for the new window:

- programmatic population of the combo box with three selection options
- validation check for edit field (field may not remain empty)
- message box when a window button is clicked on

First open window MESO900 in user group Management and enter macro name "MESO900" as the window script for the window. Then set up the new CTK window script "MESO900" in WinLine START in menu item "Parameters/Program Macros/Window Script".

Programmatic population of the combo box with selection options

Insert the OnScriptStart event handler for the CWLScript object in the new script and fill the combo box with three options.

```
Sub CWLScript_OnScriptStart()
    MsgBox "Window MESO900 has been opened"
    CWLStart.CurrentModule.Windows.Item(900).Controls.Item(798).Text = "0:Option 1;1:Option
    2;2:Option 3"
End Sub
```

Note:

The selection option values are separated with ";" and formatted with the list box item number before the ":", i.e., all text after the ":" is the item value text.

Validation check for edit field

Insert the OnCheckUserField event handler in the CWLCurrentWindow object into the script and use the bResult parameter to prevent exit of the edit field before an entry has been made in it.

```
Sub CWLCurrentWindow_OnCheckUserfield(nFgId, bResult)
  Select Case Nfgid
    Case 798
      MsgBox "OnChangeButton - Combobox"
    Case 799
      MsgBox "OnCheckBox - Checkbox"
    Case 800
      MsgBox "OnCheck – Edit field"
      MsgBox Cwlcurrentwindow.Activewindow.Currentcontrol.Screencontents
      If Len (Cwlcurrentwindow.Activewindow.Currentcontrol.Screencontents) = 0 Then
        MsgBox "You have not entered any text!"
        bResult.Value = False
      End If
    End Select
  End Sub
```

In the above window script, a message box is also generated when the combo box or checkbox is changed.

Message box with click on a window button

Insert an OnPushButton handler for the CWLCurrentWindow object in the script and output a message box when one of the three window buttons is clicked.

```
Sub CWLCurrentWindow_OnPushButton(nFgId, bResult)


  Select Case nFgId
    Case 797
      MsgBox "OnPushButton - Info"
    Case 98
      MsgBox "OnPushButton - OK"
    Case 99
      MsgBox "OnPushButton - Exit"
  End Select

End Sub
```

1.2. New Field in AR/AP Account Base Info


1.2.1. Add New Table Column to Table T051

Add a new user-defined table column to T051 (Account Base Info Address) named "Province" with length 50 characters.



1.2.2. Prepare Window MESO086 for User Group in CWLCTK

Copy window MESO086 to user group Management in CWLCTK and enter a new edit field control in the window for entry of the province.



As illustrated in the screen above, assign View 051 and Var 0500 Province, i.e., the new user-specific table column to the edit field control.

Note:

Make sure that the new edit field control is not positioned over an existing element in a non-visible Show-Level in the window.

Note:

The tab order of the control elements (fields, checkboxes, radio buttons, etc.) in the window can be adjusted with menu item Edit/Input-Order in CWLCTK.

When a province is entered in the new field in the AR/AP Accounts Base Info window, it is automatically saved (and reloaded when the data record is opened again) without using a CTK script of any kind in the window.

AR/AP Accounts

Address

ACC1

ACC2

Add. Info

Remarks

Contact

Bl

AR/AP Accounts

Account number

105000

☒ Customer

☒ Co

☐ Occasional customer

☐ Inactive

☒ Vendor

☒ Pe

Address data

Title

Release: 000 no release necessary

Account name

Annas Sportwelt

Create

Account name 2

from

Attn.

Herr Sebastian

Last ch

Street

949 Republic Street

from

Street 2

City

Allentown

ZIP

PA

Country

USA

Telephone

239

97030

Cell phone

Fax

Email

rebecca@annassportworld.com

www address

www.annassportworld.com

Desired batch:

0000 No Wish Batch


Province

British Columbia

1.3. New Field in Sales Rep Base Info


1.3.1. Add New Table Column to Table T034

Add a new user-defined table column to T034 (Sales Rep Base Info) named "Province", type "String", with length 50 characters in window "Append Tables" in WinLine Admin.



1.3.2. Prepare Window FAKT015 for User Group in CWLCTK

Open CWLCTK after appending the new table column in T034 and copy window FAKT015 to user group Management in CWLCTK and enter a new combo box field control in the window for selection of province from a list of province options.



As illustrated in the screen above, assign View 034 and Var 0500 Province, i.e., the new user-specific table column to the combo box control. (List width = 22, list height = 5).

Notes:

In the illustration above the new combo box is inserted in Show-Level 2 in the window.


When the View is defined, you must first click in the field and manually enter "034". After manual entry, the drop-down box containing all available tables can be used in the field.

The user-defined column in the T034 is named "U000" in the table. It is automatically associated with user-defined window variable 0500.

The value in the 'Letters' property of the combo box defines the entry field length of the combo box. This value effectively defines the number of characters in the table field (here T034.U000) that are actually displayed or can be entered in the combo box field.

Tab Order Definition of New Control:

The new control is automatically assigned a tab order position at the end of the control tab order list. You can change the tab order for the control with menu item "Edit/Input-Order":




When the menu item is activated, the tab order values are displayed next to the control elements in the window (blue signifies the current tab order value):

To reorder the tab order, the control from which you would like to reorder the tab order is selected with the CTRL key pressed at the same time. The color coding changes for all controls before the selected control and you can click on selected controls after the selected control to reset the tab order:

1.3.3. Prepare and Attach Window Script for Window FAKT015

Populate the new combo box field for province selection with a CTK window script named FAKT015 that is attached to window FAKT015 for user group "Management". Enter the name of the new script first in the "Macro Name" field of the window in CWLCTK.



Then set up the new script, FAKT015, in CWLSTART as a CTK window script. An event handler is needed first to populate the combo box with province selection values:

Programmatic population of the combo box with selection options

Insert the OnScriptStart event handler for the CWLScript object in the new script and fill the combo box with the province selection options.

```
Sub CWLScript_OnScriptStart()
    CWLStart.CurrentModule.Windows.Item(15).Controls.Item(800).Text =
        "British Columbia;;Ontario;;Quebec;;Alberta;;Saskatchewan;;Manitoba;;Nova
        Scotia;;Yukon;;Price Edward Island;;"
End Sub
```

Note:

In this script the list box item numbers contain the province names. The value description is left empty.

Once the script is saved, you can now test the province selection in Sales Rep Base Info (user from user group Management) to see if the selected province is saved for existing and new sales rep data records. In this case, you will find that additional scripting is needed to update or insert the selected

value in the user-defined table column. For this purpose, two other event handlers are also supported to offer an opportunity of working with the window content when the values are updated or inserted in a table.

Update table event when value is written from the combo box to the database table column

Insert the OnUpdateTable event handler for the CWLCurrentCompany class object in the new script to save the selected province selection to the appropriate column in the database table.

```
Sub CWLCompany_OnUpdateTable(TableNo)
    Cwlstart.Currentwindow.Vars.Value(34,500) =
    Cwlstart.Currentwindow.Controls.Item(800).Screencontents
End Sub
```

The OnUpdateTable event is fired when changes are made to existing records.

Insert table event when value is written from the combo box to the database table column

Insert the OnInsertTable event handler for the CWLCurrentCompany class object in the new script to write the selected province selection to the appropriate column in the database table.

```
Sub CWLCompany_OnInsertTable(TableNo)
    Cwlstart.Currentwindow.Vars.Value(34,500) =
    Cwlstart.Currentwindow.Controls.Item(800).Screencontents
End Sub
```

The OnInsertTable event is fired when new records are inserted to the table.

Once the window and scripts have been set up, the province can be selected for a sales rep in the Sales Rep Base Info window, which is saved to the new user-defined column in the WinLine table.

Sales Representative Base Info

Base InfoExtendedCommissionBudgetAdd. Info

Sales rep

Sales rep. number3

NameJerry Samuels

Sales rep

Cat. commission allocat

Cat. basis allocation

Inactive

Authorization00 No Restrictions

Hierarchy

Heirarchy levelRegional

Higher sales rep2

Sales rep nameJune Beaton

Base Info

Sales area3

TitleAssistant sales rep

Attention

Street

Street 2

City

ZIP

Country code

Area code388

Cell phone

ProvinceManitoba

Post box

Telephone488 8484

Fax

Manitoba

Ontario

Quebec

Alberta

Saskatchewan


Manitoba

1.4. Add New Table to WinLine Database

1.4.1. Add New User-Defined Table to WinLine Company Database

A new user-defined table can be created in the WinLine database in the "Append Tables" window in WinLine Admin. Set up a new table named "CompanyCarBaseInfo" by selecting table "new entry" and add four new columns to the table:

- Employee number (String, 50 characters, Unique Index, Index)
- License plate number (String, 20 characters, value NULL)
- Auto brand (String, 50 characters, value NULL)
- Acquisition date (Date, value NULL)



After saving the settings with OK, the new table is visible for instance in the SQL Management Studio.