

MDP Training Workshop

Part 1: New Windows, Database Modifications

Stephen Griffith, mesonic International
June 2020

MDP Workshop Agenda, Part 1

- ✓ Create new WinLine windows
 - ✓ Add and configure control items in new WinLine windows
 - ✓ Create new WinLine menu items to open new window
 - ✓ Attach window script to new WinLine window
- ✓ WinLine database modifications
 - ✓ Insert new table columns in mesonic database tables
 - ✓ Create new tables in the WinLine database
 - ✓ Connect new user-defined database columns to user-defined controls in WinLine windows

User-Defined WinLine Windows

- ✓ Custom entry windows were previously realized with MS UserForms with VBScript.
- ✓ User-defined windows can now be generated in CWLCTK
- ✓ Script functions are attached with a CTK window script, the same as with standard WinLine windows
- ✓ New windows are "real" WinLine windows, i.e., look and feel of WinLine standard windows
- ✓ User-defined windows are created in CWLCTK for corresponding system user groups.
- ✓ All elements in the window send events to the window script
 - ✓ Two exceptions: the OK and Exit buttons. Set the "Macro Events" option to activate event handling for these two buttons

User-Defined WinLine Windows

- ✓ Event handlers in scripts
 - ✓ OnPushButton
 - ✓ OnCheckUserField
 - ✓ For all other objects
- ✓ Retrieve entered values in controls
 - ✓ Cwlcurrenwindow.Activewindow.Currentcontrol.Screencontents

User-Defined WinLine Windows

- ✓ Supported control elements in user-defined WinLine windows:
 - ✓ Edit control
 - ✓ Background text
 - ✓ Static control
 - ✓ Group box
 - ✓ Combobox
 - ✓ Checkbox
 - ✓ Button
 - ✓ Grid control
 - ✓ Internet Explorer
 - ✓ Bitmap

User-Defined WinLine Windows

- ✓ User-defined windows can be opened:
 - ✓ From a system or CTK script
 - ✓ `Cwlstart.Currentmodule.Windows.Add(window number)`
 - ✓ From a macro
 - ✓ e.g., `Cwlmacro.Mwindow 900, false`
 - ✓ With a new menu item in WinLine
 - ✓ New menu items can be inserted for user groups in CWLCTK
 - ✓ From the Favorites panel
 - ✓ Using a macro as “external” application
 - ✓ From the Cockpit

User-Defined WinLine Windows

✓ **Example 1.1**

- ✓ Create new CTK script
- ✓ Create new user-defined window for module MESO in CWLCTK
- ✓ Insert WinLine control objects in new window
 - ✓ Entry field, check box, combobox, push buttons
- ✓ Validation check on entry field
 - ✓ bResult.Value = False – when the field may not be exited
- ✓ Open using „External programs“
 - ✓ With macro „MACRO-MESO900“
- ✓ Open with new menu item
 - ✓ MAIN/Parameter/Demo WinLine window
- ✓ Open from the Cockpit
 - ✓ Insert as menu item or
 - ✓ Using a macro „MACRO-MESO900“
- ✓ Open from another CTK script
 - ✓ MAIN76 – General Settings

New Database Table Columns

- ✓ New user-defined columns can now be inserted in standard WinLine database tables.
- ✓ New table manager window in WinLine Admin (menu item System/Append Tables)
- ✓ New table columns are valid for the database, i.e., for all companies in the database
- ✓ Table contents and field definitions are backed up and restored with corresponding WinLine ADMIN functions.
- ✓ New column name is user-defined, the column number is assigned automatically.
- ✓ Variable numbers for user-defined columns begin with 500. Column numbers begin with "U" and not with "C", e.g., U000, U001, etc.

New Database Table Columns

- ✓ Values in user-defined table columns are in many cases automatically loaded and saved for a data record.
- ✓ Depending on the WinLine window, loading and saving of column values does not even require a CTK window script
- ✓ Events are passed to a script with the CwlCompany class for appended WinLine tables.
 - ✓ OnUpdateTable (short TableNum)
 - ✓ OnInsertTable (short TableNum)
 - ✓ OnDeleteTable (short TableNum, BSTR Key, BSTR WhereStmt)
 - ✓ These events are triggered for mesonic database tables that have been appended with user-defined columns.

New Database Table Columns

- ✓ Example 1.2 - "AR/AP Account Base Info":
 - ✓ Add new field "Province" to the AR/AP Account Base Info window.
- ✓ Procedure:
 - ✓ Table T051 (Account Base Info Address) is appended in WinLine Admin with an entry field with 50 characters
 - ✓ Window MESO086 is copied to a system user group in CWLCTK
 - ✓ A new edit field control is inserted to the CTK window for entry of the province.
 - ✓ The new variable value from table T051.U500 is assigned to the edit field control.

New Database Table Columns

- ✓ Example 1.3 - "Sales Rep Base Info":
 - ✓ Add new field "Province" to the Sales Rep Base Info window.
- ✓ Procedure:
 - ✓ Table T034 (Sales Rep Base Info) is appended with a new text column with 50 characters
 - ✓ Window FAKT015 is copied to a user group in CWLCTK.
 - ✓ A CTK window script is assigned to the window and a combo box control is added to the window for entry of the province.
 - ✓ The new variable value from table T034.U500 is assigned to the combo box control.
 - ✓ Populate the combobox with province value selections and program the table events.

New Database Tables

- ✓ New user-defined tables can be defined within a Winline company database.
- ✓ After a new table name is entered, a new table number is automatically suggested.
- ✓ Table numbers between 650 and 700 can be assigned.
- ✓ Data records can be inserted, deleted and updated with CTK window scripts in user-defined tables.

New Database Tables

- ✓ Example 1.4 - "Company Car Table"
 - ✓ A new user-defined table in the WinLine company database will be set up with the following columns:
 - ✓ Employee number
 - ✓ License plate number
 - ✓ Auto brand
 - ✓ Acquisition date

Thank you for your participation!
See you at the next seminar!