


1 AIP Add-On Multimedia Kit

This function packet makes it possible to display documents in a wide variety of formats in HYDRA.

On the one hand, there is the ability to display documents for operations (see below), however they can also be displayed using the AIP DNC and CAQ functions.

Example for how a document is selected in the AIP BDE function:



General information

Documents, graphics or other files can be displayed from the table in the *Documents* index tab.

By selecting an entry in the list and touching/ clicking on the *Open document* button, the file is downloaded to the AIP and, depending on the file extension, displayed either in an internal viewer or in an external application.

Internal viewer

Supported formats for internal viewers: txt, ini, avi, tif, tiff, jpg, jpeg, dcx, eps, ico, pcx, pcc, png, ppm, pgm, pbm, tga, vst, afi, wmf, emf, bmp.

Supported formats for an external HTML viewer: htm, gif, wmv, mpg,

External applications

If file formats (file extensions) other than the ones described above are used (e.g. PDF files), then external applications must be installed. The customer is responsible for the installation. **Error! Reference source not found.**

Http links as document references

It is also possible to transfer http links to a browser for display without having to download a file first. To do this, a path with the "http" protocol must be used (the path is configured at the console via File > System Administration > Paths).

These links are displayed in the internal HTML viewer supplied with the *AIP*. In this case, the file extension does not affect the selection of the viewer.

The files can also be displayed in the standard browser configured in Windows. To do this, the following flag must be set in the file "hytnrcfg.ini":

```
[Terminal->USR 0]
```

```
HTTPBrowser=standard
```

This setting is not recommended for a touch-screen *AIP* because operating a browser could be problematic.