

1 Input Batch Change

Summary


Input material and/or relevant input batches can be changed for a running OP if the "input batch change" option is clicked.

Configuration

Further system configurations are not required to be able to use the input batch change dialog.

Dialog

Basic screen



Change incoming Batch <CE_WL_MPL>

Workplace: R000 Material: 5468-41-0010

Operation: MPL000010010

Input batch: 123456789

POS	Input mat. no.	Input mat. des.	Custom. batch no.	Remainder Unit
1	3846-98	Aluminum roll 800 mm x 1000m x 1 mm	384698003	1000 M
0010	5468-41-0010	Aluminum roll 200 mm x 1000 m x 0,5 mm		

Staff Number: 9999

Cancel Post batch

mpcv 03.07.14 13:02:24

Log input batch off:

Input batches may be changed by entering a currently active batch number or by entering a new batch number. When logging batches off, it is also possible to enter the status and consumption of the batch to be logged off.


Unregister Incoming Batch

<CE_AB>

Batch	384698003		
Material	3846-98		
BOM item	1		

Status
☐ PROCESSED
☐ LOCKED
☒ with remaining qty.

Consumption 10 M

Comment

Staff Number

Unregister Incoming Batch


03.07.14 13:03:20

Options when logging input batches off:

F1 - PROCESSED

The batch is set to the "processed" status and the remaining quantity that is still available is set to 0. A consumption posting is generated as goods issue for the current, remaining quantity.

F2 - BLOCKED

The batch is set to the "blocked" status. A consumption entered additionally is deducted from the current, remaining quantity as goods issue.

F3 - with remaining quantity

The batch is set to the "free" status. A consumption entered additionally is deducted from the current, remaining quantity as goods issue. If the remaining quantity that is still available becomes ≤ 0 , the batch status automatically switches to "processed".

Consumption

The entered consumption (unit of the input material) is deducted from the remainder of the batch and a goods movement is generated.

Comment on batch

The comment entered is saved as information for the batch.

Log input batch on:

Provided that the batch is known, batch data is displayed in an intermediate dialog where the logon may be confirmed.

Provided that the batch could be logged on, it is taken over to the material list in "customer batch number" and thus the change is completed.

However, in case the logon is inadmissible as the input material does not correspond to that of the component, the logon is rejected by an error message.