

Manual

HR Portal Operation

Version 1.0.23049

Last changed on: 02.09.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	General HYDRA@WEB Operating Instructions.....	4
1.1	Basic functions	4
1.2	Navigation	6
1.3	Use of functions	8
1.4	Print	14
2	Change Pin Code	16
3	Time Sheet.....	18
4	Request Absences	20

1 General HYDRA@WEB Operating Instructions

Depending on the scope of your installation, HYDRA@WEB gives you access to various applications such as the Web portal or the Web client with an array of different functions. This chapter provides a description of the general use of HYDRA@WEB and focuses on the functions typical in all applications.

1.1 Basic functions

In the "Function" section in the navigation menu of each HYDRA@WEB application you are given a description of the basic functions listed below.

1.1.1.1 *Login and logoff*

You will need to log in to a HYDRA system in order to make use of the HYDRA@WEB functions. Depending on the application, there are several different login methods.

System selection

From the "System" selection list, you can select the HYDRA system that you would like to work with. The available systems are defined during initial installation or by your administrator.

Log in with a user name

The user logs in by entering the name of a user name created in HYDRA and the corresponding password. A user logs in this way, for example, when logging into the Web client application.



Keep in mind that most browsers remember the user name and often also offer to store the corresponding password. This is not a HYDRA@WEB function and for this reason it cannot be deactivated there.

Log in with a personnel number/ badge number

When logging in using a personnel number or a badge number, you will require the pin code that was entered in the master data for the corresponding person. So, this kind of log in does not require that a HYDRA user was created. A user logs in this way, for example, when logging into the Web portal application.

Logoff

You close an application by logging off - you will only be able to use the application's functions again after logging back in.



If an application is not used for a longer period of time, the user may be logged off automatically.

1.1.1.2 Language selection

From the list "Language selection" you can define in which of the languages installed you would like HYRDA@WEB to be shown. Upon request, MPDV can make additional language packages available.

1.1.1.3 Help

HYDRA@WEB provides you with context dependent help functions, i.e. the content of the help file displayed focuses on the content of the current window.

If a help file is available for the current content, a link will be displayed accordingly in the "Function" section of the navigation menu.

1.2 Navigation

HYDRA@WEB offers different options to switch between different functions. Among them is the menu, the side navigations and the links from the applications themselves.

1.2.1.1 Navigating in the menu

Depending on which application is active, from the navigation menu on the left hand side of the browser window, you can go to the available functions and the function that is currently called up in other pages.

In some cases, the available functions may be divided into submenus. To save space, only the functions of the current menu are visible.

Keep in mind that the menu adapts itself dynamically to the current function. For example, oftentimes it is only possible to go to a detail function if data has already been selected in the current (overview) function.

HYDRA@WEB

Status: User: Schreiber, System: Linux9-2

Function: Logoff, Language selection: Englisch (Grol) OK

Detailed reports: Graphic order shift log

Order shift log

Workplace: to, Shift: All 1 2 3 4, Date: 09/04/2012 to 16/05/2012

Data records: 1 to 13 of 13 1

Shift date	Shift	Workplace	Order	OP	Article	Production	Total time	Yield (P)	Scrap (P)	Unit (P)	SUT	DC
20/04/2012	1	40312	4000LL10	0010	30-74532	0:00:00	0:01:07	500		1	ST	0:00:00
18/04/2012	1	50505	10000001	0005	801001-5	0:00:13	0:00:13	0	0	ST	0:00:00	0:
20/04/2012	1	52276A	4000LL10	0030	30-74532	0:00:26	0:00:26	3	0	ST	0:00:00	0:
18/04/2012	1	60615	A3000405	0400	SAR-FFU021-M-9005	0:00:00	0:00:32	0	0	ST	0:00:00	0:
14/05/2012	2	60623	A3000012	0300	SAL-FKA011-M-9005	0:00:00	0:00:00	0	0	ST	0:00:00	0:
14/05/2012	2	60623	A3000012	0400	SAL-FKA011-M-9005	0:25:00	0:00:00	0	0	ST	0:00:00	0:
15/05/2012	1	60623	A3000012	0400	SAL-FKA011-M-9005	0:25:00	0:00:00	0	0	ST	0:00:00	0:
15/05/2012	2	60623	A3000012	0400	SAL-FKA011-M-9005	1:38:00	0:00:00	0	0	ST	0:00:00	0:
19/04/2012	2	9090C	QM987200	0100	SAL-FFI-9005	0:02:21	0:02:21	0	0	ST	0:00:00	0:
18/04/2012	2	9091C	10000002	0004	800001-4	0:00:00	5:16:48	0	0	ST	0:00:00	0:
19/04/2012	1	9091C	10000002	0004	800001-4	0:00:00	7:30:00	0	0	ST	0:00:00	0:
19/04/2012	2	9091C	10000002	0004	800001-4	0:00:00	7:30:00	0	0	ST	0:00:00	0:
20/04/2012	1	9091C	10000002	0004	800001-4	0:00:00	3:53:33	0	0	ST	0:00:00	0:

Data records: 1 to 13 of 13 1

Illustration 1: The go-to option in the "Graphic order shift log" detail function does not appear until after at least one data record was highlighted in the "Order shift log" in the Web client application.

1.2.1.2 Page navigation

For performance reasons, the number of data records that can be shown on one page in the browser when a query is made in a function is limited (by default to a maximum of 150 data records).

If a data query delivers more than the maximum number of data records, the results are divided up onto several pages. The data from the subsequent pages are loaded into the local browser by the server only after the corresponding page is selected in the page navigator.

Status

User:
Schreiber
System:
Linux9-2

Function

Logoff

Language selection
Englisch (Groi)

OK

Detailed reports

Select requested data records

BDE

Order-related statistic

Order

Basic date start

to

Final Article

Basic date end

to

Designation

Data records: 1 to 150 of 340

1

2

3

>

		Order status	Order	Final Article	Article designation	Number of OPs	Target quantity (B)	Yield (B)	Scrap (B)	Unit (B)	Target setup time
☐		begonnen	10000001	801001	Airbag Fließheck/Rechts	4	1,000	839	3	ST	0:12:
☐		begonnen	10000002	800001	Airbag Fließheck/Links	4	2,000	32	8	ST	0:12:
☐		vorbereitet	10000003	803001	Airbag Stufenheck/Rechts	4	10,000		0	ST	0:12:
☐		vorbereitet	10000004	802001	Airbag Stufenheck/Links	4	10,000	1	0	ST	0:05:
☐		vorbereitet	10001000	9961	Clip, naturfarben	1	0	50	0	ST	1:00:
☐		fertig	10001100	9968	Gehäuse Fließheck/Rechts	1	0	7,611	10	ST	1:47:
☐		begonnen	10001104	9967	Gehäuse Fließheck/Links	1	0	4,040	4	ST	2:05:
☐		vorbereitet	10001106	9970	Gehäuse	1	0		0	ST	1:47:

Illustration 2: In this illustration, 330 data records were calculated as a result of the data selection; shown here are the first 150 records. By clicking on the "2" in the page navigator, the next 150 data records are displayed, etc.

The number of data records displayed is controlled via the URL of the displayed web page. Where necessary, they can be modified manually so that when data is queried, the page displays either a larger or smaller number of data records. For example, Illustration 2 was generated by the following URL.



```
<server>/WebClient/IndexData/0/PageSize/150?query=&applicationName=_OrderRelatedStatistics
```

However, you can also easily modify the parameters for PageSize in the URL in order to display all of the data records on one page.

```
<server>/WebClient/IndexData/0/PageSize/400?query=&applicationName=_OrderRelatedStatistics
```



Keep in mind that if you modify the sort sequence by clicking on the column header this will reset the page counter to 1 (cf. 1.3.1.4).

1.2.1.3 Favorites

HYDRA@WEB is a web application, which is why navigation between separate pages involves URLs being transmitted to the web server, which then transmits the web page that matches the URL to the local browser. When data is queried, in addition to the selected function, the web server also transmits the parameters that result in the data selection.

This is why HYDRA@WEB makes it easy to use the favorites function of your browser to store queries as links in the browser's favorites bar, which can then be called up from there at a later date by simply clicking on them. Of course, you can also send these lines, by e-mail for example.




Illustration 3: In this application, first the machine history for machine "50612" was saved in the browser's favorites bar as a link for the time period between "1.1.12" to "1.31.12". After logging into the system, this evaluation was then reestablished from the favorites bar.



Keep in mind that the links will only deliver data if the user has logged himself into the relevant HYDRA system first. If a link is called up without logging in first, the system will display the login page.



The system does not store the results of the evaluation, but instead it saves the parameters that led to the evaluation. So, if this link is called up at a later time, the results may be different.

1.3 Use of functions

This section illustrates the common control elements of the different HYDRA@WEB functions. In particular, the chapter will discuss how to select data, how to use selection dialogs and how to go to overviews in detail functions.

1.3.1.1 Data selection

Many functions have a selection area to select data in order to control the quantity of data displayed.

In some cases, HYDRA@WEB supports the ability to enter selection parameters using special entry elements (e.g. to enter dates) or by using selection dialogs (cf. Section 1.3.1.2).

After entering the selection parameters in the input fields in the selection area, the data query is started by clicking on the arrow icon and the results are then shown in the data area.

If the query returns more data records than the maximum number of results that can be shown on one page, the results are divided onto several pages (s. Section 1.2.1.2).

1.3.1.2 *Selection dialogs*

Selection dialogs are a tool to help you enter selection parameters for elements available in the system, such as when entering workplace numbers.

If a selection dialog is available for an input field, a magnifier icon is shown behind the input field. Clicking on the magnifier icon will open the selection dialog, from where you can calculate the desired value.

Machine history

Workplace: 50612 to Cost center:
 Group: Date: 01.01.12 to 31.01.2012

Workplace

Workplace: to Report group:
 Group: to Cost center:
 Short designation:

Data records: 1 to 50 of 260 1 2 3 4 5 6 >

Resource	Short name	Designation	Group	Cost center	Comp.	Workplace type
✓ 6058	NAEHN	Nähmaschine	HANDARB	BDE100		
✓ 33021	HAND02	Handarbeitsplatz Entgraten, Reinigen	FINISH	4500	01	
✓ 33022	HAND03	Handarbeitsplatz Entgraten, Reinigen	FINISH	4500	01	
✓ 33023	HAND04	Handarbeitsplatz Entgraten, Reinigen	FINISH	4500	01	
✓ 33025	HAND05	Handarbeitsplatz Entgraten, Reinigen	FINISH	4500	01	
✓ 40312	HAND01	Handarbeitsplatz Entgraten, Reinigen	FINISH	4500	01	
✓ 406457A	AUFSTE 1	Aufsteckplatz 1	AUFSTECK	105		
✓ 406457B	AUFSTE 2	Aufsteckplatz 2	AUFSTECK	105		
✓ 50500	ROHRMONL	Extrusionsmaschine / Rollenfertigung	MONTAGE	BDE100		
✓ 50504	HPTMONR3	Hauptmontage rechts 3	MONTAGE	BDE100		
✓ 50505	HPTMONL1	Schneidmaschine / Rollenschneiden	MONTAGE	BDE100		
✓ 50506	ENDMONL	Endmontage links	MONTAGE	BDE100		
✓ 50507	ENDMONR	Endmontage rechts	MONTAGE	BDE100		
✓ 50508	HPTMONL2	Hauptmontage links 2	MONTAGE	BDE100		

07/01/2012 07:58:30 Machine status ALLG. STOERUNG 50612 ARB-320S

Illustration 4: In a selection dialog (here using selecting workplaces as an example) you can then in turn first limit the number of data to be displayed by entering selection parameters and then click on the arrow icon to send the selection query to the server. After the results are displayed, click on the desired data record; this will close the window and the relevant value will be assumed in the input field.

1.3.1.3 Linking/ drill down

In certain (overview) functions, there is the option to go to a detail function from the current page (drill down) If only the current data record can be transmitted as the basis for the drill down, then a magnifier icon will appear in front of this data record (cf. Illustration 5).

HYDRA@WEB

Attendance overview

User: Schreiber
System: SCC7-2

Function: Logoff
Language selection: Englisch (Groß) OK

Company: Person: to: Company: Cost center:

Status: ☒ Present ☒ Planned absent ☒ Unplanned absent ☒ Off

Search name: A B G H M P S W

Company	Person	Name	Status	Location	Present at	Phone	Mobile phone
BSP	50014	Albert, Claudia	Present	Nord		05231/7943-154	0172 3459373
BSP	0001	1000					
BSP	4050						
BSP	9666						
BSP	5020						
BSP	8574						
BSP	0001	1000					
BSP	9385						
BSP	4025						
BSP	4078						
BSP	667						
BSP	0001	1000					

Details of attendance overview

Company: BSP
Person: 50014
Area: FE
Name: Albert, Claudia
Phone: 05231/7943-154
Mobile phone: 0172 3459373
E-mail: claudia.albert@bsp.de

User: Schreiber
System: SCC7-2

Function: Logoff
Language selection: Englisch (Groß) OK

Detailed reports: Back

Attendance overview

Illustration 5: From the current data record, go to a detail function by clicking on the magnifier icon, here for example the "Attendance overview" function.

If the function supports transmitting several data records, then the desired data records are selected by clicking on the check boxes and the go-to function is shown in the menu. (cf. Section 1.2.1.1). You can also select all of the data records displayed by clicking on the check box in the selection column header.




Illustration 6: In this illustration, all of the displayed data records were highlighted by clicking on the header line and then the detail function "Graphic efficiency report" (dynamically shown in the menu) was called up.



Only the data records displayed can be transmitted to a detail function. So, if a query returns data records on more than one page, only those data records can be transmitted to the detail function that are displayed on the current page.

1.3.1.4 Sorting in table view

When in table view, the way the data records are sorted can be changed by clicking on the column header. The first time you click on a header, the data records are sorted in ascending order. If the data records are already sorted based on a column, then you will reverse the sorting sequence if you click on the same column again.



Keep in mind that the sorting relates to all of the data records that match the data query and not to all of the data records currently being displayed. Any change to the sorting sequence will therefore then return the page counter to page 1 if several pages are shown.



Keep in mind that other than the sorting sequence, the table view cannot be modified by a user activity. Only the customizing option will allow columns to be moved, shown, and hidden or their width to be modified.

1.4 Print

HYDRA@WEB does not have its own print function, but instead uses the print function in your browser (called up, for example, by clicking on CTRL + P).



Keep in mind that only the data area is printed (so, not the menu, for example) and only the data records that are currently being displayed.

Machine history

Page 1 of 3

Machine history

Workplace		to		Cost center		
Group		to		Date	09/1/2012 to 16/05/2012	
Short designation		☐ Shift 1 ☐ 2 ☐ 3 ☐ 4 ☐				
Report group		☒ Time 00:00 to 23:59				

Data records: 1 to 150 of 15952 1 2 3 4 5 6 >

Date	Type	Type	Event	Order	Article	Person	Last name	First name	Workplace	Short name	Group	Cost center	Status	Status designation
09/01/2012 00:02:23		Machine status	ALLG. STOERUNG						50612	ARB-320S	SPRGUSS1	4010	99	ALLG. STOERUNG
09/01/2012 00:17:46		Machine status	PRODUKTION						50612	ARB-320S	SPRGUSS1	4010	1	PRODUKTION
09/01/2012 00:21:55		Machine status	ALLG. STOERUNG						NA43	NAKAMU43	NC	4110	99	ALLG. STOERUNG
09/01/2012 00:22:23		Machine status	PRODUKTION						NA43	NAKAMU43	NC	4110	1	PRODUKTION
09/01/2012 00:22:25		Machine status	ALLG. STOERUNG						BI40	BIHLER40	STANZEN2	4210	99	ALLG. STOERUNG
09/01/2012 00:25:48		Machine status	PRODUKTION						BI40	BIHLER40	STANZEN2	4210	1	PRODUKTION
09/01/2012 00:32:21		Machine status	ALLG. STOERUNG						50612	ARB-320S	SPRGUSS1	4010	99	ALLG. STOERUNG
09/01/2012 00:34:07		Machine status	PRODUKTION						50612	ARB-320S	SPRGUSS1	4010	1	PRODUKTION
09/01/2012 00:34:58		Machine status	ALLG. STOERUNG						50612	ARB-320S	SPRGUSS1	4010	99	ALLG. STOERUNG
09/01/2012 00:35:02		Machine status	PRODUKTION						50612	ARB-320S	SPRGUSS1	4010	1	PRODUKTION
09/01/2012 00:59:31		Machine status	ALLG. STOERUNG						BI40	BIHLER40	STANZEN2	4210	99	ALLG. STOERUNG
09/01/2012 01:01:07		Machine status	PRODUKTION						BI40	BIHLER40	STANZEN2	4210	1	PRODUKTION
09/01/2012 01:03:25		Machine status	ALLG. STOERUNG						BI40	BIHLER40	STANZEN2	4210	99	ALLG. STOERUNG
09/01/2012 01:04:15		Machine status	PRODUKTION						BI40	BIHLER40	STANZEN2	4210	1	PRODUKTION
09/01/2012 01:09:56		Machine status	ALLG. STOERUNG						BI40	BIHLER40	STANZEN2	4210	99	ALLG. STOERUNG
09/01/2012 01:11:02		Machine status	ALLG. STOERUNG						BUE01	BUEHLER1	DRUCKGUS	4210	99	ALLG. STOERUNG
09/01/2012		Machine status	PRODUKTION						BI40	BIHLER40	STANZEN2	4210	1	PRODUKTION


Illustration 7: Example for printing out a function with table view

Performance profile

Page 1 of 1

Graphic performance profile

Downtimes



Primary quantities




Illustration 8 Example for printing out a detail function with graphics

2 Change Pin Code


Overview

After logging into the HYDRA@WEB Web portal and after the login details have been authorized, employees may change the pin code they use to log in at the Web portal.



Change pin code

The following window will open in which you can change the pin code:



Field descriptions

Badge number pin code

Enter the currently valid pin code that you would like to change.

New pin code**Pin code**

Enter a new pin code.

Repeat new pin code

Enter the new pin code again to verify the entry


3 Time Sheet

Overview

After logging into the HYDRA@WEB Web portal and after the login details have been authorized, employees may view their time sheets for the current and for past settlement periods. To call up time sheets in the Web portal, click on the Time sheet entry.



Time sheet



The employee's time sheet is shown for the selected settlement period.

Time sheet

Person 96665
Name Hanson, Betty

Month 1 / 2012
Date 04/04/2012

Account balances at beginning of month

Flextime	16:45	Overtime	2:00	Flexible time	0:00
Leave account	00,000.00	Monthly account	0:00		

Date	Beginning	End	Break	Remuneration	Target Time	Actual Time	Flex Time
01.01. Sun							
Sum of week							
02.01. Mon	7:05	17:17	0:45	100 FLEX MF	8:00	9:15	
03.01. Tue	7:12	16:25	0:30	100 FLEX MF	8:00	8:00	
04.01. Wed	8:01	18:02	0:45	100 FLEX MF	8:00	9:15	
05.01. Thu	7:46	17:59	0:45	100 FLEX MF	8:00	9:30	
06.01. Fri	8:00	16:30	0:00	600 Pub.Hol.	8:00	8:00	
07.01. Sat							
08.01. Sun							
Sum of week					40:00	44:00	0:00
09.01. Mon	7:43	15:38	0:30	100 FLEX MF	8:00	7:15	
10.01. Tue	7:14	15:00	0:45	100 FLEX MF	8:00	11:00	
	15:00	19:00		150 Dienst			
11.01. Wed	10:14	17:12	0:30	100 FLEX MF	8:00	6:30	
12.01. Thu	9:06	16:48	0:30	100 FLEX MF	8:00	6:54	
13.01. Fri	7:34	12:04	0:30	100 FLEX MF	8:00	8:30	
	12:26	16:23		100 FLEX MF			
14.01. Sat							
15.01. Sun							
Sum of week					40:00	40:09	0:00
16.01. Mon	8:00	16:30	0:00	450 Leave	8:00	8:00	
17.01. Tue	8:00	16:30	0:00	450 Leave	8:00	8:00	
18.01. Wed	8:00	16:30	0:00	450 Leave	8:00	8:00	
19.01. Thu	8:00	16:30	0:00	450 Leave	8:00	8:00	
20.01. Fri	8:00	16:30	0:00	450 Leave	8:00	8:00	
21.01. Sat							
22.01. Sun							
Sum of week					40:00	40:00	0:00
23.01. Mon	8:00	16:30	0:00	450 Leave	8:00	8:00	
24.01. Tue	8:00	16:30	0:00	450 Leave	8:00	8:00	
25.01. Wed	8:00	16:30	0:00	450 Leave	8:00	8:00	
26.01. Thu	8:00	16:30	0:00	450 Leave	8:00	8:00	
27.01. Fri	8:00	16:30	0:00	450 Leave	8:00	8:00	
28.01. Sat							
29.01. Sun							
Sum of week					40:00	40:00	0:00
30.01. Mon	8:21	14:26	0:30	100 FLEX MF	8:00	6:00	
31.01. Tue	7:58	16:44		111			
Sum of week					8:00	6:00	0:00
Monthly total					168:00	170:09	0:00

Account balances at end of month

Flextime	16:45	Overtime	2:00	Flexible time	0:00
Leave account	00,000.00	Monthly account	2:24		

Carryforward in following month

Monthly account	0:00
-----------------	------



For each employee, the number of the time sheet that should be displayed in HYDRA@WEB is defined in the Time sheet field in [HR master data](#).

4 Request Absences

Overview

After logging into the HYDRA@WEB Web portal and after the login details have been authorized, the employee may request absence via intranet. In order to be able to request an absence, the Absence planning function must be called up in the Web Portal.



Absence planning

Absence planning begins with an overview of the yearly calendar for the current year and it shows the currently planned absences for the employee.

The screenshot shows the 'Absence planning' interface in the HYDRA@WEB system. On the left, a sidebar contains user information (User: Holzinger, Beate; System: Demo-Server), a 'Logoff' button, a 'Language selection' dropdown (English (United Kingdom)), and a 'Web portal' section with links for 'Change pin code', 'Absence planning', and 'Time sheet'. The main area displays a calendar for the year 2013. At the top, it shows 'Year: 2013' with a refresh icon, 'Urlaubskonto: Current: 43.0', and 'End of the year: 27.5'. The calendar grid shows days from 1 to 31 for each month. Absences are marked with colored squares: red for 'Fei' (Ferien), orange for 'Url' (Urlaub), green for 'GLZ' (Glaubwürdiger Urlaub), blue for 'Kra' (Krankheitsurlaub), yellow for 'Sch' (Schulferien), and brown for 'F12' (Ferienjahr 12). The calendar is currently showing the month of January.

Requesting absence always begins by clicking on a specific calendar day. A form will open, in which the values for the personnel number, the name and date have already been defined.


The screenshot shows a 'Request absence' dialog box. It contains the following fields: 'Personnel no.' (Last name, First name: Holzinger, Beate), 'Date' (09/12/2013 to 09/12/2013), 'Absence reason' (Urlaub), and 'Commentary'. There are 'OK' and 'Cancel' buttons at the bottom.

The values that identify the person (personnel number and name) cannot be modified. The user may modify the other fields, whereas the entry from the comments field in the calendar is shown as a tooltip. In addition, the comments on the days on which absence is planned are also shown in the attendance overview. Save the entry by clicking on the OK icon. The calendar is then restructured, whereas the requested absence is entered in italics. Absence times that have already been approved or for which a request does not need to be submitted are shown in normal format.



From the configuration [Control of absence times](#) you can define which absence times to select. The settings are defined there from the icon "Absence time may be requested" and "Request needs to be approved".

You can cancel an absence request using the function "Cancel request" as long as it has not yet been authorized or refused. Requested absence times are displayed in italics. To cancel a request, you must again click on the absence time in the calendar.



Absence planning for days in the past opens the form in display mode. You cannot modify these absence times.

