

1 Implementation of SAP-PSCC4

Summary

Usage

Within the framework of HYDRA being connected to SAP PS, it is HYDRA's task to collect data relevant to PS and to upload it to SAP. PS project orders transferred from SAP to HYDRA represent the data base.

SAP triggers the download of PS project systems (PP-PDC / CC4). Data is transferred in an IDoc (Intermediate Document) and entered in HYDRA.

SAP also controls the upload of PS project orders according to the user's requirements.

SAP provides several IDocs as part of the PP-PDC interface to establish communication with BDE sub-systems. These IDocs are used:

Download of PS project orders (PP-PDC / CC4):

IDoc type:	OPERA4
Message type:	OPERA4
Message function:	APP / DEL / UPD
Segment type:	OPERA4

Download of the PS upload request (PP-PDC / CC4):

IDoc type:	REQUI4
Message type:	REQUI4
Message function:	
Segment type:	REQUI4

Upload of project orders (PP-PDC / CC4):

IDoc type:	CONF42
Message type:	CONF42
Segment type:	CONF7

Download operation/master data SAP → HYDRA**HYDRA RFC server**

The HYDRA RFC server registers to the SAP gateway. It receives the incoming IDocs and stores them to the HYDRA database. Then the HYDRA process responsible for the transfer to the HYDRA data model is started.

IDoc types

Downloading of data to HYDRA is triggered by R/3 through SAP workflow processes.

The operations are transferred in an IDoc of the type *OPERA4*. This either refers to an initial, delta or deletion download.

The upload request is transferred in an IDoc of the type *REQUI4*. If HYDRA receives this request, the uploads already included in HYDRA interface tables will be transferred to HYDRA.

In addition, it is possible to download activity types for workplaces from SAP. This data transfer has been implemented as initial download. Consequently, the activity types existing in HYDRA are deleted and replaced by the new ones transferred from SAP.

Uploads HYDRA → SAP

Uploads are transferred cyclically from HYDRA as well as from SAP R/3. To this end, the interface provides different options so that specific requirements can be met.

HYDRA RFC client

The HYDRA RFC client is responsible for uploads. It is started as part of a HYDRA workflow. At this point in time, the database provides the data ready for dispatch.

Data is transferred asynchronously as IDoc. Once data has been transferred, it will be processed and posted by the defined workflow in R/3.

IDoc types

Uploads are transferred to SAP R/3 either by HYDRA or SAP R/3 in an IDoc of the type *CONF42*.