

1 Upload of SAP time tickets

Overview

Record types and activities supported by HYDRA

HYDRA-BDE uploads the following record types in relation to time tickets to SAP R/3 PP.

Record type	Meaning in SAP	Triggering HYDRA action
L20	Partial completion of time ticket	Orders are interrupted automatically or manually via the shop floor client or office client.
L40	End of time ticket	Completion of an order via the shop floor client or office client.



If HYDRA MPL is active, an L20 partial completion is generated and transferred to SAP for every generated output batch (output batch changed) in addition to the SAP time tickets for interrupting or logging off the OP.

Confirmation/upload structure (E2BP_PP_TIMETICKET)

Field name	T	L	D	Meaning	Usage in HYDRA	From 1	To2
CONF_NO	NUMC	10	0	Confirmation/upload number of the operation	Confirmation/upload number as specified	1	10
ORDERID	CHAR	12	0	Order	SAP order according to specifications	11	22

1 The indicated number of characters is calculated based on the export length of the GI transaction 31 in SAP and can be used as reference for HYDRA developers.

2 See footnote of column "From"

Field name	T	L	D	Meaning	Usage in HYDRA	From 1	To2
SEQUENCE	CHAR	6	0	Sequence	SAP sequence according to specifications	23	28
OPERATION	CHAR	4	0	Operation	SAP operation according to specifications	29	32
SUB_OPER	CHAR	4	0	Suboperation	SAP suboperation according to specifications	33	36
CAPA_CATEGORY	CHAR	3	0	Capacity category	SAP capacity category according to specifications	37	39
SPLIT	INT1	3	0	Split number	000, as no specification possible	40	42
FIN_CONF	CHAR	1	0	Partial/final confirmation/upload (not interpreted)	Not used	43	43
CLEAR_RES	CHAR	1	0	Clearing open reservations	Use the parameter /CLEAR_RES to assign an "X" to this field for an L40 posting.	44	44
POSTG_DATE	DATS	8	0	Posting date	Shift date of the HYDRA posting record	45	52
DEV_REASON	CHAR	4	0	Reason for the deviation	This field includes the scrap reason if the options "report part quantities" or "upload of scrap including reason" are enabled for the order type .	53	56
CONF_TEXT	CHAR	40	0	Confirmation/upload text	Not used Exception: batch numbers are entered here if H records are uploaded/confirmed	57	96
PLANT	CHAR	4	0	Plant	Specified plant	97	100
WORK_CNTR	CHAR	8	0	Workplace	According to configuration - see below	101	108
RECORDTYPE	CHAR	3	0	Record type of the upload/confirmation	L20 or L40	109	111
CONF_QUAN_UNIT	UNIT	3	0	Quantity unit of confirmation/upload	OP target quantity unit (primary quantity unit)	112	114
CONF_QUAN_UNIT_ISO	CHAR	3	0	ISO code of quantity unit of confirmation/upload	Not used	115	117
YIELD	QUAN	13	3	Yield	Yield in primary quantity unit	118	132
SCRAP	QUAN	13	3	Scrap quantity	Scrap in primary quantity unit	133	147

Field name	T	L	D	Meaning	Usage in HYDRA	From 1	To2
REWORK	QUAN	13	3	Rework quantity	Rework quantity in primary quantity unit	148	162
CONF_ACTI_UNIT1	UNIT	3	0	Activity 1: quantity unit of activity quantity	According to configuration	163	165
CONF_ACTI_UNIT1_ISO	CHAR	3	0	Activity 1: ISO code of the quantity unit	Not used	166	168
CONF_ACTIVITY1	QUAN	13	3	Activity 1: activity quantity	According to configuration	169	183
NO_REMN_ACTI1	CHAR	1	0	Activity 1: No remaining activity expected	Not used	184	184
CONF_ACTI_UNIT2	UNIT	3	0	Activity 2: quantity unit of activity quantity	According to configuration	185	187
CONF_ACTI_UNIT2_ISO	CHAR	3	0	Activity 2: ISO code of the quantity unit	Not used	188	190
CONF_ACTIVITY2	QUAN	13	3	Activity 2: activity quantity	According to configuration	191	205
NO_REMN_ACTI2	CHAR	1	0	Activity 2: No remaining activity expected	Not used	206	206
CONF_ACTI_UNIT3	UNIT	3	0	Activity 3: quantity unit of activity quantity	According to configuration	207	209
CONF_ACTI_UNIT3_ISO	CHAR	3	0	Activity 3: ISO code of the quantity unit	Not used	210	212
CONF_ACTIVITY3	QUAN	13	3	Activity 3: activity quantity	According to configuration	213	227
NO_REMN_ACTI3	CHAR	1	0	Activity 3: No remaining activity expected	Not used	228	228
CONF_ACTI_UNIT4	UNIT	3	0	Activity 4: quantity unit of activity quantity	According to configuration	229	231
CONF_ACTI_UNIT4_ISO	CHAR	3	0	Activity 4: ISO code of the quantity unit	Not used	232	234
CONF_ACTIVITY4	QUAN	13	3	Activity 4: activity quantity	According to configuration	235	249
NO_REMN_ACTI4	CHAR	1	0	Activity 4: No remaining activity expected	Not used	250	250
CONF_ACTI_UNIT5	UNIT	3	0	Activity 5: quantity unit of activity quantity	According to configuration	251	253

Field name	T	L	D	Meaning	Usage in HYDRA	From 1	To2
CONF_ACTI_UNIT5_ISO	CHAR	3	0	Activity 5: ISO code of the quantity unit	Not used	254	256
CONF_ACTIVITY5	QUAN	13	3	Activity 5: activity quantity	According to configuration	257	271
NO_REMN_ACTI5	CHAR	1	0	Activity 5: No remaining activity expected	Not used	272	272
CONF_ACTI_UNIT6	UNIT	3	0	Activity 6: quantity unit of activity quantity	According to configuration	273	275
CONF_ACTI_UNIT6_ISO	CHAR	3	0	Activity 6: ISO code of the quantity unit	Not used	276	278
CONF_ACTIVITY6	QUAN	13	3	Activity 6: activity quantity	According to configuration	279	293
NO_REMN_ACTI6	CHAR	1	0	Activity 6: No remaining activity expected	Not used	294	294
CONF_BUS_PROC_UNIT 1	UNIT	3	0	Business process: quantity unit of business process quantity	Not used	295	297
CONF_BUS_PROC_UNIT 1_ISO	CHAR	3	0	Business process: ISO code of the quantity unit	Not used	298	300
CONF_BUS_PROC1	QUAN	13	3	Business process: business process quantity	Not used	301	315
NO_REMN_BUS_PROC1	CHAR	1	0	Business process: no remaining quantity expected	Not used	316	316
EXEC_START_DATE	DATS	8	0	Date when "starting execution"	Start time of the confirmed/uploaded posting record	317	324
EXEC_START_TIME	TIMS	6	0	Time when "starting execution"	Start time of the confirmed/uploaded posting record	325	330
SETUP_FIN_DATE	DATS	8	0	Date when "finishing setup"	Not used	331	338
SETUP_FIN_TIME	TIMS	6	0	Time when "finishing setup"	Not used	339	344
PROC_START_DATE	DATS	8	0	Date when "starting processing"	Not used	345	352
PROC_START_TIME	TIMS	6	0	Time when "starting processing"	Not used	353	358
PROC_FIN_DATE	DATS	8	0	Date when "finishing processing"	Not used	359	366

Field name	T	L	D	Meaning	Usage in HYDRA	From 1	To2
PROC_FIN_TIME	TIMS	6	0	Time when "finishing processing"	Not used	367	372
TEARDOWN_START_DATE	DATS	8	0	Date when "starting retooling/teardown"	Not used	373	380
TEARDOWN_START_TIME	TIMS	6	0	Time when "starting retooling/teardown"	Not used	381	386
EXEC_FIN_DATE	DATS	8	0	Date when "finishing execution"	End time of the confirmed/uploaded posting record	387	394
EXEC_FIN_TIME	TIMS	6	0	Time when "finishing execution"	End time of the confirmed/uploaded posting record	395	400
FCST_FIN_DATE	DATS	8	0	Date of the forecast "end of execution"	Not used	401	408
FCST_FIN_TIME	TIMS	6	0	Time of the forecast "end of execution"	Not used	409	414
STD_UNIT1	UNIT	3	0	Default value 1: quantity unit	Not used	415	417
STD_UNIT1_ISO	CHAR	3	0	Default value 1: ISO code of quantity unit	Not used	418	420
FORCAST_STD_VAL1	QUAN	9	3	Default value 1: forecast default value	Not used	421	431
STD_UNIT2	UNIT	3	0	Default value 2: quantity unit	Not used	432	434
STD_UNIT2_ISO	CHAR	3	0	Default value 2: ISO code of quantity unit	Not used	435	437
FORCAST_STD_VAL2	QUAN	9	3	Default value 2: forecast default value	Not used	438	448
STD_UNIT3	UNIT	3	0	Default value 3: quantity unit	Not used	449	451
STD_UNIT3_ISO	CHAR	3	0	Default value 3: ISO code of quantity unit	Not used	452	454
FORCAST_STD_VAL3	QUAN	9	3	Default value 3: forecast default value	Not used	455	465
STD_UNIT4	UNIT	3	0	Default value 4: quantity unit	Not used	466	468
STD_UNIT4_ISO	CHAR	3	0	Default value 4: ISO code of quantity unit	Not used	469	471

Field name	T	L	D	Meaning	Usage in HYDRA	From 1	To2
FORCAST_STD_VAL4	QUAN	9	3	Default value 4: forecast default value	Not used	472	482
STD_UNIT5	UNIT	3	0	Default value 5: quantity unit	Not used	483	485
STD_UNIT5_ISO	CHAR	3	0	Default value 5: ISO code of quantity unit	Not used	486	488
FORCAST_STD_VAL5	QUAN	9	3	Default value 5: forecast default value	Not used	489	499
STD_UNIT6	UNIT	3	0	Default value 6: quantity unit	Not used	500	502
STD_UNIT6_ISO	CHAR	3	0	Default value 6: ISO code of quantity unit	Not used	503	505
FORCAST_STD_VAL6	QUAN	9	3	Default value 6: forecast default value	Not used	506	516
FORCAST_BUS_PROC_UNIT1	UNIT	3	0	Business process: quantity unit of forecast Remaining quantity	Not used	517	519
FORC_BUS_PROC_UNIT1_ISO	CHAR	3	0	Business process: ISO code of the quantity unit	Not used	520	522
FORCAST_BUS_PROC_VAL1	QUAN	13	3	Business process: forecast remaining quantity	Not used	523	537
PERS_NO	NUMC	8	0	Personnel number	Not used	538	545
TIMEID_NO	NUMC	8	0	Time recording ID card number	According to configuration	546	553
WAGETYPE	CHAR	4	0	Wage type	Not used	554	557
SUITABILITY	CHAR	2	0	Suitability	Not used!	558	559
NO_OF_EMPLOYEE	DEC	5	2	Number of employees	Not used	560	566
WAGEGROUP	CHAR	3	0	Wage group	Not used	567	569
BREAK_UNIT	UNIT	3	0	Unit of break time	Not used	570	572
BREAK_UNIT_ISO	CHAR	3	0	ISO code of quantity unit	Not used	573	575

Field name	T	L	D	Meaning	Usage in HYDRA	From 1	To2
BREAK_TIME	QUAN	9	3	Uploaded/confirmed break time	Not used	576	586
EX_CREATED_BY	CHAR	12	0	External person creating the confirmation/upload	Not used	587	598
EX_CREATED_DATE	DATS	8	0	External date of entering the confirmation/upload	Not used	599	606
EX_CREATED_TIME	TIMS	6	0	External time of entering the confirmation/upload	Not used	607	612
TARGET_ACTI1	CHAR	1	0	Indicator: identify target activity 1	Is assigned to "X" when calculating activities in SAP	613	613
TARGET_ACTI2	CHAR	1	0	Indicator: identify target activity 2	Is assigned to "X" when calculating activities in SAP	614	614
TARGET_ACTI3	CHAR	1	0	Indicator: identify target activity 3	Is assigned to "X" when calculating activities in SAP	615	615
TARGET_ACTI4	CHAR	1	0	Indicator: identify target activity 4	Is assigned to "X" when calculating activities in SAP	616	616
TARGET_ACTI5	CHAR	1	0	Indicator: identify target activity 5	Is assigned to "X" when calculating activities in SAP	617	617
TARGET_ACTI6	CHAR	1	0	Indicator: identify target activity 6	Is assigned to "X" when calculating activities in SAP	618	618
TARGET_BUS_PROC1	CHAR	1	0	Indicator: identify target quantity of business process	Not used	619	619
EX_IDENT	CHAR	32	0	External key of the upload/confirmation (GUID)	Distinct key identifying the upload/confirmation Reference from HYDRA table ADE_PROTOKOLL See the notes at the end of the table.	620	651
LOGDATE	DATS	8	0	Logical date	Date of the upload/confirmation	652	659
LOGTIME	TIMS	6	0	Logical time	Time of the upload/confirmation	660	665

Remarks on selected fields

EX_IDENT

The field EX_IDENT is assigned the value from the *verweis* column of the *ade_protokoll* table. The field displays a continuous database serial and thus guarantees uniqueness within a DB instance.

The field is populated with the value of the *verweis* column and leading zeros (left-aligned) to reach full length. Example: the *verweis* 4711 leads to "000000000000000000000000004711".

You can use the program parameter of the upload program myerprck.exe/out to assign a prefix. The prefix allows you to use multiple HYDRA systems with one SAP instance. To do so, you can use the program parameter "[IDENT_PRAEFIX](#)".



You cannot upload part quantities (L20/L40) and record data at the same time via the total quantity counter at MDE machines, as SAP cannot process negative quantities by default. This type of collection can result in negative quantity postings for yield when OPs are finished.

This restriction does no longer apply, if it is possible to process such negative postings (e.g. by using the SAP standard BAPI or customizations).



The sign is located at the end of fields of the type "QUAN".
Example: 0000012345.432+