

1 Upload of inspection results

Upload for Single Results

Message Type:: ZHYQMIDI_ORIGINAL_VALUES

IDoc Type:: ZHYQMIDI_ORIGINAL_VALUES01

Segment:: Z2QAISE000X000 (single results)

Field name:	T	L	D	Description	Use in HYDRA
SATZART	CHAR	3		Record type	"Q51" Quantitative single result "Q52" Code as single result "Q53" Valuation OK/not OK as single result "Q54" Quantitative single result for inspection point "Q55" Code as single result for inspection point "Q56" Valuation as single result for inspection point
RUECKMELNR	NUMC	8		Confirmation no. of the charact.	Confirmation number in accordance with specification
PROBENR	NUMC	6		Number of the partial sample	- Number of partial sample (without inspection points) - Number of inspection point
STUECKNR	NUMC	4		Consecutive number for test units	- Number of sample (without inspection points) - Number of inspection point
KZSERNR	CHAR	1		Ind.: serial number filled	"X" If recording of serial numbers is required " " If recording of serial numbers is not required
SERIALNR	CHAR	18		Serial no. of the test unit	Contains serial number if recording of serial number is required
KZLWERT	CHAR	1		Ind.: last single value	Not used
KZLPROBE	CHAR	1		Ind.: last sample	Not used
KZABSCHL	CHAR	1		Ind.: close characteristic (sample)	Not used
KZBEWEEXT	CHAR	1		Ind.: transfer valuation	Not used
ATTRIBUT	CHAR	1		Attribute of the individual result	"/" Single value was set invalid " " Valid value
MESSWERT	CHAR	16		Measured value	Measured value
GRUPPE1	CHAR	8		Code group 1	Code group 1
CODE1	CHAR	4		Code 1	Code 1
GRUPPE2	CHAR	8		Code group 2	Code group 2
CODE2	CHAR	4		Code 2	Code 2
GRUPPE3	CHAR	8		Code group 3	Code group 3
CODE3	CHAR	4		Code 3	Code 3
GRUPPE4	CHAR	8		Code group 4	Code group 4
CODE4	CHAR	4		Code 4	Code 4

Field name:	T	L	D	Description	Use in HYDRA
GRUPPE5	CHAR	8		Code group 5	Code group 5
CODE5	CHAR	4		Code 5	Code 5
BEWERTUNG	CHAR	1		Valuation	"A" Acceptance (OK) "R" Rejection (not OK)
FEHLKLAS	CHAR	2		Defect class	Defect class if available
ANZFEHLER	NUMC	2		Number of defects	Number of defects
PRUEFDATUV	DATE	8		Start date of the inspection	Start date of the inspection
PRUEFZEITV	TIME	6		Start time of the inspection	Start time of the inspection
PRUEFER	CHAR	12		Name of the inspector	If result was recorded at HYDRA console, it contains the user; otherwise it contains the personal card number.
QERGDATH	CHAR	2		Origin of results data (on completion)	According to customizing
MASCHINE	CHAR	18		Machine	Machine / work centre
POSITION	NUMC	4		Position on the machine	Position
PRUEFBEMKT	CHAR	40		Short text for inspection description	Short text for inspection description
MBEWERTGPR	CHAR	1		Valuation of the sample	Not used
FEHLKLASPR	CHAR	2		Defect class for sample valuation	Not used
MBEWERTGMK	CHAR	1		Valuation of the characteristic	Not used
FEHLKLASMK	CHAR	2		Defect class for characteristic valuation	Not used

Upload for Sample Results

Message type: ZHYQMIDI_SAMPLE_VALUES
IDoc type: ZHYQMIDI_SAMPLE_VALUES01
Segment:: Z2QAISR000X000 (sample results)

Field name:	T	L	D	Description	Use in HYDRA
SATZART	CHAR	3		Record type	"Q61" Quantitative sample result "Q62" Code as sample result "Q63" Valuation OK/not OK for sample "Q64" Quantitative result for inspection point "Q65" Code for inspection point "Q66" Valuation OK/not OK for inspection point "Q69" Close sample record
RUECKMELNR	NUMC	8		Confirmation no. of the charact.	Confirmation number in accordance with specification
PROBENR	NUMC	6		Ind.: close characteristic	- Number of partial sample (without inspection points) - Number of inspection point
KZLRPOBE	CHAR	1		Ind.: transfer valuation	Not used
KZABSCHL	CHAR	1		Attribute of the results record	Not used

Field name:	T	L	D	Description	Use in HYDRA
KZBEWEEXT	CHAR	1		Valuation of characteristic for usage decision	Not used
ATTRIBUT	CHAR	1		Defect class	"/" Single value was set invalid " " Valid value
GRUPPE1	CHAR	8		Code group 1	Code group 1
CODE1	CHAR	4		Code 1	Code 1
GRUPPE2	CHAR	8		Code group 2	Code group 2
CODE2	CHAR	4		Code 2	Code 2
GRUPPE3	CHAR	8		Code group 3	Code group 3
CODE3	CHAR	4		Code 3	Code 3
GRUPPE4	CHAR	8		Code group 4	Code group 4
CODE4	CHAR	4		Code 4	Code 4
GRUPPE5	CHAR	8		Code group 5	Code group 5
CODE5	CHAR	4		Code 5	Code 5
ANZWERTG	NUMC	4		Number of valid values	Number of valid values if QAIMV.BEWARTSP = "A" or "B"
ANZFEHLEH	NUMC	4		Number of non-conforming units	Number of non-conforming units if QAIMV.BEWARTSP = "A"
ANZFEHLER	NUMC	4		Number of defects	Number of defects if QAIMV.BEWARTSP = "B"
ANZWERTO	NUMC	4		Values above upper tolerance limit	Values above upper tolerance limit
ANZWERTU	NUMC	4		Values below lower tolerance limit	Values below lower tolerance limit
MITTELWERT	CHAR	16		Average of valid measured values	Average of valid measured values if QAIMV.BEWARTSP = "C"
VARIANZ	CHAR	16		Variance of valid measured values	Average of valid measured values if QAIMV.BEWARTSP = "C"
MAXWERT	CHAR	16		Max. of valid measured values	Max. of valid measured values
MEDIANWERT	CHAR	16		Median of valid measured values	Median of valid measured values
MINWERT	CHAR	16		Min. of valid measured values	Min. of valid measured values
PRUEFDATUV	DATE	8		Start date of the inspection	Start date of the inspection
PRUEFDATUB	DATE	8		Finish date of the inspection	Finish date of the inspection
PRUEFZEITV	TIME	6		Start time of the inspection	Start time of the inspection
PRUEFZEITB	TIME	6		Finish time of the inspection	Finish time of the inspection
PRUEFER	CHAR	12		Name of the inspector	If result was recorded at HYDRA console, it contains the user; otherwise it contains the personal card number.
QERGDATH	CHAR	2		Origin of results data	According to customizing
MASCHINE	CHAR	18		Machine	Machine / work centre
POSITION	NUMC	4		Position on the machine	Position
PRUEFBEMKT	CHAR	40		Short text for inspection descript.	Short text for inspection description
MBEWERTGPR	CHAR	1			Not used
FEHLKLASPR	CHAR	2			Not used
MBEWERTGMK	CHAR	1			Not used
FEHLKLASMK	CHAR	2			Not used

Upload for Characteristic Results

Message type: ZHYQMIDI_FEATURE_VALUES
IDoc type: ZHYQMIDI_FEATURE_VALUES01
Segment: Z2QAIMR000X000 (characteristic results)

Field name:	T	L	D	Description	Use in HYDRA
SATZART	CHAR	3		Record type	"Q71" Quantitative characteristic result "Q72" Code as characteristic result "Q73" Valuation OK/not OK for characteristic "Q79" Close characteristic
RUECKMELNR	NUMC	8		Confirmation no. of the charact.	Confirmation number in accordance with specification
KZABSCHL	CHAR	1		Ind.: close characteristic	"X" If record type "Q79" " " All other record types
KZBEWEEXT	CHAR	1		Ind.: transfer valuation	Ind.: transfer valuation in accordance to specification
ATTRIBUT	CHAR	1		Attribute of the results record	"/" Single value was set invalid " " Valid value
MBEWERTG	CHAR	1		Valuation of characteristic for usage decision	"A" Acceptance (OK) "R" Rejection (not OK)
FEHLKLAS	CHAR	2		Defect class	Defect class if available
GRUPPE1	CHAR	8		Code group 1	Code group 1
CODE1	CHAR	4		Code 1	Code 1
GRUPPE2	CHAR	8		Code group 2	Code group 2
CODE2	CHAR	4		Code 2	Code 2
GRUPPE3	CHAR	8		Code group 3	Code group 3
CODE3	CHAR	4		Code 3	Code 3
GRUPPE4	CHAR	8		Code group 4	Code group 4
CODE4	CHAR	4		Code 4	Code 4
GRUPPE5	CHAR	8		Code group 5	Code group 5
CODE5	CHAR	4		Code 5	Code 5
ANZWERTG	NUMC	7		Number of valid values	Number of valid values if QAIMV.BEWARTSP = "A" or "B"
ANZFEHLEH	NUMC	7		Number of non-conforming units	Number of non-conforming units if QAIMV.BEWARTSP = "A"
ANZFEHLER	NUMC	7		Number of defects	Number of defects if QAIMV.BEWARTSP = "B"
ANZWERTO	NUMC	7		Values above upper tolerance limit	Values above upper tolerance limit
ANZWERTU	NUMC	7		Values below lower tolerance limit	Values below lower tolerance limit
MITTELWERT	CHAR	16		Average of valid measured values	Average of valid measured values if QAIMV.BEWARTSP = "C"
VARIANZ	CHAR	16		Variance of valid measured values	Average of valid measured values if QAIMV.BEWARTSP = "C"
MAXWERT	CHAR	16		Max. of valid measured values	Max. of valid measured values
MEDIANWERT	CHAR	16		Median of valid measured values	Median of valid measured values

Field name:	T	L	D	Description	Use in HYDRA
MINWERT	CHAR	16		Min. of valid measured values	Min. of valid measured values
IVARIANZ	CHAR	16		Inner variance of measured values	Inner variance of measured values
PRUEFDATUV	DATE	8		Start date of the inspection	Start date of the inspection
PRUEFDATUB	DATE	8		Finish date of the inspection	Finish date of the inspection
PRUEFZEITV	TIME	6		Start time of the inspection	Start time of the inspection
PRUEFZEITB	TIME	6		Finish time of the inspection	Finish time of the inspection
PRUEFER	CHAR	12		Name of the inspector	If result was recorded at HYDRA console, it contains the user; otherwise it contains the personal card number.
QERGDATH	CHAR	2		Origin of results data	According to customizing
MASCHINE	CHAR	18		Machine	Machine / work centre
POSITION	NUMC	4		Position on the machine	Position
PRUEFBEMKT	CHAR	40		Short text for inspection description	Short text for inspection description

Upload for Inspection Points

Message type: ZHYQMIDI_INSP_POINTS
IDoc type:: ZHYQMIDI_INSP_POINTS01
Segment: Z2QAIPP000X000 (inspection points)

Field name:	T	L	D	Description	Use in HYDRA
SATZART	CHAR	3		Record type	"Q83" Creation / update of an inspection point "Q84" Valuation for inspection point
PRUEFLOS	NUMC	12		Inspection batch number	Inspection batch number in accordance to specification
PLNFL	CHAR	6		Operation sequence in task list	Operation sequence in task list in accordance to specification
VORNR	CHAR	4		Operation number	Operation number in accordance to specification
PROBENR	NUMC	6		Sample number	Consecutive number for the inspection point
TEILLOS	NUMC	6		Partial batch number	Recorded value if QAIVC.TEILLOSPFL = „X“
MENGE	CHAR	17		Inspection point quantity	Recorded quantity if QAIVC.QUANTITIES = „X“
EINHPR	CHAR	3		Unit of measure for inspection point	Unit of measure for inspection point
EQU NR	CHAR	18		Equipment number Cannot be defined freely (value range determined by inspection batch); inspection points of type 1 through 3 already defined (these inspection points can be retrieved with function module	Not used
TPLNR	CHAR	30		Number of functional location (see EQU NR)	Not used

Field name:	T	L	D	Description	Use in HYDRA
PHYNR	CHAR	12		Number of physical sample (see EQU NR)	Not used
USERC1	CHAR	18		User field for 18 characters	Recorded value if QAIVC.KZUSERC1 = „X“ or “1” to “6”
USERC2	CHAR	10		User field for 10 characters	Recorded value if QAIVC.KZUSERC2 = „X“ or “1” to “6”
USERN1	NUMC	10		User field for 10 digits	Recorded value if QAIVC.KZUSERN1 = „X“ or “1” to “6”
USERN2	NUMC	3		User field for 3 digits	Recorded value if QAIVC.KZUSERN2 = „X“ or “1” to “6”
USERD1	DATE	8		User field for date	Recorded value if QAIVC.KZUSERD1 = „X“ or “1” to “6”
USERT1	TIME	6		User field for time	Recorded value if QAIVC.KZUSERT1 = „X“ or “1” to “6”
VKATART	CHAR	1		Catalog type	“Q83” Not used “Q84” Catalog type
VWERKS	CHAR	4		Plant	“Q83” Not used “Q84” Plant
VAUSWAHLMG	CHAR	8		Selected set of the usage decision for the inspection point	“Q83” Not used “Q84” Selected set of the usage decision for the inspection point
VCODEGRP	CHAR	8		Code group of the usage decision	“Q83” Not used “Q84” Code group of the usage decision
VCODE	CHAR	4		Code of the usage decision	“Q83” Not used “Q84” Code of the usage decision
VTEXT	CHAR	40		Short text for partial batch	“Q83” Not used “Q84” Recorded value
MATNR	CHAR	18		Material number	Material number in accordance to specification
CHARG	CHAR	10		Batch number	Recorded value if QAIVC.CHARGPFL = “X”
PRUEFDATUM	DATE	8		Start date of the inspection	Start date of the inspection
PRUEFZEIT	TIME	6		Start time of the inspection	Start time of the inspection
PRUEFER	CHAR	12		Name of the inspector	If result was recorded at HYDRA console, it contains the user; otherwise it contains the personal card number.
KZRMART	CHAR	1		Confirmation type, currently not used	Not used
URSACHEAS	CHAR	4		Reason for scrap, currently not used	Not used
MENGEAS	CHAR	17		Scrap quantity	“Q83” Not used “Q84” Recorded value
MENGENA	CHAR	17		Rework quantity	“Q83” Not used “Q84” Recorded value

Upload for Usage Decision

Message type: ZHYQMIDI_USAGE_DECISION
IDoc type: ZHYQMIDI_USAGE_DECISION01
Segment: Z2QAIVE000X000 (usage decision)

Field name:	T	L	D	Description	Use in HYDRA
SATZART	CHAR	3		Record type	"Q88" Transfer of usage decision "Q89" Cancellation of inspection, usage decision transferred
PRUEFLOS	NUMC	12		Inspection batch number	Inspection batch number in accordance to specification
AUSWMENGE	CHAR	8		Selected set of the usage decision	Selected set of the usage decision in accordance to specification
AUSWMGWRK	CHAR	4		Plant of the selected set	Plant of the selected set in accordance to specification
CODE	CHAR	4		Code	Recorded Value
CODEGRUPPE	CHAR	8		Code group	Recorded Value
VNAME	CHAR	12		Person who made usage decision	If result was recorded at HYDRA console, it contains the user; otherwise it contains the personal card number.
VDATUM	DATE	8		Date when usage decision was made	Date when usage decision was made
VZEIT	TIME	6		Time when usage decision was made	Time when usage decision was made
VTEXT	CHAR	80		Text for usage decision	Text for usage decision

Upload for Defect Items

Message type: ZHYQMIDI_DEFECT_ITEMS
IDoc type: ZHYQMIDI_DEFECT_ITEMS 01
Segment: Z2QMIFE000X000 (defect items)

Field name:	T	L	D	Description	Use in HYDRA
-------------	---	---	---	-------------	--------------

Field name:	T	L	D	Description	Use in HYDRA
SATZART	CHAR	3		Record type	"Q90" Defect item for inspection batch "Q91" Defect item for operation "Q92" Defect item for characteristic independent multiple sample "Q95" Defect item for operation with reference to inspection point "Q96" Defect item for characteristic with reference to inspection point
PRUEFLOS	NUMC	12		Inspection batch number	Inspection point number in accordance to specification
PLNFL	CHAR	6		Sequence of operations in task list	Sequence of operations in task list in accordance to specification
VORNR	CHAR	4		Operation number	Operation number in accordance to specification
MERKNR	NUMC	4		Characteristic number	Characteristic number in accordance to specification
PROBENR	NUMC	6		Number of partial sample/inspection point	Number of partial sample/inspection point
RUECKMELNR	NUMC	8		Confirmation number for inspection characteristic	Confirmation number for inspection characteristic in accordance to specification
POSNR	NUMC	4		Sort number for item	Consecutive number
FEKAT	CHAR	1		Catalog type - defects	Catalog type - defects
FEGRP	CHAR	8		Code group - defects	Code group - defects
FECOD	CHAR	4		Defects	Defects
SERIALNR	CHAR	18		Single-unit number of unit to be inspected	Single-unit number of unit to be inspected
ANZFEHLER	CHAR	7		Number of defects	Number of defects
FEQKLAS	CHAR	2		Defect class	Defect class
KZSYSFE	CHAR	1		Indicator: systematic defect	Indicator: systematic defect
OTKAT	CHAR	1		Catalog type - object parts	Catalog type - object parts
OTGRP	CHAR	8		Code group - object parts	Code group - object parts
OTEIL	CHAR	4		Object part	Object part
FETXT	CHAR	40		Short text for defect item	Short text for defect item
BAUTL	CHAR	18		Assembly	Assembly
FEHLBEW	CHAR	10		Quantitative defect valuation	Quantitative defect valuation
UNITFLBEW	UNIT	3		Unit for defect valuation	Unit for defect valuation
FENAM	CHAR	12		Name of person who processed defect record	If result was recorded at HYDRA console, it contains the user; otherwise it contains the personal card number.
FEDAT	DATS	8		Date of record processing	Date of record processing
FZEIT	TIMS	6		Time of record processing	Time of record processing