

1 Uploads

Usage

Quantities recorded in HYDRA can be uploaded automatically to SAP series production where they can be posted. These are mere quantity postings. SAP does not provide for the transfer of actual SAP activities.

Uploads are performed by synchronous RFC (sRFC). SAP posts the uploads by calling the BAPI RepManConfirmation1 using the CreateMTS method. If posting cannot take place in SAP, it will be recorded in an error log. The event is generated ([SAP.OUTBOUND_FM_POST_ERROR](#)) if HYDRA Escalation Management is used for HYDRA MES Link Enabling (license SIS-ESK and SAP-ESK).

Record types supported by HYDRA

HYDRA-BDE uploads recorded quantities (yield and scrap) to SAP R/3 PP. The customizing settings configured for the HYDRA order type determine which record types represent the basis for HYDRA uploads.

If the upload of partial quantity uploads is enabled the quantities will be taken from the generated T records. The field SCRAPREASON of the upload structure is assigned the recorded scrap reason. The U records are not uploaded in this case. The generated E record is transferred with the quantities of the generated T record, provided that quantities have been recorded at all. Yield and scrap are each uploaded in individual records to SAP R/3.

If partial quantity uploads are not configured for being uploaded, the quantities will be taken from the interrupted operations (U record) or logged off operations (E record) recorded in HYDRA. Scrap reasons are not transferred. Yield and scrap are each uploaded in individual records to SAP R/3.

Records having the quantity "0" are not uploaded to SAP, irrespective of whether the upload of partial uploads has been enabled or not. However, this can also result in the final upload of an operation not to be transferred to SAP, as this posting does not include a quantity.

Upload structures of the BAPI RepManConfirmation1

Upload structure BflushFlags

This structure specifies the type of upload.

Field	T	L	D	Description	Usage in HYDRA		
-------	---	---	---	-------------	----------------	--	--

BCKFLTYPE	CHAR	2		Backflushing type of a BAPI backflush (upload)	"02" - has to be discussed in detail with the customer!		
RP_SCRAPTYPE	CHAR	1		Scrap type for reporting point scrap backflush (upload)	Fixed "1" scrap at the specified-reporting point		
ACTIVITIES_TYPE	CHAR	1		Scope of the separated activity backflush (upload)	Not used.		
COMPONENTS_TYPE	CHAR	1		Scope of the separated goods issue posting	Not used.		

Upload structure BFlushDataMTS

The structure includes the reporting point for which the data included in the structure BflushdataGen apply.

Field	T	L	D	Description	Usage in HYDRA		
REPPPOINT	CHAR	4		Reporting point	Operation number		

Upload structure BFlushDataGen

The structure BflushdataGen transfers actual user data to SAP.

Field	T	L	D	Description	Usage in HYDRA		
PDC_NUMBER	CHAR	12		PDC number (unique ID for all PDC systems)	"HY"+reference from ADE_PROTOKOLL		
MATERIALNR ANR.ATK	CHAR	18		Material number	Material number from planned order Ak.Artikelnummer		
PRODPLANT ANR.WERK:S	CHAR	4		Plant	Specified plant		
PLANPLANT ANR.WERK:S	CHAR	4		Planning plant	Specified plant		
STORAGELOC ANR.LGORT	CHAR	4		Receiving storage location for repetitive manufacturing	Specified storage location		
PRODVERSION ANR.FERTVER	CHAR	4		Production version	Production version from planned order		
PRODLINE	CHAR	8		Production line for repetitive manufacturing	Not used.		
PLANNINGID	CHAR	8		Planning ID 2	Not used.		
BATCH	CHAR	10		Receiving batch for repetitive manufacturing	Not used.		
POSTDATE ADEPRO.SKDAT	DATS	8		Posting date in the document	Shift date of the posting		
DOCDATE	DATS	8		Document date in document	Upload date		
DOCHEADERTXT	CHAR	25		Document header text	Not used.		
BACKFLQUANT ADEPRO.EGR:GUTP	QUAN	13	3	Quantity in unit of entry	Yield in primary quantity unit		
SCRAPQUANT ADEPRO.EGR:AUSP	QUAN	13	3	Scrap quantity	Scrap quantity in primary quantity unit		

Field	T	L	D	Description	Usage in HYDRA		
UNITOFMEASURE ADEPRO.EGE:GUTP	UNIT	3		Unit of measure for backflush quantity and for actual scrap	OP target quantity unit of the primary quantity		
UNITOFMEASURE_ISO	CHAR	3		ISO code for unit of measurement	Not used.		
SCRAPREASON	CHAR	4		Reason for scrap	Scrap reason (when transferring partial uploads)		
REVLEVEL	CHAR	2		Revision level	Not used.		
PLANORDER	CHAR	10		Planned order number	SAP planned order according to specifications		
ORDERCOSTS	CHAR	1		Indicator: Post with order costs (lot-size independent)	Not used.		
INCLCOMPSCRAP	CHAR	1		Indicator: Post with component scrap	Not used.		
MATERIALNR_EXTERNAL	CHAR	40		Long material number (future development) for the field MATER	Not used.		
MATERIALNR_GUID	CHAR	32		External GUID (future development) for the field MATERIALNR	Not used.		
MATERIALNR_VERSION	CHAR	10		Version number (future development) for the field MATERIALNR	Not used.		

Please note:

It is not possible to upload quantities using partial uploads and to record them by the total quantity counter at MDE machines at the same time. This input type can result in negative quantity postings for the yield if OPs are finished.

This restriction does no longer apply, if it is possible to process such negative postings (e.g. by using the SAP standard BAPI or customized processing).