

1 User fields

Purpose

User fields are fields without pre-defined meaning which are available with many objects (e.g. order, machine/workplace,...). User fields offer the possibility to store customer-specific information in HYDRA in addition to the default fields available in HYDRA.

The so-called user field key specifies the available user fields and their meaning. Each user field key thus describes a combination of user fields. The management of the user field key (and therefore the meaning of the fields) is different for each object.

The following applications show user fields:

- Detail view
- Table

Types of user fields

Depending on the object, different types of user fields are supported:

Direct user fields

Direct user fields are directly defined in the object (technically: in the object's table).

Benefits resulting from this kind of storage:

A quick database access to the fields is possible.

You can use the fields for customizations, which are easily realized.

The fields have differentiated data types.

Direct user fields can be referenced in formulas (provided that a processing in HYDRA is planned)

Disadvantage:

The number of user fields is limited.

Indirect user fields

Indirect user fields are not directly defined in the object (i.e. in the object's table) but in a separate table. You logically reference this table via the user field configuration.

Benefits resulting from this kind of storage:

- You can theoretically define any number of user fields.

Restrictions:

- These user fields do not have differentiated data types within the database.
- A quick database access to the fields is not possible; the selection and formatting of the fields is less trivial.
- You cannot use the fields for customizations.
- You cannot display the fields in evaluation tables.

Additional information in the HR master data and badges (type HR)

In the HR master data and in the Badges, the following fields (type HR) are available to store additional information:

Field data type	Number of fields	Database field name	Database data type
Text field, length 40	10	infotext_1...10	CHAR(40)
Text field, length 20	5	infotext_11...15	CHAR(20)
Text field, length 10	5	infotext_16...20	CHAR(10)
Numeric	5	infowert_1...5	INTEGER
Date	5	infodatum_1...5	DATE

User fields in the manufacturing environment (type MF-D, MF-C)

The following user fields (type MF-D) are available in the MF environment:

Field ID/index	Field data type	Number of fields	Database field name	Database data type
1 - 6	Date	6	USER_D_01...06	DATE
7 - 22	Numeric, time, duration	16	USER_N_07...22	INTEGER
23 - 28	Decimal value	6	USER_F_23...28	FLOAT/DECIMAL
29 - 44	Text field, length 1	16	USER_C_29...44	CHAR(1)
45 - 50	Text field, length 10	6	USER_C_45...50	CHAR(10)
51 - 64	Text field, length 20	14	USER_C_51...64	CHAR(20)
65 - 66	Text field, length 40	2	USER_C_65...66	CHAR(40)

In selected *Configurations*, user fields of type MF-C are available. But compared to the above-mentioned user fields of type MF-D, the number of user fields is inferior:

Field ID/index	Field data type	Number of fields	DB field name	DB data type
1 – 4	Numeric, time, duration	4	USER_N_01...04	INTEGER
5 – 6	Decimal value	2	USER_F_05...06	FLOAT/DECIMAL
7 – 11	Text field, length 1	5	USER_C_07...11	CHAR(1)
12 – 13	Text field, length 10	2	USER_C_12...13	CHAR(10)
14 – 15	Text field, length 20	2	USER_C_14...15	CHAR(20)
16	Text field, length 40	1	USER_C_16	CHAR(40)

User fields in the quality management environment (type QM)

The following user fields (type QM) are available in the QM environment:

Field ID/index	Field data type	Number of fields	DB field name	DB data type
1 - 5	Text field, length 50	5	USER_C_01...06	CHAR(50)
6 - 10	Numeric, time, duration	5	USER_N_01...05	INTEGER
11 - 12	Decimal value	2	USER_F_01...02	FLOAT/DECIMAL
13 - 14	Date	2	USER_D_01...02	DATE

Configuration of user fields

The documentation [Configuration of user fields](#) describes how to configure user fields.