

1 Public Holidays

Summary

Menu	Master Data → Access Control → Public Holidays
Transaction code	acph
Function authorization	acph

This application allows for public holidays to be configured for the access control function. Different authorizations and access times may be defined for the public holidays and other special days that are defined here.

Public holidays

Main page Profile

Request data Cancel Print preview Print all Insert Copy Edit Delete Save Help on operation Help on application Help on detail application Help

Selection

Year 2011

Public holidays

Drag a column here to group by that column

Validity	Location	Year	Date	Designation	Type
		2011	1/1/2011	New Year	Public holiday
		2011	1/6/2011	Hari Raya	Public holiday
		2011	4/22/2011	Good Friday	Public holiday
		2011	4/24/2011	Easter Sunday	Important public ...
		2011	4/25/2011	Chinese New Year	Important public ...
		2011	5/1/2011	Labor Day	Public holiday
		2011	6/2/2011	National Day	Public holiday
		2011	6/12/2011	Sample Holiday1	Important public ...
		2011	6/13/2011	Sample Holiday2	Important public ...
	KL area	2011	8/15/2011	Deepavali	Public holiday
		2011	10/3/2011	National Day	Public holiday
		2011	12/24/2011	Christmas Eve	Other day off
		2011	12/25/2011	Christmas 1	Important public ...
		2011	12/26/2011	Christmas 2	Important public ...
		2011	12/31/2011	New Year's Eve	Other day off

Public holiday

Date 1/1/2011

Designation New Year

Type ☒ Public holiday ☐ Important public holiday ☐ Other day off

Responsibility area

Validity

Location

Last editing

Modified by Miller

Modified on 1/27/2011 1:35:55 PM

Field Descriptions

Location

Location where this public holiday applies. If this field is empty the public holiday applies for all locations. As public holidays normally depend on the (federal) state/region, the corresponding state may also be entered in this field. The location of an access point is entered in the assigned [access group](#).

Public holiday type

There are three different types of public holidays: “public holiday”, “important public holiday” and “other day off”. Different periods may be assigned to these three types within [access time models](#).