

1 Article Profile

Summary

Menu	Order Management → Order Controlling → Article Profile
Transaction code	artpf
Function authorization	artpf

The Article profile application is designed for users in the departments Production controlling, Order controlling or Final costing. It compares orders across a defined period of time that produced the same article and displays comparisons of their production times and downtimes. Based on the selection made via the order header article (the order's final product) and, optionally, a defined period of time, all orders that produced that article are displayed along with their results.

Integration

The application is based on the order-related quantities and times entered during production.

Requirement

The application only looks at production orders - not individual operations. Only those production orders are considered that have the control status "finished" in their order headers. Production orders with a different control status are not considered.

Selection criteria

The application provides the selection criteria listed below: Irrespective of these selection criteria, generally only orders are selected that have already started (in process) or that are finished.

Final product

This selection criterion refers to the article in the order header. All orders are displayed, to which the article entered has been assigned. The use of wildcards (placeholders *) is allowed.

Article designation

This selection criterion refers to the article designation defined in the order. All orders are displayed that contain the article designation selected.

Order status

This selection criterion refers to the status of the order. Only those orders are displayed with an order status that matches the criteria entered. Irrespective of this restriction, generally only orders are considered and selected that have already started (in process) or that are finished.

Category

This selection criterion refers to the order type category of the order. Only those orders are displayed with an order type that is associated with the category entered.

Order

This selection criterion refers to the order number. Orders are displayed that contain the order number entered. There is an option to use wildcards (placeholders *).

Order type

This selection criterion refers to the order type. Orders of the order type entered are displayed.

Order end ... until ...

This selection criterion refers to the point in time at which the order(header) is changed to "finished" status. In this case, only the finished orders are displayed with an actual end that is set between the selected dates. This occurs irrespective of whether there is a restriction on the order status.



The responsibility area is not checked in this application.

Article profile detail application (table)

All orders that match the selections entered are displayed in the article profile detail application table view. A selection of columns is described below:

Status

Current status of the order. Generally, only orders are considered that have started or that are finished.

Status since date, status since time

Point in time as of which the current status of the order applies.

Order

Order number of the order

Final product

Article number of the order(header).

Article designation

Name of the article listed in the order(header).

SUT, DCI, SCI, LCI, IMS, IMN, SET, STA, U8, U9, MUT

The durations that were posted to each resource performance account are displayed in the columns.

Retention period of order

The retention period of the order is the period between the time the order was first transferred from the PPS system ("order release" = order header creation date in HYDRA) and the time of the actual logoff (in terms of time) of the last active operation of the order.

Please note: Whether the time of the order transfer is the time it was first transferred from the PPS system or the time it was re-transferred because it had been deleted in the meantime for technical reasons, cannot be determined or taken into consideration using HYDRA. If an order is transferred more than once, and with each transfer the previous order is deleted, the creation date of the order header is the time of the last transfer.

Please note: If the order is not yet finished, the value calculated here is not significant.

Lead time

The order duration is the period between the time the first operation of the order is logged on and the time the last active operation is logged off.

Please note: If the order is not yet finished, the value calculated here is not significant.

Processing time

The processing time of the order is the sum of the main utilization times (RPA 11) of all recordable active operations.

Downtime period

The downtime period of the order is the sum of the downtimes (RPA 1..6, RPA 8..10) of all recordable active operations.

Please note: the setup time can be found in the corresponding resource performance account (RPA 7/ SET).

Assignment time

The occupancy time is the sum of the setup time (RPA 7), processing time (RPA 11) and downtimes (RPA 1..6, RPA 8..10) of all recordable active operations.

Yield

Recorded yield in base quantity unit of the last recordable operation. This requires that the unit in which the quantity is entered (primary quantity unit) can be converted into the base quantity unit.

Scrap

Sum of the scrap quantities entered for all operations posted in base quantity unit.

Rework

Sum of the rework quantities entered for all operations posted in base quantity unit.

Open quantity

Sum of the recorded problem quantities entered for all operations posted in base quantity unit.

Unit

Quantity unit of the order

Rate of capacity utilization

The rate of capacity utilization is the ratio of processing time (RPA 11) to occupancy time (RPA 1..11)

Setup rate

The setup rate is the ratio of setup time (RPA 7) to occupancy time (RPA 1..11)

Article profile detail application (graphic)

By selecting one or more orders in the table, the following information is displayed in the graphic for those orders:

Upper graphic

In the upper graphic of the article profile, three bars are displayed for each of the orders selected in the table:

- On the left: Scrap in percent based on the finished total quantity of the order (yield + scrap + rework + problem quantity in base quantity unit).
- In the middle: Main utilization time in percent based on the occupancy time of the order
- On the right: Downtime periods (RPA 1 to 10) in percent based on the occupancy time (RPA 1 to 11) of the order

The colors of the time bars correspond to the defined RPA colors; scrap bars are generally displayed in red.

Lower graphic

In the lower graphic of the article profile, the absolute values of a single RPA or of the scrap are displayed in bar form for each selected order. The user determines which value is displayed by clicking in the upper graphic.

The individual order numbers are displayed on the X axis, while the unit of the value is displayed on the Y axis. If durations are greater than 24 hours, they are displayed in days.hours:minutes:seconds.

Each value selected (scrap or name of the resource performance account) is displayed beneath the graphic.