

1 Assessment Catalogs

Overview

Menu	Quality management → Master data → Assessment catalogs
Transaction code	assessm
Function authorization	assessm

Catalog for the creation of assessment catalogs with assignment of assessment criteria, classes, rating lists, as well as release and activation functions.

Usage

Creation and maintenance of assessment catalogs. These contain groups and assessment criteria.

Creation and maintenance of groups. These can be used to group the assessment criteria contained in the catalog. The groups can be classified with individual weightings. One group per catalog is mandatory.

Creation and maintenance of assessment criteria are assigned. These are assigned to one group each.

Creation and maintenance of ratings to assessment catalogs, groups and criteria.

Creation and maintenance of assessment classes to assessment catalogs, groups and criteria.

Integration

The assessment catalogs with their subordinate elements are the prerequisite for performing precise assessments.

Prerequisite

There are no specific prerequisites. The only prerequisite is the existence of the required quality management master data (areas, party in charge, persons, etc.).

Selection Criteria

The following selection criteria are available in the application:

Catalog

Filtering for a specific catalog

Catalog idx.

Filtering for a specific catalog index

Catalog des.

Filtering for a specific catalog designation

Active

Filtering for active catalogs

Field Descriptions

Catalog

Catalog number (ID) of catalog

Catalog idx.

Catalog index (alphanumeric)

Catalog des.

Catalog designation

Comment

Comment on catalog

P.i.charge type

Type of party in charge (selection)

Party in charge


Party in charge

Name p. in charge 1 - 3

Names 1 - 3 of party in charge from master data

Editing functions

The following window opens for editing a data record:




Catalog	002
Catalog idx.	1
Catalog des.	Overall manual assessment
Comment	catalog with manual classification
P.i.charge type	
Party in charge	Miller
Name p. in charge 1	
Name p. in charge 2	
Name p. in charge 3	

Toolbar



Copy

The following dialog opens for copying a data record:




Activate

Function authorization: assessm.activate

Activation of an inactive catalog



Deactivate

Function authorization: assessm.release

Deactivation of an active catalog

Detail applications

Groups

Function authorization	ratcrit
------------------------	---------

A minimum of one group has to be created per catalog. The groups contain the assessment criteria and can be used for grouping and differentiating criteria. Each group can be assigned an individual weighting and a comparison identification.

A comparison identification serves to provide a common identification for criteria with the same meanings but different designations (e.g. "audit" and "audit result") so that they are considered correctly in subsequent assessments.

Editing functions

The following window opens for editing a data record:

Field Descriptions

Group

Group number (ID) of group

Weighting

Individual weight of group

Source

Assessment origin: *manual entry or automatic determination* (= by a rating program)

Comparison identification

Free entry of an identification (audit, quality, on-time delivery) used as a superordinate criterion in assessments. This enables assessments across different assessment catalogs.


Criteria

Function authorization	ratcrit
------------------------	---------

In an assessment, individual criteria are assessed. These criteria belong to an assessment catalog and are assigned to different groups. Criteria are numbered automatically when they are created, so that only the criterion designation is entered/maintained manually upon creation and/or editing.

Editing functions

The following window opens for editing a data record:



The screenshot shows a software window titled 'Edit' with a standard Windows-style title bar (minimize, maximize, close buttons). Inside the window, there is a 'Main page' tab. The page contains four input fields with labels on the left: 'Des. of criteria' with a text box containing 'results of auditing', 'Weighting' with a text box containing '1.00', 'Source' with a dropdown menu showing 'manually input', and 'Reference ID' with a text box containing three dots '...'. There are also navigation icons (back, forward, search, etc.) in the top left corner of the window's content area.

Field Descriptions


cf. Groups



Classification

Function authorization	arat
------------------------	------

A catalog, a group or a criterion may be classified with ratings. They contain the actual values according to which criteria are rated.



Classification

Main page Profile

Request data Cancel Print preview Print all Insert Edit Delete Save Help on operation Help on application Help on detail application Help

Selection

Evaluation number 15

Classification

Drag a column here to group by that column

Catalog	Catalog idx.	Catalog des.	Classification	Classificati...	Value	Percentage
>			A	fulfilled	3.00	100.00
			B	partly fulfilled	2.00	66.67
			C	not fulfilled	1.00	33.33

Classification

General Administration

Catalog

Catalog idx.

Catalog des.

Classification

Classification designation

Value

Percentage

Maximum

Comment

Usage

Ratings are used to assess criteria. Ratings may be assigned on catalog, group or criterion level. The individual ratings correspond to the discrete points of an individual rating scale.

Selection criteria

Selection criteria correspond to those of the assessment catalog. Upon starting the rating dialog, the currently selected catalog is preset.

Editing functions

The following window opens for editing a data record:

Field Descriptions

Rating

Rating no. (ID) for rating

Rating des.

Rating designation for rating

Value

Value of rating (decimal). This is the crucial value, the scale value contributing to the result in the assessment.

Comment

A comment on the rating can be entered here.



Classes

Function authorization	aclass
------------------------	--------

A catalog, a group or a criterion can be assigned classes. They are used to classify the totalized values of subordinate ratings.

The screenshot shows the 'Classes' application window. It has a menu bar with 'Main page' and 'Profile'. Below the menu bar is a toolbar with icons for 'Request data', 'Cancel', 'Print preview', 'Print all', 'Insert', 'Edit', 'Delete', 'Save', and 'Help'. The 'Selection' section contains input fields for 'Catalog', 'Catalog idx.', and 'Catalog des.'. The 'Classes' section contains a table with columns: 'Catalog', 'Catalog idx.', 'Catalog des.', 'Class', and 'Class desig...'. The table has 7 rows of data. The 'Administration' tab is selected, showing a form with fields for 'Catalog', 'Catalog idx.', 'Catalog des.', 'Class', 'Class designation', 'Value', and 'Comment'.

Catalog	Catalog idx.	Catalog des.	Class	Class desig...
002	1	Overall man...	A	very good
002	1	Overall man...	B	good
002	1	Overall man...	C	bad
001	1	Automat. A...	A	very good
001	1	Automat. A...	B	good
001	1	Automat. A...	C	not satisfac...

Usage

Classes are used to classify ratings and/or their value. Classes can be assigned on catalog, group or criterion level. The individual classes represent the result of an assessment and can be evaluated. Classification may also be specified for the subordinate elements of a catalog and consequently enables differentiated classification in relation to the group result or the individual criteria.

Selection criteria

The selection criteria correspond to those of the assessment catalog. Upon starting the rating dialog, the currently selected catalog is preset.

Editing functions

The following window opens for editing a data record:

The screenshot shows a software window titled 'Edit'. Inside, there's a 'Main page' tab and a 'General' sub-tab. The form contains the following data:

Field	Value
Catalog	002
Catalog idx.	1
Class	A
Class designation	very good
Value	100.00
Comment	

Field Descriptions

Class

Class no. (ID) for class

Class des.

Designation of class

Value

Value of class (decimal). This is a threshold value, from which this class is assigned to an assessment, a group or a criterion.

Comment

A comment on the class can be entered here.