


1 Bag Check

Summary

Menu	Master Data → Access Control → Bag Check
Transaction code	back
Function authorization	back

The “bag check” function allows for the access control function to decide which employees are to be checked when leaving the premises. The decision is made using a random generator where the probability can be specified. If a bag check is to be carried out the ZKS terminal triggers a contact that announces the bag check by an optical or acoustic signal.



Bag check

Main page Profile

Request data Cancel Print preview Print all Insert Copy Edit Delete Save Help on operation Help on application Help on detail application Help

Bag check

Drag a column here to group by that column

Access	Active	Open entrance	Bag check with	From
2	☒	☐	6	100

Bag check

Access 2

☒ Active

☐ Open entrance

Bag check with 6 From 100 Accesses

Commentary

Validity

Valid from 5/17/2010 Valid until

Time 0:00 To 24:00

☒ Monday

☒ Tuesday

☒ Wednesday

☒ Thursday

☒ Friday

☒ Saturday

☒ Sunday

☒ Public holiday

☒ Important public holiday

☒ Other day off

Last editing

Modified by Miller

Modified on 1/5/1900 4:27:20 PM



The “bag check” function is only provided by terminals of the type CT-385.

Field Descriptions

Access

[Access](#) where a bag check is to be carried out.

Active

This option enables or disables the currently displayed entry. Inactive configurations are not processed at entries.

Open entrance

This option defines whether the entrance is to be opened or remains closed during a bag check. This depends, however, on whether the bag check takes place in front of or behind the access point.

Bag check at ... out of ... access attempts

Number of checks that are to be performed for a specified number of access attempts. The above screenshot is configured so as to check six out of 100 access attempts on average, i.e. every 17th access is checked. The decision is made for each entry using a random generator with the probability that is configured here. Consequently, it might be the case that two bag checks are performed directly one after the other. But it may also be the case that there are far more than 17 access attempts between two checks.

Comment

Comment on the configuration

Valid from, valid until

Validity period for the bag check. The bag check function is not restricted if the validity end date is not filled out.

Time, until

Period of time during which the bag check is performed.

Monday, Tuesday, ..., Other day off

Weekdays when the bag check is performed. Three types of [public holidays](#) are supported in addition to weekdays.