

1 Catalogs

1.1 Overview

Menu	Master data → Quality management → Catalog
Transaction code	cat
Function authorization	cat

1.2 Purpose

Use this function to create, insert, edit, copy and delete catalog entries. If you use imported catalog entries (QMS), do not change the application's contents because this application contains catalog entries, which are exclusively populated by SAP-QM using the QM-IDI interface. The application also includes the usage decisions of inspection points, which are also used in the in-production inspection (no SAP-QM or QM subsystem). Via customization, you can change the inspection point decisions that are not passed via SAP-QM. Contact the MPDV Consulting. As part of the customization, you can change field names, deactivate specific entries or create new inspection point decisions.

SAP-QM provides the following catalogs, for example:

- Usage decisions for the inspection point and the inspection requirement (inspection batch),
- Failure types,
- Failure locations

The application provides an overview of the selection lists that can be called during the inspection process. The higher-level planning system (SAP-QM) then specifies where and which catalog is available.

1.3 Integration

In the inspection processes, the catalog contents are provided as selection lists. You can, for example, select an inspection point decision or an evaluation of a characteristic from a selected catalog. As a subsystem of SAP-QM, this master data catalog includes all data records of the required QMS catalogs. The data records are passed via QM-IDI.

If the function extension of the in-production inspection is available (license FEP-AQF), you can specify an inspection point decision as *Setup inspection*. Measured values and attributive inspection results of a *Setup inspection* are automatically set to invalid when the inspection point is completed. For further details, refer to option 1223 in the procedure document [Configuration QM Options](#).

1.4 Selection criteria

The application provides the following selection criteria:

Catalog type

Number of the catalog type

Selected set

Subgroup of the catalog type

Plant

The production site where the catalog is used.

Code

ID number (alphanumeric)

Code group

Group identification of specific codes

Selection

Checkbox

All filter fields provide a match code search, except for the checkbox *Selection*. Use the *Selection* checkbox to specify if all data records are displayed or only the data records with activated or not activated *Selection* field.

1.5 Field descriptions


The available fields are self-explanatory and, as a result, not explained separately.

1.6 Editing functions

The below screenshot shows an example of an editing dialog. Design and alignment of fields can deviate from the example shown.



The editing functions are only available, if the extension [QMCatalogExtension](#) is activated.



Although you can enter up to ten characters in the fields *Code group* and *Code*, you must limit the entry in field *Code group* to eight characters and in field *Code* to four characters.

Longer character strings cannot be used in the AIP recording of inspection data. Example: This is important for the inspection point decisions or characteristics that are evaluated using an evaluation catalog.

Toolbar

The application does not provide any special function buttons in addition to the standard functions/features.