

1 Consumption/Energy Monitor

Overview

Menu	Production Facility Management → Resource analysis → Energy monitor
Transaction code	conmon
Function authorization	conmon

This document provides a description of the "Consumption/ energy monitor" application in the Manufacturing Operation Center (MOC).

Purpose

The energy monitor lists the energy counters (resources). The energy monitor shows the current status for these resources, allowing a comparison with comparative resources. This makes it possible to display an energy balance. The system always shows the counted quantities since the last inventory, i.e. since the counter was reset.

You can also display the balance in a graphic. The same applies to the counter hierarchy defined by the BOM including the meter readings of the selected resource.

When you select data, you can use the defined counter hierarchies in tree-like structure to filter the resources in the table multiple times.

Integration

This application is connected with the following applications:

- Consumption analysis to chronologically distribute consumption values
- Consumption statement to analyze the totals and to reset data.
- You can also visualize the monitor values in the graphic machinery due to the integration of the counters (resources).

Selection criteria

Resource type

Type of resource.

Workplaces and machines always have the resource type MNR. But you can configure individual resource types for the other resources. Predefined resource types include:

DNC NC/DNC program

DOC	Document
ENT	Removal device
MNR	Workplace/Machine
PAC	Packaging, transportation container
PRM	Test and measuring equipment
PER	Production staff / general
PRU	Setup staff
TEM	Tempering equipment
VOR	Device
WNR	Tool

Resource from ... to ...

This selection criterion refers to the resource. You can also run a search using wildcards (placeholders * and ?).

Designation (name)

Name of the resource.

Cost center

Cost center of the resource.

Responsibility area

Responsibility area to which the resource is assigned.

Resource family

The resource family to which the resource is assigned.

Storage location

Regular storage location of the resource.

User fields

MD user fields 1- 6 of the resource.

Reference

The resource's internal ID.

Field descriptions*"General" category***Resource type**

Resource type of the resource. By default, the HYDRA system includes some default resource types. You can configure additional resource types in HYDRA.

Resource

Resource as a reference point for comparisons.

Designation (name)

Name of the resource.

Resource status

Resource status.

Cost center

Cost center

*"Resource" category***Current value**

Current value

Quantity unit (P)

Quantity unit (P)

Absolute value limit (only available if the EMG-KBW license has been purchased)

Absolute value limit

Reset time

Date on which the resource counters were reset.

Status time

Status time

"Key figures" category (only available if the EMG-KBW license has been purchased)**Energy consumption per hour**

Energy consumption per hour

Key figure 2 to 10

You can show up to nine additional key figures. Use the formula management to define the key figures (KPIs). You can configure the formulas eovf2 to eovf10.

*"Comparison resource 1/2" category***Resource 1 / Resource 2**

Resource whose values are to be compared with those of the reference point.

Current value

Absolute difference between the values of the reference resource and the comparison resource.

Difference, in percent

Relative difference between the reference resource values and the comparison resource values.

Unit

Unit

Resource type 1 / Resource type 2

Resource type of the comparison resource.

Reset time

Date on which the counters of the comparison resource were reset.

Status time

Status time

Setting a reset time

The reset date depends on the entered records.

If you select a reset date that coincides with a resource record period, the system sets the reset time to the start time of this resource record.



If you select a reset date that does not coincide with a resource record period, the system uses the start time of the next resource record as the reset time.

The system uses the reset time you enter if:

- you select a reset date that does not coincide with a resource record period and
- there is no record that starts at a later point in time.