

1 Process Analysis (based on orders)

Summary

Menu	Quality management → Process analysis → Process analysis (based on orders)
Transaction code	tpdao
Function authorization	tpdao

The process analysis, based on orders, is used for the process analysis in quality management.

Usage

The table view of the detail application offers the user an overview of the existing entries. The display of the information can be sorted using the representation in the grid and is oriented based on the specified selection parameters. The display of the fields can be adjusted for each user with the context menu.

Integration

The function displays collected measured values of process characteristics. These values must have been previously collected in the system.

Selection parameters

The following selection criteria are available in the application:

MES order number

A detailed search can be made for the order using the pool application.

Article

Article

Batch

Selects a produced batch

Time domain from - until

Specifies the time interval to be selected.

Process parameters

The process parameters drop down list includes a selection of process parameters.

Tag type + tag ID

Selection of the tag type and tag ID

Consider long-term data

Long-term data is taken into account.

Please note that all data used for these evaluations/reports are kept in the server memory. Consequently, it is not recommendable to select too large periods and data sets. In addition, data might no longer be displayed clearly in graphics without additional functions, such as the zoom.

Technical background: every time data is requested in client applications, this data will be stored in the server memory and only then it will be transferred to the client. If you require more memory space, the memory reserved for the Java application needs to be increased accordingly on the server. Please refer to the technical documentation or contact MPDV Support.

Detail application: process analysis (based on orders)

This tabular report shows the process characteristics recorded and saved in the database including the following information:

Characteristic

Technical name of the characteristic or the entered process parameter

Designation

Defined characteristic name

Target value

The target value defined for this recorded process parameter at that specific point in time

UTL

The upper tolerance limit defined for this recorded process parameter at that specific point in time

UPAL

The upper process action limit defined for this recorded process parameter at that specific point in time

LTL

The lower tolerance limit defined for this recorded process parameter at that specific point in time

LPAL

The lower process action limit defined for this recorded process parameter at that specific point in time

Unit

Unit of the recorded characteristic

Measured value

Measured value recorded for the characteristic at the time of measurement

Time of measurement

Time of measurement of the characteristic

Detail application: PivotTable

This report shows the process characteristics recorded and saved in the database in a pivot table including a graphic.

