

1 Graphic Planning: Display of Personnel Capacities

Purpose

The following functions are available in the [graphic planning](#) to inform about personnel capacities:

- Check if at least one person is planned
- Check personnel availability
- Check personnel availability and qualification
- Show planned personnel

Integration

When [Planning](#) operations in the [graphic planning](#), these functions take into account the staff assigned to the workplaces in the [Workplace assignment](#) application of the Personnel Scheduling module.

Requirements

The functions can be used if the following requirements are met:

- Staff must be assigned to the workplaces in the [Workplace assignment](#) application of the Personnel Scheduling module.
- The personnel requirements or qualifications must be defined. You may choose from the following options:
 - [Workforce requirements of workplaces](#)
 - Workforce requirements defined by the machine/operator relation (M/O relation for setup, M/O relation for production) of [operations](#)
 - Workforce requirements defined by the [production resources and tools](#) (resource types *PRU* for setup and *PER* for production)
- The following chapters describe the required configurations to activate the checks.

1.1 Check if at least one person is planned

When planning an operation for a workplace, this function checks if at least one employee is available to process the operation. Database entries are decisive. That means, the current planning/assignments displayed upon saving the application [Workplace assignment](#). The qualification is not relevant in this case.

If in the [Workplace assignment](#) application no personnel is assigned to a workplace over a specific period, this workplace does not have free capacities in the Shop Floor Scheduling module during this period of time.

Periods when working time is planned according to the shift model but no workplaces are planned (assigning staff to workplaces), are highlighted in turquoise in Graphic Planning. With respect to planning, these turquoise periods are like times without shift.




When it comes to (re-) planning, the system postpones all operations planned for this workplaces until personnel capacities are again available. This is rather a planning feature: you can still log on OPs to the workplace.

1.2 Check personnel availability

When planning an operation for a workplace, this function checks if sufficient personnel is available to process the operation.

If no person is assigned to the workplace in the [Workplace assignment](#) application, the entire shift is deemed "unscheduled". No operation can be planned. Times when no employee is assigned to the workplace are highlighted in turquoise in the Gantt chart:



If (at least) one employee is assigned, the workplace's shift model is applicable and planning is allowed.

When planning an operation, the system checks if sufficient employees are assigned in the [Workplace assignment](#) application meeting required personnel capacities.

If this is not the case, a conflict message "[Staff shortage: capacity](#)" appears. The planner can either plan the operation or cancel the planning process.

Configuration

Configure the following to check personnel availability:

- In order to check personnel availability, one of the below-mentioned two checks must be set for the workplace. This can be configured by the option "check personnel availability" in the "workplace configuration" tab (section HLS) of the [configuration of workplaces and resources](#):
 - Check personnel availability
 - Check personnel availability and qualification

1.3 Check personnel availability and qualification

This function complements the option [Check personnel availability](#). Not only does this function check if at least one employee is assigned to the workplace but also if sufficient personnel is available with the required qualification to process the operation.

If an operation is planned for a workplace, the qualifications required by the operation are compared with the qualifications of the staff assigned to this workplace.

A conflict message "[Staff shortage: qualification](#)" is shown if a required qualification cannot be met. The planner can either plan the operation or cancel the planning process.

Configuration

Configure the following to check qualifications:

- Qualifications are checked for workplaces configured as follows: enable "Check qualifications when planning operations" in the option "check personnel availability" of the "workplace configuration" tab (section HLS) in the [configuration of workplaces and resources](#).

1.4 Show planned personnel


Function authorization	grapt.spe (show personnel)
------------------------	----------------------------



This function has been designed for visualization purposes. This function cannot be used to replan personnel.

Planned staff is shown below the planned operations. You can open the view below the workplace by clicking the icon. This will change the "+" icon to "-". You can close the view by clicking the "-" icon.

Staff planned simultaneously for the same workplace is shown one below the other. The additional row below the workplace is empty if no personnel is assigned to the workplace.



When pointing with the mouse on a person, a tooltip appears showing information from the [Workplace assignment](#):

- The person's first and last name
- Qualification
- Percentage the employee occupies the workplace during the shift (according to the shift model defined in the Personnel Scheduling module).

Configuration

Configure the following to view the staff planned for a workplace:

- Check the option "show personnel assignments" in the "workplace" tab of the [HLS settings](#) (the function authorization *grapt.spe* is required).
- Set one of the two below-mentioned checks in the option "check personnel availability" of the "workplace configuration" tab (section HLS) in the [configuration of workplaces and resources](#):
 - Check personnel availability

- Check qualifications when planning the operation