

1 Order Shift Log

Overview

Menu	Order management → Production reports → Order shift log
Transaction code	ospr
Function authorization	ospr

Available user fields		
Where?	Object type/user field key	Source (type)
Table	AUNR/SYSTEM	Order (MF-D)
Table	AGNR/SYSTEM	Operation (MF-D)
How to configure user fields? Which user field types are available?		

Purpose

The order shift log is a very useful tool for shift supervisors and foremen. It provides the information that persons responsible in production need for their daily reports.

The order shift log is a function of the production management. The individually configurable user interface presents shift-specific order data in a clear and comprehensive way.

The shift log evaluates the collected order data (quantities and times) in relation to the recorded shifts.

Integration

The order shift log shows all operations that meet the restrictions made in the selection panel. Only BDE log records of record type "U" and "E" are used.

This function provides the information about the operations completed during a shift. In addition to the quantities produced, the log also shows the times needed. The log provides this data for each order/operation.

You can correct the recorded order data using the function Order-related postings.

Selection criteria

The application provides the following selection criteria. If you request data, the system checks the responsibility area that includes the workplace of the relevant BDE log records.

Date from ... to ...

Enter a period of time to narrow down the log records displayed. The system selects the log records with a start date (logon date) in the period defined.

Default setting from "yesterday" until "today". The date is calculated based on the Gregorian calendar.

Shift: all, 1, 2, 3, 4

Within the entered period, only those log records are selected that are assigned to the shift entered according to the shift model.



At the time the data is selected, the system does not include operations that were logged on during the currently running shift, because no log records have been generated for them yet.

Workplace from ... to ...

Selects the log records that have been posted for the specified workplace. This workplace must be included in the responsibility area the user is authorized for. You can use wildcards in the field.

Group from ... to ...

Selects the log records that have been posted for the workplaces that are included in the user's responsibility area and that are assigned to the entered group. You can use wildcards in the field.

Cost center

Selects the log records that have been posted for the workplaces that are included in the user's responsibility area and that are assigned to the specified cost center. You can also use wildcards.

Report group

The selection criterion *Report group* refers to the report groups. The application shows all machines or workplaces that are assigned to the selected [Report group](#).

Order

Selects the log records that have been posted for the specified order.

Operation

Selects the log records that have been posted for the specified operation.

Article

Selects the log records that have been posted for operations with the specified article.

Tool

Selects the log records that have been posted for operations with the specified tool.

Check responsibility area

Using this option, the user can specify if the system checks the responsibility area of the workplace or the responsibility area of the object operation/order to display data. To use this selection option, you require the function authorization chkresp.



This selection option is only available, if you enable the extension [ospr2](#).

Additional notes on the selection

Long-term data

If the selection period exceeds the period of time of the online data area, the system implicitly selects the data of the medium-term data area. You need not explicitly activate the access to the medium-term data area.

Order shift log detail application

The detail application provides the following fields:

Shift category

Shift date

Shift date of the shift that included the production of the operation (basis: BDE log record).

Shift

Shift in which the operation was produced (basis: BDE log record).

Order category

Category

Order category of the order/operation, e.g. production order (FA) or overhead cost order (GK).
(basis: backlog of orders).

Order type

Order type of the order (basis: backlog of orders).

Order

Order number of the order/operation (basis: backlog of orders).

Sequence

Sequence number of the operation (basis: backlog of orders, subject to customization/configuration).

Operation

Operation number of the operation (basis: backlog of orders).

Split

Split number of the operation, provided that it is a split operation (basis: backlog of orders, subject to configuration).

Operation designation

Designation of the operation (basis: backlog of orders).

Article/article designation

Article number and article designation of the operation (basis: backlog of orders).

Workplace category**Workplace/group/cost center**

In addition to the order and article number, the workplace is displayed (including group and cost center of the workplace) where the operation has been produced in the selected shift. (Basis: workplace: BDE log record; group, cost center: workplace/resource master data).

Primary quantity category**Target quantity**

Total target quantity of the operation in the relevant quantity unit (primary quantity unit, secondary quantity unit, tertiary quantity unit, base quantity unit – basis: backlog of orders).



For this column, no total is calculated. In some cases, one operation is produced during several shifts and here it is not correct to calculate totals.

Target quantity per shift

This field includes the theoretical target quantity for the posting. The duration of the posting may even be shorter than the shift duration if the operation, for example, was not logged on over the entire shift. If the posting covers the entire shift, the target quantity is calculated for each shift, otherwise the target quantity is only calculated for the shorter posting period.

$$SSKGUT = \frac{\sum_{01}^{11} ANREGR: BMK}{\left(\frac{ANR.SZY}{1000.0} \right)} * ANRTLK$$

To calculate the values in the totals row, the system uses the totals of the RPA times and the average (not evaluated) of the target cycle values or the partitioning values (see totals row).

Yield

The yield posted for this operation – relating to the selected shift (basis: BDE log record).

Scrap

The scrap posted for this operation – relating to the selected shift (basis: BDE log record).

Rework

The rework quantity posted for this operation – relating to the selected shift (basis: BDE log record).

Open quantity

Open quantity posted for this operation – relating to the selected shift (basis: BDE log record).

Quantity unit

The respective quantity unit (basis: BDE log record).

Duration category**Target duration**

The total operation-related target duration is calculated using the following formula (basis: backlog of orders):

$$\text{Solldauer} = \frac{\frac{\text{Sollzyklus [pro 1000]}_{AG} * \text{Sollmenge (P)}_{AG}}{1000}}{\frac{\text{Teiligkeit}_{AG}}{\text{Impulsfaktor}_{AG}}} + \text{statische Rüstzeit}_{AG}$$

If a pulse factor > 0 is not stored for the operation, the value 1 is preset.

If a partitioning > 0 is not stored for the operation, then the target duration is not calculated.



For this column, no total is displayed. In some cases, one operation requires several shifts for its production and a correct calculation of totals is then not possible.

Production

The production time recorded for this operation - relating to the selected shift (basis: BDE log record).

Downtime

The downtime recorded for this operation - relating to the selected shift (basis: BDE log record).

Total

Total of all production times and downtimes (sum of columns Production + Downtime).

RPA category**RPA**

Detailed presentation of times recorded on the level of resource performance accounts . (Basis: BDE log record) .

Key figures category**Rate of capacity utilization**

$$\text{NGRAD} = 100.0 * \frac{\text{ANR.EGR : BMK11}}{\sum_{01}^{11} \text{ANR.EGR : BMK}}$$

To calculate the values in the totals row, the system uses the totals of the RPA times (see totals row).

Output rate

$$\text{AUSBGD} = 100.0 * \left(\frac{\text{ANR.EGR : GUTP}}{1000.0 * \sum_{01}^{11} \text{ANR.EGR : BMK} * \text{ANR.TLG}} \right) * \text{ANR.SZY}$$

To calculate the values in the totals row, the system uses the totals of the RPA times and the yield quantities (P) as well as the arithmetic mean (unweighted) of the target cycle values or the partitioning values (see totals row).

Scrap rate

$$AQUOTE = 100.0 * \frac{ANR.EGR: A USP}{(ANR.EGR: GUTP + ANR.EGR: A USP)}$$

To calculate the values in the totals row, the system uses the totals of the yield quantities (P) and the scrap quantities (P) (see totals row).

Assignment utilization rate

$$BNGRAD = 100.0 * \frac{ANR.EGR : BMK11}{\left(\begin{array}{l} ANR.EGR: BMK01 + ANR.EGR: BMK02 + ANR.EGR: BMK03 \\ + ANR.EGR: BMK04 + ANR.EGR: BMK05 + ANR.EGR: BMK08 \\ + ANR.EGR: BMK09 + ANR.EGR: BMK10 + ANR.EGR: BMK11 \end{array} \right)}$$

To calculate the values in the totals row, the system uses the totals of the RPA times (see totals row).



The KPIs above can be changed according to the customer's requirements using the formula management. For the KPI definition, the acronyms below are available.

Acronyms for the formula definition	Description
ANR.EGR:BMK01 ANR.EGR:BMK02 ANR.EGR:BMK03 ANR.EGR:BMK04 ANR.EGR:BMK05 ANR.EGR:BMK06 ANR.EGR:BMK07 ANR.EGR:BMK08 ANR.EGR:BMK09 ANR.EGR:BMK10 ANR.EGR:BMK11 ANR.EGR:BMK12	Times recorded for the resource performance accounts 1-12
ANR.EGR:AUSP ANR.EGR:AUSB ANR.EGR:AUST ANR.EGR:AUSS	Scrap quantity recorded in the units primary, secondary, base and tertiary
ANR.EGR:GUTP ANR.EGR:GUTB ANR.EGR:GUTT ANR.EGR:GUTS	Yield quantity recorded in the units primary, secondary, base and tertiary
ANR.EGR:PRBP ANR.EGR:PRBB ANR.EGR:PRBT	Open quantity recorded in the units primary,

ANR.EGR:PRBS	secondary, base and tertiary
ANR.EGR:NCHP ANR.EGR:NCHB ANR.EGR:NCHT ANR.EGR:NCHS	Rework quantity recorded in the units primary, secondary, base and tertiary
ANR.EGR:HUBG ANR.EGR:HUB	Cycles recorded and cycles recorded for yield.
ANR.SZY ANR.TLG ANR.IMPFAKT	Target cycle, partitioning and pulse factor of the operation.

Machine category

Target cycle

Time planned for 1000 cycles of the machine. This value is the default value of the HYDRA-MDE machine monitoring (cycle monitoring). The value specified for the operation is used to populate this field. If the target cycle is changed when the operation is logged on, the change is not integrated.

For this column, the totals row shows the arithmetic mean (unweighted) of all target cycle values. This value is also used in the totals rows of the different key figures.

Actual cycle

$$IZYCLC = 1000.0 * \frac{ANR.EGR : BMK11}{ANR.EGR : HUBG}$$

For this column, the totals row shows the arithmetic mean (unweighted) of all actual cycle values.



Note: The duration in the field RPA 11 depends on the workplace setting *Posting of machine time with operations logged on simultaneously*. If a proportional posting is configured here, also the duration shown in this field is a proportional duration.

Partitioning

Integer value that specifies the number of parts produced per clock pulse. The value specified for the operation is used to populate this field. If the partitioning is changed when the operation is logged on, the change is not integrated.

For this column, the totals row shows the arithmetic mean (unweighted) of all partitioning values. This value is also used in the totals rows of the different key figures.

Total cycles

Number of cycles recorded while the operation was logged on. For this column, no total is calculated.

Pulse factor

Integer value that specifies the number of parts produced per clock pulse. The value specified for the operation is used to populate this field. For this column, no total is calculated.

Note

Displaying the actual quantities and the actual durations (RPA)

The shift automatic option is not available for workplaces that are not assigned to any terminal or that are assigned to a terminal configured as a BDE terminal (shop floor data collection). This means that there are no automatic order or person-related postings at the end of shifts. In this case, you cannot exactly assign the recorded quantities and durations to the shifts. The system therefore assigns quantities and durations proportionally. This assignment is based on the workplace's shift calendar.

Example:

In the example, the shift model is as follows: shift 1: 6:00 to 14:00 ; and shift 2: 14:00 to 22:00. This shift model is assigned to a workplace matching the above-mentioned criteria. An OP has been logged on at 13:00 and off at 16:00. For the OP logoff, 90 is uploaded as the yield.

In this case, the shift log for the operation in shift 1 will calculate an order duration of 60 minutes and a yield of 30. For shift 2, an order duration of 120 minutes is calculated and a yield of 60. The RPA-related durations are also calculated based on the shift model that the workplace is based on.



At the time the data is selected, the system does not include operations that were logged on during the currently running shift, because no log records have been generated for them yet.

Durations acc. to article detail application

The detail application *Durations acc. to article* shows the durations that have been posted for the article in a bar chart. Only the operations selected in the detail application *Order shift log* are used to calculate the values.

The bar chart shows the article numbers of the selected operations on the y-axis and absolute values (durations) are displayed on the x-axis. The respective quantity accounts specify the color of the bars (production/RPA 11: green; downtimes/RPA 1-11: red). Bars are sorted in descending order by production duration.

You can use a multi-combo box to define the durations that are shown as a bar:

- Production
- Downtimes

The bars are shown in a "stacked" form so that the total quantity can be defined differently for each user.

Activate the check box "Show labels", to show the values on the bars. Note: These labels are displayed for the selected duration.

***Quantities acc. to article* detail application**

The detail application *Quantities acc to article* shows the quantities that have been posted for the article in a bar chart. Only the operations selected in the detail application *Order shift log* are used to calculate the values.

The bar chart shows the article numbers of the selected operations on the y-axis and absolute values (quantities) are displayed on the x-axis. Bars are sorted in descending order by production duration.

Toolbar

When you call a function or target application, the parameters of the table are generally transferred. For this reason, always select an entry before calling an application.



Order information (function authorization: orin)

Use this button to call the application [Order information](#).



Order overview (function authorization: orov)

Use this button to call the application [Order overview](#).