

1 Pool of Orders

Overview

HYDRA menu	Production control → Production support → Pool of orders
FEDRA menu	Detailed Scheduling → Current → Pool of orders
Transaction code	plop
Function authorization	plop

Available user fields		
Where	Object type/user field key	Source (type)
Table	AUNR/SYSTEM	Order (MF-D)
Table	AGNR/SYSTEM	Operation (MF-D)

Purpose

The *Pool of orders* application is the most important dialog for foremen and supervisors.

The *Pool of orders* provides a selection of operations that is clearly sorted by categories. These operations are included in the pool of a machine or group.

Integration

The pool of orders shows all operations that match the specified selections.

Generally, only unplanned and planned operations are displayed in the pool of orders. The system identifies these operations via the control indicators V, U or S. The operations usually have the operation status "prepared", "interrupted" or "not free" (depending on the project).

Selection criteria

The application provides the following selection criteria:

Workplace from ... to ...

This selection criterion specifies the workplace stored for the operation. All operations assigned to the selected workplaces are displayed. You can also use wildcards.

Group from ... to ...

This selection criterion refers to the group that is defined for the operation. The system displays all operations that are assigned to the selected group. It does not matter if the operations are already scheduled for a workplace or not. You can also use wildcards.

Planned for

You can use this option to specify if only operations are selected that have been scheduled for a workplace or operations that are still in the pool of groups.

The column "planned for" shows whether the operation is planned

- for a group (pool of groups) or
- for a workplace (pool of workplaces).

Order

This selection criterion refers to the order number. Only operations with the specified order number are displayed. You can also use wildcards.

Article

This selection criterion refers to the article of the operation. The application displays all operations having assigned the specified article. You can also use wildcards.

Article name/designation

This selection criterion refers to the article of the operation. The application displays all operations that match the specified article designation. You can also use wildcards.

Operation status

Operation status.

Notes:

- The selection list shows ALL configured workplace statuses. Also statuses that are not relevant for this application are displayed.
- The system can only display the operations with the selected operation status that are also included in the selection of the control.

Predecessor status

Status of the preceding operation.

Control

Control indicator of the current operation status.

Notes:

- The selection list shows ALL configured control indicators. Also control indicators that are not relevant for this application are displayed.
- By default, the values Prepared, Interrupted and None (short V, U, S) are preassigned in the selection panel.

Category

This selection criterion refers to the category of the operation's order type. The application only displays operations that match the specified category of order types.

Order type

This selection criterion refers to the order type of the operation. Only operations assigned to the selected order type are displayed. The selection list displays ALL configured order types with the respective order type name.

Processing code

This selection criterion refers to the processing code of the operation. Only operations with the selected processing code are displayed. You can also use wildcards.

Priority

This selection criterion refers to the priority of the operation. Only operations with the selected priority are displayed.

OP

This selection criterion refers to the operation number. Only operations with the specified operation number are displayed. You can also use wildcards.

Tool

This selection criterion refers to the tool used for the operation. All operations with the specified tool are displayed. You can also use wildcards.

Show split OPs

If this option is enabled, split operations are additionally displayed.

Customer name

This selection criterion refers to the customer designation stored for the operation. The application shows all orders with the selected customer name (designation).

Cost center

This selection criterion refers to the cost center of the workplace defined for the operation. The system displays all operations assigned to workplaces of the selected cost center. You can also use wildcards.

Planned start ... to ...

This selection criterion refers to the planned start date defined for the operation. The system only displays operations with a planned start on or between the specified date(s).

Scheduled start time ... to ...

This selection criterion refers to the scheduled start date of the operation. The system only displays operations with a scheduled start date on or between the specified date(s).

Earliest start ... to ...

This selection criterion refers to the earliest start date of the operation. The system only displays operations with an earliest start on or between the specified date (s).

Latest end ... to ...

This selection criterion refers to the latest end date of the operation. The system only displays operations with a latest end on or between the specified date(s).

Actual start ... to ...

This selection criterion refers to the start date of the operation. The system only displays operations with a start date on or between the specified date(s).

Actual end ... to ...

This selection criterion refers to the end date of the operation. The system only displays operations with an end date on or between the specified date(s).



Use the MOC application "[Order overview](#)" to select the operations using the actual dates of the order – order start or order end.

Basic date start ... to ...

This selection criterion refers to the basic start date of the order. The system only displays operations with a basic start date on or between the specified date(s).

Basic date end ... to ...

This selection criterion refers to the basic end date of the order. The system only displays operations with a basic end date on or between the specified date(s).

Sales order

This selection criterion refers to the sales order defined in the order header. All operations assigned to the selected sales order are displayed.

Order index ... to ...

This selection criterion refers to the order index defined in the order header. The system displays all operations with the specified order index in the order header.

Planned order

This selection criterion refers to the planned order number from SAP that is defined in the order header.

Project number

This selection criterion refers to the project number of the operation. The system displays all orders with the specified project number.

Order group

This selection criterion refers to the order group of the order header. The system displays all operations with the specified order index in the order header. You can also use wildcards.

MRP controller

This selection criterion refers to the MRP controller defined in the order header. The system displays all operations with the specified MRP controller in the order header. You can also use wildcards.

MOP

Restriction to a merged operation.
You can also use wildcards.

Show MOP

Defines the [Merged operations](#) to be displayed.

By default, the system displays merged operations and individual operations; operations that are summarized in a MOP are not displayed.

Check responsibility area

The user can only use this option if the respective license and function authorization "filterProdInd" is available and if the function authorization "chkresp" is enabled. With this selection option, the user can specify if data is displayed using the responsibility area of the workplace or of the object operation/order.



This selection option is only available, if you enable the extension [plop2](#).



By default, this application checks the responsibility area of the workplace in case of scheduled operations.

"Pool of orders" detail application

The detail application provides the following fields:

Status category**Status**

Shows the respective bitmap ("LED") defined in the status configuration.

The totals line displays the number of operations in this column.

Status text

The current operation status specifies the status text.

Status since

Specifies date and time when the respective status has been set.

Predecessor status

Status of the preceding operation. This status specifies whether the preceding operation has already been started. This is important if you want to know if material has already been processed or produced that you need for the current operation.

Secondary status

Displays the currently set secondary status.



The use of the secondary status requires a respective [Configuration](#).

"Order" category

This category displays specific data for [operations](#) and [orders](#). Relevant fields are:

Order type

Displays the order type as text and symbol.

The order types of the HYDRA standard are described in the glossary. You can [configure](#) further order types.

Order

Specifies the number of the respective order.

Sequence

Order sequence (only relevant if sequences are used)

OP

Specifies the number of the respective operation

Split

Specifies the split number if the operation is a split operation.

Current number of splits

Number of splits of an operation if the operation has been split.

Note

Short text of the first note of an operation.

Printed

This column shows whether the respective time ticket has already been printed.

Specifications for production category

The relevant fields of this category are as follows:

Planned workplace

Workplace where the operation is planned.

Planned for

The "planned" column shows whether the operation is planned

G for a group (pool of groups) or

M for a workplace (pool of workplaces).

Group

Group for which the operation is planned.

"OP dates" category

This category provides date specifications for the [operation](#).

"Remaining run time" category**Remaining run time**

This column specifies the remaining production time. The system calculates this value using a formula based on different parameters. The formula used is stored for the operation.

"Target times" category

This category displays the target time specifications for the [operation](#)

Additional calculated fields:**Total setup time**

Sum total of setup time, additional setup time and retooling/teardown time.

Target execution time

Sum total of setup time (total) plus processing time.

Primary quantity/secondary quantity/tertiary quantity category**Target quantity**

Quantity specifications for the [operation](#).

Yield

Yield posted for the operation.

Scrap

Scrap posted for the operation.

Rework

Quantity posted for the operation that must be reworked.

Problem quantity

Problem quantity posted for the operation.

Unit

Quantity unit of the values displayed.



The quantities listed here are displayed as base, primary, secondary and tertiary quantities. It is usually best to show only one of the quantity types. The terminal collects quantities in *primary quantity*.

Toolbar



Generate merged operation (function authorization: op.colopcreate)

Function [Generate merged operation](#)

Selected operations are combined to form a merged operation. Instead of the different single operations, the merged operation is logged on to the terminal and displayed on the terminal.



Cancel merged operation (function authorization: op.coloprelease)

Function [Cancel merged operation](#)

The merged operation is undone and the separate operations are generated.



Order information (function authorization: orin)

This button calls the application [Order information](#).



Order overview (function authorization: orov)

This button calls the application [Order overview](#).



Schedule controlling: save baseline plan (function authorization: esvb)

Function [Schedule controlling: save baseline plan](#)



Shop floor paper (function authorization: repsfpap)

Function [Print shop floor papers](#)



Time ticket (function authorization: reptimet)

Function [Print time tickets](#)