

1 Norms

5.1 Summary

Menu	Quality management -> Master data -> Norms Master data → Quality management → Norms
Transaction code	Norm
Function authorization	Norm

The application "Norms" provides an overview of all existing norms inclusive of reference values i.e. fit dimensions. This application processes entries for norms and setting up new norms.

The screenshot displays the SAP 'Normen' application. The main table lists various norms, all of which are 'ISO Passungen' (ISO fits) with a reference size of 'ø10'. The table columns include 'Norm', 'Kurzbezeichnung', 'Langbezeichnung', 'Bezugsgröße', 'Nennmaß von', 'Nennmaß bis', 'rel. obere TG', 'rel. untere TG', and 'Anlag'. The right-hand pane provides a detailed view of the selected norm 'ISO_PASS', showing its 'Kurzbezeichnung' as 'ISO Passungen', 'Langbezeichnung' as 'ISO Passungen', 'Bezugsgröße' as 'ø10', 'Nennmaß von' as '1,00', 'Nennmaß bis' as '3,00', 'rel. obere TG' as '-270,00', and 'rel. untere TG' as '-310,00'.

Purpose

If a new norm is set up, an entry in the CAQ status table is created for this norm including long and short name. The norm is now available in the selection list for characteristics.

Integration



If all entries of a norm are deleted, then the system removes the entry of the norm in the CAQ status table. Then this norm is not available in the selection list.



The fields short and long norm are only considered when creating the first entry of a norm. They cannot be changed retrospectively.

Requirements



The application "Norms" is only available if the extension [QMNorms](#) is activated.

Editing functions

The following dialog opens to edit a data record:



The screenshot shows a dialog box titled 'Bearbeiten' (Edit) with a standard Windows window frame. Inside, there is a tab labeled 'Allgemein' (General) and a sub-tab labeled 'Normen' (Norms). The 'Normen' sub-tab contains several input fields for editing a norm record:

Norm	EN12420
Kurzbezeichnung	EN 12420
Langbezeichnung	DIN EN 12420 (Gesens Schmiedestücke der Werkstoffgruppe 1; Kat. A und B)
Bezugsgröße	- 2500
Nennmaß von	0,00
Nennmaß bis	20,00
rel. obere TG	300,00
rel. untere TG	-300,00