

1 Configuration of Time Sheet Layouts

Summary

The configurable time sheet allows users to create their own time sheets. In HYDRA, you can configure as many time sheets as you like, so time sheets can be created for various employee subgroups.

Time sheet

Person 96665
Name Hanson, Betty

Month 1 / 2015
Date 12.07.2016

Account balances at begin. of month

Flextime	Overtime	Flexible time
16:45	2:00	0:00
Leave account	Monthly account	
33,0	0:00	

Date	Beginning	End	Break	Payment	Target time	Actual time	Flextime
01.01 Do	08:00	16:30	0:00	600 Holiday	8:00	8:00	0:00
02.01 Fr	07:12	16:25	0:30	100 Flextime Mo-Fr	8:00	8:00	0:00
03.01 Sa							
04.01 So							
05.01 Mo	07:43	15:38	0:30	100 Flextime Mo-Fr	8:00	7:15	0:00
06.01 Di	08:00	16:30	0:00	600 Holiday	8:00	8:00	0:00
07.01 Mi	07:14	15:00	0:45	100 Flextime Mo-Fr	8:00	11:01	0:00
	15:00	19:00		150 Prof. Absence			
08.01 Do	09:06	16:48	0:30	100 Flextime Mo-Fr	8:00	6:54	0:00
09.01 Fr	07:34	12:04	0:30	100 Flextime Mo-Fr	8:00	8:30	0:00

Prerequisite

The layout of the time sheets can only be modified if the license PZW-ZNW is available.



Configuration of time sheets

If a new time sheet is to be created it first has to be created in the [configuration of time sheets](#).



Report Designer

An existing report can be changed by calling the Report Designer function.

Filing time sheets on the HYDRA server

Time sheets are saved within the report path of the HYDRA server. The "MOCREP" [path](#) is required for this purpose. The path always has to refer to <system>/custom/reports. It is not allowed to change this.

The current scope of MOC is taken into account when **saving** on the server:


- If the scope is "User" or "Local", the report file will be saved as "<reportname>_local.lul".
- If the scope is "Custom", the report file will be saved as "<reportname>_custom.lul".
- If the scope is "Standard", the report file will be saved as "<reportname>.lul".

The current MOC scope is considered for the **load order**:


- Scope "User" or "Local"
File from the report directory of the server "<reportname>_local.lul" prior to "<reportname>_custom.lul" prior to "<reportname>.lul". If none of these three files is available, it is searched on the client (user=>local=>custom=>standard).
- Scope "Custom"
File from the report directory of the server "<reportname>_custom.lul" prior to "<reportname>.lul". If none of these two is available, it is searched on the client (custom=>standard).
- Scope "Standard"
File from the report directory of the server "<reportname>.lul". If this file is not available, it is searched on the client (standard).

Starting the Report Designer

The currently selected and displayed time sheet can be modified by using the "Report Designer" button. To do so, the entry "PersonalTimeSheet_10" is selected and the "edit" button is clicked.




The report to be changed is shown in the "TemplateFile" field of the ReportConfiguration. The List&Label Designer is started by clicking the "Report Designer" button.



These settings must not be changed.

Editing functions

The report can be edited by clicking the "Report Designer" button. Data should have been requested beforehand. The external Report Designer is used for designing.



The following special features are available:

mpdvTranslate("language key")

"Language key" is an entry from the translation file in the form "lkXXX". Depending on the configured language, translations are performed in MOC.

mpdvTimeFromSeconds(<SekundenSeitMitternacht>)

A numeric value in seconds since midnight is converted to a time and formatted. Format: hh:ss

mpdvDuration(<SekundenSeitMitternacht>)

A numeric value in seconds since midnight is converted to a duration and formatted. Format: h:ss


mpdvScript("PzeReportingScriptBalance",<Kontostand>)

The entered account balance is formatted based on the [configuration of the account](#).



By clicking the **F1** key the manual about the integrated Designer opens.

Report structure:



The report container includes the **PersonalData** table including the data about the selected persons. For every person there is the **DailyData** table including the daily data of the evaluation period as well as the **WageTypes** table including the monthly results.

- The PersonalData table includes the page header that is displayed as header on every page of the list and that includes personal data.
- Daily data including weekly and monthly totals are shown in the sub-element **DailyData**. It also shows the account balances at the beginning and end of the month as well as the carry forward of accounts for the subsequent month.
- The monthly wage types are shown in the **WageTypes** sub-report.
- The footer is displayed on each page of the list.

Field descriptions

List of variables/fields: Fields → **PersonalData**

Data about the person is provided:

Data field	Meaning
personaltimesheet.personaldata.accountingperiod.year	Year
personaltimesheet.personaldata.errorcode	Error code
personaltimesheet.personaldata.evaluation_begin	Start of the settlement period.
personaltimesheet.personaldata.evaluation_end	End of the settlement period.
personaltimesheet.personaldata.key_person	Key for linking the data sources
personaltimesheet.personaldata.period	Settlement period
personaltimesheet.personaldata.person.area	Area
personaltimesheet.personaldata.person.card_id	Badge
personaltimesheet.personaldata.person.company	Company
personaltimesheet.personaldata.person.costcenter	Cost center
personaltimesheet.personaldata.person.department	Department
personaltimesheet.personaldata.person.employee_subgroup	Employee subgroup
personaltimesheet.personaldata.person.firstname	First name
personaltimesheet.personaldata.person.id	Personnel number
personaltimesheet.personaldata.person.lastname	Last name
personaltimesheet.personaldata.person.name	Name
personaltimesheet.personaldata.personalaccounts.designation1	Designation, account 1-8
personaltimesheet.personaldata.personalaccounts.id1 - 8	Account 1-8

personaltimesheet.personaldata.personalaccounts_carryforward.balance1-8	Account carryforward, account 1-8
personaltimesheet.personaldata.personalaccounts_carryforward.designation1 - 8	Des. account carry forward, account 1-8
personaltimesheet.personaldata.personalaccounts_carryforward.id1 - 8	Number, account carry forward, account 1-8
personaltimesheet.personaldata.personalaccounts_endbalance1 - 8	Account balance, end of month, account 1-8
personaltimesheet.personaldata.personalaccounts_startbalance1 - 8	Account balance, beginning of month, account 1-8
personaltimesheet.personaldata.personalremainingleave	Remaining leave
personaltimesheet.personaldata.personaltimesheetconfiguration.id	Number of the time sheet
personaltimesheet.personaldata.shifttype	Shift type
personaltimesheet.personaldata.timesheet_identification	Identification, time sheet

List of variables/fields: Fields → DailyData

The person's daily data is provided:

Data field	Meaning
personaltimesheet.dailydata.absence.color	Absence color
personaltimesheet.dailydata.absencetime	Absence time
personaltimesheet.dailydata.absencetime.personalperformance	Workday result: absence
personaltimesheet.dailydata.balance.account1 - 8	Account balance 1-8
personaltimesheet.dailydata.accountbalancechange1 - 8	Account modifications 1-8
personaltimesheet.dailydata.accountingperiod.begin_date	Start of the settlement period.
personaltimesheet.dailydata.accountingperiod.end_date	End of the settlement period
personaltimesheet.dailydata.accountingperiod.period	Settlement period
personaltimesheet.dailydata.accountingperiod.year	Year
personaltimesheet.dailydata.actualattendancetime	Attendance time
personaltimesheet.dailydata.actualtargettime	Difference attendance/ target time
personaltimesheet.dailydata.actualtime	Actual time
personaltimesheet.dailydata.actualtime.personalperformance	Workday result: actual time
personaltimesheet.dailydata.actualtime.without_paidbreak	Actual time without paid breaks
personaltimesheet.dailydata.attendancetime	Attendance time
personaltimesheet.dailydata.attendancetime.personalperformance	Workday result: attendance time
personaltimesheet.dailydata.authorization.color	Authorization color
personaltimesheet.dailydata.authorized	Authorized
personaltimesheet.dailydata.begin_date	Start date
personaltimesheet.dailydata.break	Break
personaltimesheet.dailydata.certify	Authorization comment
personaltimesheet.dailydata.clocking.status	Clocking status
personaltimesheet.dailydata.clocking.type	Status
personaltimesheet.dailydata.clocking_begin	Start of the clocking
personaltimesheet.dailydata.clocking_end	End of the clocking
personaltimesheet.dailydata.comment	Comment from clocking
personaltimesheet.dailydata.commentary	Abbreviation from clocking
personaltimesheet.dailydata.costcenter.executing	Executing cost center
personaltimesheet.dailydata.date	Date
personaltimesheet.dailydata.duration	Duration
personaltimesheet.dailydata.edited	Edited
personaltimesheet.dailydata.evaluation_date	Settlement date
personaltimesheet.dailydata.evaluation_date_clocking	Evaluation date
personaltimesheet.dailydata.indicator_summerwintertime_in	CEST
personaltimesheet.dailydata.indicator_summerwintertime_out	CEST
personaltimesheet.dailydata.infofield01 - 20	Information field 1-20
personaltimesheet.dailydata.key_person	Key field
personaltimesheet.dailydata.modified_by	Editor
personaltimesheet.dailydata.modified_ts	Processing time
personaltimesheet.dailydata.oncallduty	On-call duty
personaltimesheet.dailydata.overtime	Overtime
personaltimesheet.dailydata.overtimeperiod_begin	Start of the period for overtime

	calculation
personaltimesheet.dailydata.overtimeperiod_end	End of the period for overtime calculation
personaltimesheet.dailydata.overtimeperiod_evaluation_begin	Start of the evaluation date
personaltimesheet.dailydata.overtimeperiod_evaluation_end	End of the evaluation date
personaltimesheet.dailydata.paidbreak	Paid break
personaltimesheet.dailydata.paymentdaytype.designation	Designation of payment day type
personaltimesheet.dailydata.paymentdaytype.id	Payment day type
personaltimesheet.dailydata.person.company	Company
personaltimesheet.dailydata.person.costcenter	Cost center
personaltimesheet.dailydata.person.id	Personnel number
personaltimesheet.dailydata.person.name	Name
personaltimesheet.dailydata.personalworkingtimedaytype.designation	Designation of working time day type
personaltimesheet.dailydata.personalworkingtimedaytype.id	Working time day type
personaltimesheet.dailydata.roundedtime_begin	Beginning of rounded times
personaltimesheet.dailydata.roundedtime_end	End of rounded times
personaltimesheet.dailydata.shifttype	Shift type
personaltimesheet.dailydata.signcertify	Authorization
personaltimesheet.dailydata.signed	Authorized
personaltimesheet.dailydata.standbyduty	Stand-by duty
personaltimesheet.dailydata.status	Status
personaltimesheet.dailydata.targettime	Target time
personaltimesheet.dailydata.timesheet_identification	Number of the time sheet
personaltimesheet.dailydata.totalbreak	Total break
personaltimesheet.dailydata.wagetype.id	Wage type
personaltimesheet.dailydata.week	Week
personaltimesheet.dailydata.weekday	Weekday (0=Sunday, ..., 6=Saturday)
personaltimesheet.dailydata.weekend.color	Weekend color

List of variables/fields: Fields → WageTypes

The person's monthly report data is provided here:

Data field	Meaning
personaltimesheet.wagetypes.person.company	Company
Personaltimesheet.wagetypes.person.id	Personnel number
personaltimesheet.wagetypes.timesheet_identification	Number of the time sheet
personaltimesheet.wagetypes.wagetype.designation	Wage type designation
personaltimesheet.wagetypes.wagetype.duration	Wage type duration
personaltimesheet.wagetypes.wagetype.id	Wage type