

1 System Logs

Overview

HYDRA menu	System administration → Monitoring → System logs
FEDRA menu	System administration → Monitoring → System logs
Transaction code	syspro
Function authorization	syspro.* sysalarm – Display of system alarms when logging on to the MOC

Purpose

This application provides an overview of the log entries made by other applications/ functions and enables the access to those log files saved to the file system.

Integration

This application provides a central function. Its usage is subject to the responsibility of those using these applications/ functions.

Display of system alerts

If you have assigned the function authorization "sysalarm" to a user, the system performs an additional check when this user logs on to the MOC. It is checked whether system alerts have occurred. If yes, the application is opened and the log of the *System* application called *System alarm* is opened.

Field descriptions

Application

Logical name of the application to be logged

Designation

Text about the application

Program version

Program version of the application

Program date

Date of the creation of the application

Program

Reference to the technical name of the program/ application

Status

Status of the application during the last execution

Log file/ size

Name and size of the generated log file

Error file/ size

Name and size of the generated error file

Data file/ size

Name and size of the generated data file

Number of data records

Number of processed data records

Number of errors

Number of incorrect data records

Date

Date of the entry

Messages

Further messages/ notes of the application

Application

Logical name of the application to be logged

Application

Logical name of the application to be logged

Toolbar**Log**

Enables the display of a log file, if any.

Error

Enables the display of an error file, if any.

Data

Enables the display of a data file, if any.

Any file

Allows to access any file located on the HYDRA server. The name of the file is entered here. The directory, in which the file will be searched, corresponds to the [Path](#) "MOCLOGS" configured in the system.

Any error file

Allows to access any file located on the HYDRA server. The name of the file is entered here. The directory, in which the file will be searched corresponds to the [Path](#) "MOCERRS" configured in the system.

Any log file

Allows to access any file located on the HYDRA server. The name of the file is entered here. The directory, in which the file will be searched corresponds to the [Path](#) "MOCLOGS" configured in the system.