

1 Function authorizations for HR master data tabs

Purpose

Function authorizations for HR master data have been extended. On tab level, you can now specify who is allowed to view, edit, copy, add or delete data. Example: production supervisors can view and change the settings of the "shop floor data" tab. They cannot change the other tabs.

Processing

Use the following new function authorizations to control the tabs:

tab *Person*: pers.person
tab *Personal data*: pers.pd
tab *Shop floor data*: pers.mf
tab *Incentive wage*: pers.iw
tab *Time and labor data*: pers.lt
tab *Last changed on*: pers.ad

These function authorizations each refer to the tabular display and detail view of HR master data and the related edit/insert/copy dialogs of the selected data record.

The following function authorizations are generally available for the HR master:

pers

Activates the HR master including all functions and tabs. Users with this authorization can work with the HR master without any restrictions. This function authorization activates all tabs (overrides specific function authorizations for tabs).

pers.view/pers.create/pers.edit/pers.delete


The user can open/view the HR master and add, edit and delete persons. The HR master only shows base fields, i.e. fields of the *person* tab.

pers.person/pers.pd/pers.mf/pers.iw/pers.lt/pers.ad

Add the function authorizations for tabs (pers.person/pers.pd/pers.mf/pers.iw/pers.lt/pers.ad) in order to enable the view/add/edit/delete dialog for additional tabs. You can only use this function if the general function authorization *pers* is **not** assigned.

The user cannot open the application "HR master" if none of these authorizations is assigned. However, the user can use this application as selection dialog in other applications (e.g. as selection criterion in the "clockings" application). In this case, however, the user can only view the base fields (i.e. the fields of the *person* tab).

Base fields refer to the basic fields on the *person* tab. Users can always view these fields (see screenshot). Base fields are vital. It does not make sense to hide these fields for specific users.



The screenshot displays the 'Person' tab of the HR master data interface. It contains several sections with input fields and dropdown menus:

- Person:** Fields for 'Person' (with a search icon), 'Valid from', 'Valid to', and 'Staff badge no.'.
- Name:** Fields for 'Title', 'First name', and 'Last name'.
- Assignment:** Fields for 'Company', 'Area', 'Cost center', 'Department', 'Employee subgroup', 'Activity', and 'Responsibility area'.
- Staff membership:** Fields for 'Date of joining' and 'Date of leaving'.
- Supervisor:** Fields for 'Supervisor' (with a search icon) and 'Name'.

Each of the above-mentioned authorizations opens the HR master.

If necessary, you can also combine authorizations. Assign the following authorizations if a user is allowed to:

- add, edit and delete data and
- to view/edit the fields of the tabs *person* and *personal data*:

pers.create

pers.edit

pers.delete
pers.person
pers.pd

The fields of the "additional information" tab are user fields and do not depend on the logic described here. You can use responsibility areas in the *configuration of HR master fields* to specify for each user field if it should be visible or not.

Use an INI configuration to release this modification. Installing the service pack that includes this new modification can result in a breaking change, i.e. the modification changes the processing of previously assigned function authorizations. Using an INI configuration to activate the modification makes sure that you are aware of the effects of this modification and you want to use these function authorizations on tab level.

1.1 INI configuration

Menu	System administration → System settings → INI configuration
Transaction code	Inicfg
Function authorization	inicfg.*



Configure the settings of the INI data configuration as follows:

INI name	PERSONS
Section	AUTHORIZATION
Key	TAB
Value	ON