

1 Application-Relevant Settings in SAP

Customizing the order type

In SAP the PP-PDC interface will only take those production orders into account, for which the order type has been marked as "BDE active". This is specified in Customizing *SPRO* → *Production* → *Production control* → *Master data* → *Order* → *Order type dependent parameters* (OPL8).

For each relevant combination of plant and order type, the indicator "BDE active" must be set on the "realization" tab.

Definition of new subsystem groupings

To the extent that the subsystem groupings included in the SAP delivery do not suffice, it is possible to define new one using SAP Customizing - *SPRO* → *Labor time management* → *Shop floor data collection* → *General settings* → *Groupings for subsystem connection*.

Maintenance at the workplace

Once an order type is identified as "BDE active", the PP-PDC interface will only take those operations into account, for which at least one subsystem grouping is stored to the workplace.

The subsystem grouping at the workplace is maintained using the workplace maintenance (CR02) → Basic data → Subsystems. There, the relevant subsystem can be selected from several stored subsystems.

Setting of the posting time

Depending on the settings in SAP, the PP-PDC interface supports two confirmation/upload scenarios:

- Immediate posting

If the "Immediate posting" indicator is active in Customizing (CI41), time ticket uploads transferred from HYDRA to SAP will immediately be posted. If this posting cannot be made - if for example a production order is being blocked - the confirmations/uploads will stay pre-posted and will be posted during the next posting run.

- Posting using job

If the "Immediate posting" indicator is not set in Customizing (CI41), the confirmations/uploads will be pre-posted (AFRP0 table). They will then be posted later depending on the job, using Job CORUPROC1.

Definition of user fields

The PP-PDC interface can be used to transfer selected user fields of the work plan/ operation from SAP. HYDRA offers default interpretations for these fields. In order to enable the values to be stored to the user fields in SAP, a user field key must be defined and saved to the operation's work plan.

The user field key is defined in Customizing via *SPRO* → *Production* → *Production control* → *Master data* → *Work plan data* → *User field definition* (OPEC).

A meaning must be saved for the following user fields:

SAP user field	SAP user field in the download structure	Meaning
USR00	USERFIELD_CH20_1	Target cycle
USR01	USERFIELD_CH20_2	Te/ tr
USR04	USERFIELD_QUAN	Partitioning

The created user field key and the corresponding values must be stored to the operation's work plan.

Maintenance of the SAP partner agreement – outbound processing

Maintain the following settings for outbound processing in the partner agreement in SAP (WE20)

Parameter name	Value
To download the production orders	
Partner number	Created logical system
Partner type	LS
Message type	PPCC2RECORDER
Receiver port	Created port
Package size	1
Output mode	Transmit IDoc immediately
Basis type	PPCC2RECORDER
To download the upload request	
Partner number	Created logical system
Partner type	LS
Message type	PPCC2REQCONF
Receiver port	Created port
Package size	1
Output mode	Transmit IDoc immediately
Basis type	PPCC2REQCONF01
To download the workplaces	
Partner number	Created logical system
Partner type	LS

Parameter name	Value
Message type	PPCC2RECWORKCENTER
Receiver port	Created port
Package size	1
Output mode	Transmit IDoc immediately
Basis type	PPCC2RECWORKCENTER01
To download the variances	
Partner number	Created logical system
Partner type	LS
Message type	DIFFE2
Receiver port	Created port
Package size	1
Output mode	Transmit IDoc immediately
Basis type	DIFFE2
To download generally applicable quantity units	
Partner number	Created logical system
Partner type	LS
Message type	UNIT2
Receiver port	Created port
Package size	1
Output mode	Transmit IDoc immediately
Basis type	UNIT2
To download material-dependent quantity units	
Partner number	Created logical system
Partner type	LS
Message type	UNIMA2
Receiver port	Created port
Package size	1
Output mode	Transmit IDoc immediately

Parameter name	Value
Basis type	UNIMA2

Maintenance of the SAP partner agreement – inbound processing

Maintain the following settings for inbound processing in the partner agreement in SAP (WE20)

Parameter name	Value
Partner number	Created logical system
Partner type	LS
Message type	PPCC2PRETTICKET
Transaction code	BAPI

Maintenance of the SAP distribution model - outbound processing

Parameter name	Value
To download the production orders	
Model view	Created model view
Sender/ client	Logical system of the client
Recipient/ server	Logical system for the recipient system
Object name/ interface	RCVPRORDCF
Method	ReceiveProdOrder
Filter	If necessary, maintain the BDE grouping as filter criterion
To download the upload request	
Model view	Created model view
Sender/ client	Logical system of the client
Recipient/ server	Logical system for the recipient system
Object name/ interface	RCVPRORDCF
Method	RequestProdOrdConf
To download the workplaces	
Model view	Created model view
Sender/ client	Logical system of the client

Parameter name	Value
Recipient/ server	Logical system for the recipient system
Object name/ interface	RCVPRORDCF
Method	ReceiveWorkCenter
Filter	If necessary, maintain the BDE grouping as filter criterion
To download the variances	
Model view	Created model view
Sender/ client	Logical system of the client
Recipient/ server	Logical system for the recipient system
Message type	DIFFE2
To download generally applicable quantity units	
Model view	Created model view
Sender/ client	Logical system of the client
Recipient/ server	Logical system for the recipient system
Message type	UNIT2
To download material-dependent quantity units	
Model view	Created model view
Sender/ client	Logical system of the client
Recipient/ server	Logical system for the recipient system
Message type	UNIMA2

Maintenance of the SAP distribution model - inbound processing

Parameter name	Value
To upload time tickets	
Model view	Created model view
Sender/ client	Logical system for the sender system
Recipient/ server	Logical system of the client
Object name/ interface	ProdOrdConfirmation
Method	CreatePredefTimeTicketMultiple

Parameter name	Value
Filter	If necessary, maintain the BDE grouping as filter criterion

Planning of relevant jobs

The following programs/ reports must be planned as job to ensure that the PP-PDC interface will operate automatically:

Program/ report	Meaning	Please note:
CIBDOP_DOWN_PP	Download production orders/ operations	Planning of a variant WITHOUT indication of a target system
CIBDCONF_REQUEST	Download of the upload request	Planning of a variant and indicator " <i>Request upload of time tickets</i> " set and as option indication of a target system.

Relevant transactions

Transaction	Meaning	Please note:
CI42N	Download Production orders/ operations	-
CI45N	Download of the upload request	-
CO16N	Reworking of incorrect postings	-