

1 Station Andon Board: Configuration

Configuration of the MQTT Broker

Set the following entry in the [HYDRA INI configuration](#) to configure the MQTT broker in the DMC environment:

Parameter name	Value
INI name	DMC_MQTT
Section	SERVERCONFIGURATION
Key	HOST Host of the MQTT broker. PORT Port of the MQTT broker. USERNAME User name to log on to the broker. PASSWORD Password to log on to the broker. USERID the USERID is optional. Add an internally generated ID to the USERID to define a client distinctly.
Value	Value of the relevant key.
Active	Yes
Comment	Host of the MQTT broker.



The MQTT configuration in the DMC environment in the [HYDRA INI configuration](#) is not required as of service pack 15 or with MW 4.x.

Installation MQTT Broker


You need to install the MQTT Broker in an instance only once.



If the HYDRA server runs in a Windows-based operating system, the 'Visual C++ Redistributable Package for Visual Studio 2013' must already have been installed before the installation of the MQTT Broker.

In the HYDRA server, call the Maintenance Manager 2 for the instance where the centralized MDE should run.

In the menu *Settings*, change to tab *EMQTT settings*.



The ports are preallocated and should only be changed after contacting MPDV.




If a firewall is used, the ports must be enabled for the MQTT Broker.

Click the button *Install EMQTT*. A pop-up window shows the installation progress:



If the system runs in a Windows-based operating system, a pop-up window is displayed at the end of the installation. Run the script that is specified in the pop-up window. Make sure that you run the script as administrator.



Path configuration for storing global layouts

Create an entry in the [Path configuration](#) to store global layouts for all clients:

Parameter name	Value
Path	Fixed "DMCSTATA"
Protocol	file
Host	localfile
Port	0
URL path	Explicit path to access the HYDRA server, e.g. d:\hydra\1\dmc_stata_layouts
Description	Path for DMC Station Andon Board layouts.