

Manual

Monitoring of Process Data PDV-MPD 8.3

Version 1.0.23049

Last changed on: 02.09.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	Monitoring of Process Data.....	4
2	Tabular Process Analysis.....	5
3	Characteristic Attributes	8

1 Monitoring of Process Data

Overview

Purpose

The product PDV-MPD function package provides functions to analyze the collected process data. You can list the collected process values of the machines.

Integration

This product requires the data that the system has collected using the PDV data collection functions.

For the evaluation of the data collected for orders and batches, the licenses and functions of the shop floor data collection or the batch data collection are required. You can also record data for specified orders or batches using TAG process values.

Features

This product provides the following functions:

- Evaluation of the specifications of a collection rule that have been changed by the specification list
- Tabular process analysis of single machines over a specified period of time via TAG IDs. You can filter the collected process parameters.

2 Tabular Process Analysis

Overview

Menu	Quality management → Process analysis → Tabular process analysis
Transaction code	pdt
Function authorization	pdt

Purpose

The *Tabular process analysis* provides an evaluation of the measured values recorded in the process. The evaluation is included in a data table.

You can sort the information displayed in the table. The defined selection parameters specify the information in the table. Display and grouping of fields is saved for each user separately.

Integration

The application **Tabular process analysis** is based on the measured values recorded for machines or articles.

Selection criteria

The application provides the following selection criteria:

Selection tab *Workplace*

Workplace

The measured values have been recorded for the workplace specified in this field.

Process parameter

This selection criterion specifies the process parameters for which the measured values are displayed.

Time from,to

The measured values of the evaluation period selected in this field are displayed.

Selection tab *Tag*

Tag type

This selection criterion refers to the tag type used to record the measured values. If a tag type is specified, then you must additionally specify the tag content as selection criterion.

Tag content

This selection criterion defines the value of the specified tag type that is used to select the measured values. You can also use a wildcard (*) as content.

If a value is specified for the tag content, then you must additionally specify the tag type as selection criterion.

Workplace

The measured values have been recorded for the workplace specified in this field.

Process parameter

This selection criterion specifies the process parameters for which the measured values are displayed.

Time domain

The measured values of the evaluation period selected in this field are displayed.

Detail applications

The measured values that match the selection criteria are displayed in a grid table.

Field descriptions**Workplace**

The field *Workplace* specifies the workplace assigned to the measured value

Process parameter

Name of the process parameter assigned to the measured value.

Point in time

Time when the measured value displayed has been recorded. The time is displayed to the millisecond.

Point in time (sec)

Time when the measured value displayed has been recorded. The time is displayed to the second.

Process parameter description

This field shows the name of the process parameter displayed.

Value

The measured value recorded for the process parameter at the point in time of the data collection.

Unit

The unit of the measured value.

Unit description

Name of the unit.

Lower tolerance limit

Value of the lower tolerance limit when the measured value has been recorded.

Lower process action limit

Value of the lower process action limit when the measured value has been recorded.

Target value

The target value that was valid when the measured value has been recorded.

Upper tolerance limit

Value of the upper tolerance limit when the measured value has been recorded.

Upper process action limit

Value of the upper process action limit when the measured value has been recorded.

3 Characteristic Attributes

Summary

Menu	Quality Management → Process Data Collection → Characteristic Attributes
Transaction code	ipcapd
Function authorization	ipcapd

Evaluation/report about the characteristic attributes used over time due to the deviations defined in the specification lists.

Utilization

When logging operations on, input requests are generated for article-related collection rules. These basic attributes within the characteristic specifications of the collection rule can be overwritten by definitions made in the specification list. Over time, this report shows the specifications that have actually been used for data collection in table form. In this context, entries are only made if deviations to the collection rule are defined.

Integration

The specifications made in the characteristics of the collection rules and the deviations defined by the specification list define the characteristic attributes.

Selection criteria

The application provides the following selection criteria:

Area

The article-related data collection can only be selected for the PDV module.

Inspection requirement number, inspection step no., OP sequence, characteristic number

Identification attributes for inspection requirements and their characteristics

Period

The report is restricted to a specific period of time.

Field descriptions

These are the fields of the characteristic specifications as they can also be defined within the master data of characteristic definitions or the collection rules and the specification list.

