

Manual

PEP Escalation Messages PEP-ESK 8.2

Version 1.0.23049

Last changed on: 02.09.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	Overview: PEP Escalation Messages	4
2	Available Escalations for Personnel Scheduling	5
2.1	End of validity of a qualification (PNR.END_OF_QUALIFICATION)	5
2.2	Absence created (FZ.INSERTED)	7
2.3	Absence modified (FZ.UPDATED)	8
2.4	Absence deleted (FZ.DELETED)	9

1 Overview: PEP Escalation Messages

Purpose

Application service for generating events and/or dispatching messages within HYDRA Personnel Scheduling.

Implementation notes

You use the function package if:

- You wish to be informed in good time about the validity end date of a qualification assigned to an employee, for example, in order to be able to schedule further training to renew the qualification.
- You wish to be informed when absence times are created, modified or deleted.

Integration

The escalation messages regarding personnel scheduling require the function package SIS-ESK (escalation management: basis/framework) in order to be able to configure and, if necessary, forward the escalations.

Features


- Escalations regarding personnel scheduling
 - Notification before the validity end date of assigned qualifications
 - Information about planned absences

2 Available Escalations for Personnel Scheduling

The present description describes the available escalations in PEP. If an escalation is to be activated, a [configuration](#) must be created for it.

2.1 End of validity of a qualification (PNR.END_OF_QUALIFICATION)

As regards the assignment of [qualifications to personnel](#), it is possible to enter a validity end date. This escalation can be used to send a notification up to 100 days before the end of validity, for example in order to be able to plan further training for extending the qualification. The variable QUALPNR.DAUER in combination with a condition is used to set how many days before the end of validity the notification is to be sent:



In this example, the notification regarding the end of validity of the assigned qualification of a person is generated 60 days before the validity end date.

The following placeholders are available for generating the message or for defining conditions:

Event	Identifiers	Description
-------	-------------	-------------

PNR.END_OF_QUALIFICATION	PNR.FIR	Company
	PNR.PNR	Personnel number
	PNR.NAME	Name
	PNR.PNAME	Last name
	PNR.PVNAME	First name
	PNR.BER	Area
	PNR.KST	Cost center
	PNR.ABT	Department
	PNR.PKREIS	Employee subgroup
	PNR.TAETIGKEIT	Activity of the person
	PNR.BESCHVERH	Employment relationship
	PNR.TEL:FIR	Company phone
	PNR.EMAIL:FIR	Company e-mail
	PNR.VGS:PNR	Supervisor personnel number
	QUAL.QUAL	Qualification number
	QUAL.BEZ	Description of qualification
	QUAL.KAT	Qualification category
	QUALPNR.DATB	Qualification validity start date
	QUALPNR.DATE	Qualification validity end date
	QUALPNR.DAUER	Number of days until validity end
	QUALPNR.WEITERB.DAT	Date of planned further training
	QUALPNR.WEITERB.ZEI	Time of planned further training
	QUALPNR.WEITERB.ERFOLGT	Further training completed (Y/N)
	QUALPNR.BEM:1	Comment 1
	QUALPNR.BEM:2	Comment 2
	QUALPNR.BEM:3	Comment 3
	QUALPNR.VERWEIS	Unambiguous record number

In the *Message* tab, the text for the message can be entered:

The screenshot shows a software window titled 'Insert' with a 'Main page' tab. Inside, there are four tabs: 'Event', 'Message', 'Notification', and 'Condition'. The 'Message' tab is active. It contains a 'Subject' field with the text 'End of validity of qualification'. Below it is a large text area containing a template message: 'The validity of qualification %QUAL.QUAL% %QUAL.BEZ% of person %PNR.PNR% %PNR.NAME% will end on %QUALPNR.DATE date mm/dd/yyyy%.' At the bottom of the window, there are two dropdown menus labeled 'Available placeholders' and 'System variables'.



The escalation *PNR.END_OF_QUALIFICATION* is only initiated if there is no subsequent assignment (valid as from the next day) with the same qualification for an assigned qualification with a validity end date.

2.2 Absence created (FZ.INSERTED)

The escalation *FZ.INSERTED* is generated if an absence was created. This escalation can be used, for example, to notify the supervisor by e-mail.

The following placeholders are available for generating the message or for defining conditions:

Event	Identifiers	Description
FZ.INSERTED	FZ.FIR	Company
	FZ.PNR	Personnel number
	FZ.NAME:PNR	Name
	FZ.PNAME	Last name
	FZ.PVORNAME	First name
	PNR.BER	Area
	PNR.KST	Cost center
	PNR.ABT	Department

PNR.PKREIS	Employee subgroup
PNR.TAETIGKEIT	Activity of the person
PNR.BESCHVERH	Employment relationship
PNR.TEL:FIR	Company phone
PNR.EMAIL:FIR	Company e-mail
FZ.ENTLTMOD	Absence payment
FZ.BEZK:ENTLTMOD	Absence abbreviation
FZ.BEZL:ENTLTMOD	Absence description
FZ.KAT	Absence category
FZ.DAT:APPLY	Request date
FZ.ZEI:APPLY	Request time
FZ.DATB	Start date
FZ.DATE	End date
FZ.BEZL	Comment
FZ.VERWEIS	Unambiguous record number

2.3 Absence modified (FZ.UPDATED)

The escalation *FZ.UPDATED* is generated if an absence was modified. This escalation can be used, for example, to notify the supervisor by e-mail.



The escalation *FZ.UPDATED* is only initiated if the period or the absence payment has changed upon the modification of the absence for a person.

Available placeholders for generating the message or for defining conditions:

Event	Identifiers	Description
FZ.UPDATED	FZ.FIR	Company
	FZ.PNR	Personnel number
	FZ.NAME:PNR	Name
	FZ.PNAME	Last name
	FZ.PVORNAME	First name
	PNR.BER	Area
	PNR.KST	Cost center
	PNR.ABT	Department
	PNR.PKREIS	Employee subgroup
	PNR.TAETIGKEIT	Activity of the person
	PNR.BESCHVERH	Employment relationship
	PNR.TEL:FIR	Company phone
	PNR.EMAIL:FIR	Company e-mail
	FZ.ENTLTMOD	Absence payment
	FZ.BEZK:ENTLTMOD	Absence abbreviation
	FZ.BEZL:ENTLTMOD	Absence description
	FZ.KAT	Absence category
	FZ.DAT:APPLY	Request date
	FZ.ZEI:APPLY	Request time
	FZ.DATB	Start date
	FZ.DATE	End date

	FZ.BEZL	Comment
	FZ.VERWEIS	Unambiguous record number
	FZ.ENTLTMODV	Absence payment before
	FZ.BEZX:ENTLTMODV	Absence abbreviation before
	FZ.BEZX:ENTLTMODV	Absence description before
	FZ.KATV	Absence category before
	FZ.DATBV	Start date before
	FZ.DATEV	End date before

2.4 Absence deleted (FZ.DELETED)

The escalation *FZ.DELETED* is generated if an absence is deleted. This escalation can be used, for example, to notify the supervisor by e-mail.

The following placeholders are available for generating the message or for defining conditions:

Event	Identifiers	Description
FZ.DELETED	FZ.FIR	Company
	FZ.PNR	Personnel number
	FZ.NAME:PNR	Name
	FZ.PNAME	Last name
	FZ.PVORNAME	First name
	PNR.BER	Area
	PNR.KST	Cost center
	PNR.ABT	Department
	PNR.PKREIS	Employee subgroup
	PNR.TAETIGKEIT	Activity of the person
	PNR.BESCHVERH	Employment relationship
	PNR.TEL:FIR	Company phone
	PNR.EMAIL:FIR	Company e-mail
	FZ.ENTLTMOD	Absence payment
	FZ.BEZX:ENTLTMOD	Absence abbreviation
	FZ.BEZX:ENTLTMOD	Absence description
	FZ.KAT	Absence category
	FZ.DAT:APPLY	Request date
	FZ.ZEI:APPLY	Request time
	FZ.DATB	Start date
	FZ.DATE	End date
	FZ.BEZX	Comment
	FZ.VERWEIS	Unambiguous record number