

Manual

Entry and Maintenance of Labor Times PZE-EPP 8.2

Version 1.0.4788

Last changed on: 19.06.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	Entry and Maintenance of Labor Times - Overview	4
2	Account Configuration	6
3	Configuration of Terminal Information	9
4	Terminal Groups	11
5	Clocking Authorizations	12
6	Clocking Records	14
7	Clocking Archive	16
8	Absence Reasons	18

1 Entry and Maintenance of Labor Times - Overview

Purpose

This function package contains functions needed to enter, display and maintain clockings.

Implementation Considerations

Use this function package to:

- use HYDRA Time & Attendance purely as a data entry system (subsystem) to another manufacturer's personnel time management system;
- collect and evaluate the employee clockings in HYDRA Personnel Time Management.

Integration

The collected clockings are the basis for evaluating attendance time in HYDRA Personnel Time Management.

Features

- Clocking authorizations
 - Assigning employees or employee groups to terminals where they are allowed to clock
- Terminal groups
 - Grouping terminals for a flexible and simple definition of clocking authorizations
- Entry of clockings
 - Transfer of in, out, absence and break clockings from the Time & Attendance terminal
- Automatic status
 - Automatic clocking status determination (in / out) depending on the current employee status (clocking mappings)
- Entry of absence reasons
 - Entry of cause of late arrival, early departure, unplanned absence and entire days absent (e.g. business trip and leave)
- Clocking archive
 - List of individual in, out, break and absence clockings by time or Time & Attendance terminal
- Clockings
 - Display of employee clockings with maintenance functions and documentation of deleted original clockings

- Information display at the terminal
 - Provision of information on account balances (e.g. leave, flextime, flexible time) or clockings to display at the terminal
- Account configuration
 - Creating and maintaining up to eight freely definable time and day accounts
- Configuration of terminal information
 - Definition per person and/or group of persons which accounts are displayed with which designation on the terminal

2 Account Configuration

Summary

Menu	Master Data --> Time and Labor Data --> Configuration of Accounts
Transaction code	paco
Function authorization	paco

HYDRA PZW (Personnel Time Management) defines accounts as continuous balances kept in hours or days (contrary to wage types always starting from 0 at the beginning of a month)

It is possible to keep up to eight continuous accounts. This dialog allows for them to be activated and their processing and designation to be defined.

Configuration of accounts

Main page | Profile

Request data | Cancel | Print preview | Print all | Edit | Save | Help on operation | Help on application | Help on detail application | Help

Configuration of accounts

Drag a column here to group by that column

Account	Designation	Active	Account type	Decimal places	Responsibility area
1	flextime	☒	Time account	0	
2	Overtime	☒	Time account	0	
3	Flexible time	☒	Time account	0	
4	Leave account	☒	Day account	0	
5	Monthly account	☒	Time account	0	
6		☐	Time account	0	
7		☐	Time account	0	
8		☐	Time account	0	

Configuration of accounts

Account: 1

Designation: Flextime

☒ Active

Account type: ☒ Time account ☐ Day account

Decimal places: ☒ 0 ☐ 1 ☐ 2 ☐ 3

Responsibility area:

Sorting

Account lists: 1

Terminal information: 1

Time sheet: 1

Account limits: 1

Upload positive account balances

☐ Upload positive account balances

Wage type:

Designation:

Upload negative account balances

☐ Upload negative account balances

Wage type:

Designation:

Sign: ☒ Positive ☐ Negative

Last editing

Modified by: Miller

Modified on: 3/2/2000 11:37:15 AM

Usage

The number of accounts is fixed at 8. For that reason, the buttons for creating, copying and deleting are not active.



Leave entitlement defined in [HR master](#) is set-off against account 4. For this reason, this account should be used for the leave account.

Field descriptions

Account, Designation

Number of the account ranging between 1 and 8 and its name.

Active

Status of account. Only an active account may be used for postings and be evaluated.

Account type

Time account for keeping the account in hours and minutes.

Day account for keeping the account in days (e.g. leave).

Decimal places

The number of decimal places for a time account is zero.

However, the number of decimal places may be defined for the day account. Half days of leave may also be allocated if the leave account is defined to have one decimal place.



Modification of the "decimal places" field or changing of the account type during running operation might lead to errors in the compensation and representation of the account.

Sorting of account lists, terminal information, time sheets, account limits

Sorting order of the accounts (position 1-8, 1 = the first position) in the [account lists](#), the [terminal information](#) and the [time sheet](#). If the sorting field is empty the account will not be displayed in the corresponding application.

In the *Account limitation* field it can be defined, in which order the [accounts are limited](#). This setting may, for instance, be used, if the task is to repost items from one account to another and limit the target account subsequently.



A maximum of four accounts may only be displayed on the CTP-340 terminal and terminals by Kaba Benzing.

Green from, green to, yellow from, yellow to

These fields of the "account indicator" grouping specify which color is used for highlighting of data records in the reports [current account balances](#), the [monthly results](#) and the [personnel scheduling](#). Coloring depends on the respective account balance. Account balances outside of the yellow range are displayed in red. If these fields remain empty, no highlighting in color will take place.

Upload positive/negative account balance, wage type, sign


These options specify whether the positive or negative account balance of an account is to be posted onto the indicated wage type with the [monthly results](#) in order to transfer it along with the remaining wage types to payroll accounting. Only a few interfaces support the upload of wage types with negative duration. For this reason, it might be required to enter different wage types for positive and negative account balances and to convert the algebraic sign to a "positive" sign for negative account balances.

3 Configuration of Terminal Information

Summary

Menu	System administration → Terminals → Configuration of terminal information
Transaction code	ptic
Function authorization	ptic

By using the "configuration of terminal information" function employees and groups of employees can define which accounts are displayed with which designation on the Time & Attendance terminal.



Configuration terminal information

Main page Profile

Request data Cancel Print preview Print all Insert Copy Edit Delete Save Help on operation Help on application Help on detail application Help

Configuration terminal information

Drag a column here to group by that column

Validity	Priority	Personnel selection	Value	Name
100	0001			
200		Area	LLE	
100		Person	40256	Pernikova, Lisa
300		Person	96665	Holzinger, Beate

Configuration terminal information Last editing

Validity

Company

Personnel selection Area

Area LLE

Valid from

Valid until

Priority 200

Comment

Configuration terminal information

Account	Terminal designation
Flexzeit	Flexible Time

Field Descriptions

Company

Restricts the validity to a particular company. If the field is left empty, the configuration of the terminal information applies to all companies.

Personnel selection, value

Defines whether the configuration applies for an employee or for a group of employees. The available employee groups include area, cost center, department, employee subgroup, activity, person does not clock and employment relationship.

Valid from, to

These two fields restrict the validity of the "configuration of terminal information" to a specific period of time. If only one of these two fields is filled out, the entry is either valid from or until that date.

Priority

If the "configuration of terminal information" is defined for different employee groups and more than one of these configurations applies to a single employee, the priority determines which configuration has precedence.

Comment

A comment may be entered for each entry.

Account

Up to 8 accounts may be selected that are shown on the Time & Attendance (PZE) terminal.

Designation on the terminal

A name to be displayed on the PZE terminal can be defined for each account. If this field remains empty, the account name from [configuration of accounts](#) will be shown.



Whether or not the "configuration of terminal information" can be used, depends on the terminal type in use. Terminals with the terminal program AIP or CTWIN provide this function.

4 Terminal Groups

Overview

Menu	System administration → Terminals → Terminal groups
Transaction code	tegr
Function authorization	tegr

Usage

Terminal groups are used when defining the [Clocking authorizations](#) for the Time and Attendance module and when assigning dynamic dialogs to the terminals.

Integration

To make it easier to assign clocking authorizations, terminals can be consolidated into terminal groups. In addition to the ease of use offered by assigning a single terminal group instead of managing multiple terminals, working with terminal groups also allows a higher degree of flexibility with the option of activating or blocking additional terminals later, temporarily or permanently without having to edit authorizations for each person. One [terminal](#) can be assigned to any number of terminal groups.



A terminal group is created when a terminal is assigned. If the last assignment is deleted, the terminal group will be deleted as a result.



Terminal groups from 900 on are reserved for the BDE (Shop Floor Data Collection) and may not be used to issue clocking authorizations.

5 Clocking Authorizations

Summary

Menu	Master Data → People → Clocking Authorizations
Transaction code	clau
Function authorization	clau

Terminal groups and terminals are combined within the “clocking authorizations” dialog to assign corresponding clocking authorizations at HYDRA-PZE terminals.

Clocking authorizations

Main page | Profile

Request data | Cancel | Print preview | Print all | Insert | Copy | Edit | Delete | Save | Help on operation | Help on application | Help on detail application | Help

Selection

Person from: ... to: ...
 Company: ... Area: ... Cost center: ...
 Terminal group: ... Terminal: ...

Clocking authorizations

Drag a column here to group by that column

Personnel selection	Value	Name	Assignment	Number	Designation
Person	85741	Meyers, Joseph	Terminal	3	Turning Dept.
Person	85741	Meyers, Joseph	Terminal group	1	Assembly Product...
Person	10003645	Hoffman, Paul	Terminal	128	Man.Labor Workp...
Department	FE-M1		Terminal group	1	Assembly Product...

Personnel selection

Company: BSP
 Personnel selection: Person
 Person: 85741 Meyers, Joseph

Clocking authorization

Assignment: ☒ Terminal group ☐ Terminal
 Terminal: 3
 Designation: Turning Dept.
 Location: Shop Floor 1

Validity

Valid from: 12/18/2010
 Valid until: 7/18/2011

Last editing

Modified by: 12345
 Modified on: 2/22/2011 10:57:01 AM

Utilization

This configuration allows for “clocking authorizations”, which enable clockings at PZE terminals, to be defined for individual people as well as for groups of people. “Clocking authorizations” for employee groups provide the benefit that they normally do not have to be entered every time when a new person is created.

The list of “clocking authorizations” shows all authorizations for the selected people, irrespective of whether authorizations have been defined for individual people for groups of people.



When a person is created, a “clocking authorization” for the terminal group 99 is automatically assigned to this person. These authorizations are only displayed, provided that the terminal group 99 is actually available.

Field Descriptions

Company

The validity of the “clocking authorization” may be restricted to a specific company.

Personnel selection

The next two fields allow for the “clocking authorization” to be restricted to a particular person or a group of people. The HR master fields “cost center”, “area”, “department”, “employee subgroup”, “activity” and “employment relationship” may be selected as employee groups.

Assignment terminal group, terminal

Assignment of the terminal group or terminal for which the clocking authorization is to be assigned.



More flexible planning is granted by using terminal groups instead of terminals. Once a new terminal has been installed, it is sufficient to assign it to one or several terminal groups, without having to assign it to each individual person.

Valid from, until

Validity period of the clocking authorization.

6 Clocking Records

Summary

Menu	Human Resources Management → Maintenance → Clockings
Transaction code	clk
Function authorization	clk

The clocking records of several people can be displayed and edited in the “clockings” list. Furthermore, this list helps trace back the clocking changes that have been made by a user.

The screenshot displays the SAP 'Clockings' dialog box. At the top, there's a toolbar with icons for Request data, Cancel, Print preview, Print all, Insert, Copy, Edit, Delete, Authorize, Reject, Labor time maintenance, Messages listing, Personnel scheduling, Save, and Help. Below the toolbar is a 'Selection' section with filters: 'Person from' (9665), 'to' (empty), 'Company' (empty), 'Area' (empty), 'Cost center' (empty), 'Date' (1/1/2011 to 2/28/2011), 'Modified by' (empty), and 'Status' (Original, Automatically, Edited). The main area is divided into two panes. The left pane shows a table of clocking records for person 9665, with columns for Person, Name, Type, Date, Time, and To. The right pane shows a detailed view for a specific clocking record, with fields for Person (9665), Name (Hanson, Betty), Type (Attendance), Date (1/3/2011), Time (7:43:21 to 15:38:51), and various day types (Working time day type 100, Shift type, Payment day type 100).

Person	Name	Type	Date	Time	To
BSP	9665 Hanson, Betty	Attendance	1/3/2011	7:43:21	15:38:51
BSP	9665 Hanson, Betty	Attendance	1/4/2011	7:14:05	15:00:16
BSP	9665 Hanson, Betty	Business trip	1/4/2011	15:00:00	19:00:00
BSP	9665 Hanson, Betty	Attendance	1/5/2011	10:14:54	17:12:16
BSP	9665 Hanson, Betty	Absence	1/6/2011	8:00:00	16:30:00
BSP	9665 Hanson, Betty	Attendance	1/7/2011	7:34:14	12:04:17
BSP	9665 Hanson, Betty	Attendance	1/7/2011	12:26:43	16:23:46
BSP	9665 Hanson, Betty	Absence	1/10/2011	8:00:00	16:30:00
BSP	9665 Hanson, Betty	Absence	1/11/2011	8:00:00	16:30:00
BSP	9665 Hanson, Betty	Absence	1/12/2011	8:00:00	16:30:00
BSP	9665 Hanson, Betty	Absence	1/13/2011	8:00:00	16:30:00
BSP	9665 Hanson, Betty	Absence	1/14/2011	8:00:00	16:30:00
BSP	9665 Hanson, Betty	Absence	1/17/2011	8:00:00	16:30:00
BSP	9665 Hanson, Betty	Absence	1/18/2011	8:00:00	16:30:00
BSP	9665 Hanson, Betty	Absence	1/19/2011	8:00:00	16:30:00
BSP	9665 Hanson, Betty	Absence	1/20/2011	8:00:00	16:30:00
BSP	9665 Hanson, Betty	Absence	1/21/2011	8:00:00	16:30:00
BSP	9665 Hanson, Betty	Attendance	1/24/2011	8:21:28	14:26:46

Utilization

The clockings are displayed in two table views that can be opened by the two tabs at the lower margin of the clockings dialog. When it comes to the detailed view, several lines are displayed for each clocking record.

Selection Criteria

The application provides the following selection criteria:

Editor

If an editor is entered in this field only clockings are displayed that were created, deleted, changed, approved or rejected by this editor.

Status

By selecting a specific status, the view may be restricted to “original” terminal clockings, “automatically” created clockings (planned absences), “edited” clockings, “deleted” clockings or “paid breaks”.

Toolbar



Authorize

Function authorization: clk.sign

A clocking that is subject to authorization is signed. Once a clocking has been approved, all wage type postings pertaining to it are no longer subject to authorization.



Reject

Function authorization: clk.reject

A clocking that is subject to authorization is refused. Once a clocking has been rejected, all wage type postings pertaining to it, which are neither approved nor rejected, are deleted.



Labor time maintenance

Starts the [labor time maintenance](#) dialog.



Messages listing

Opens the [messages listing](#) for the selected period of time.



Personnel Scheduling

Starts the [personnel scheduling](#) function.

7 Clocking Archive

Summary

Menu	Human Resources Management → Reports → Clocking Archive
Transaction code	clar
Function authorization	clar

The clocking archive shows original clockings of selectable terminals in chronological order. By entering a period of time, a time frame and the meaning of clocking records, for example, it is possible to show all clocking-ins between 6.00 am and 9.00 am of a specific calendar week.

Selection Criteria

The application provides the following selection criteria:

Time from, to

Time frame within the date range that is to be displayed.

Recorded cost center

When it comes to cost center postings, clockings may also be recorded on other cost centers than the master cost center.

In, out

Clock-ins or clock-outs are shown if these fields are checked.

Advance/subsequent clockings

Advance and subsequent clockings are displayed if this field is checked.

Field Descriptions

Recorded cost center

The cost center entered at the terminal.

Clocking status

The input type of the clocking at the terminal, such as "auto status", "advance posting", "clock-in".

Status

Designation of the absence reason that was recorded at the terminal.



Clockings that are deleted or edited at the console can be recognized by the "deleted" entry in the "status" column.

8 Absence Reasons

Summary

Menu	Master data → Time and Labor Data → Absence reasons
Transaction code	abre
Function authorization	abre

Absence reasons explain why employees have left too early or arrived too late. Employees may enter these reasons at PZE terminals. The clockings that are generated in this way are called advance clockings or subsequent clockings.

The screenshot shows the SAP Absence Reasons application. The left pane displays a list of absence reasons with the following data:

Absence reason	Designation	Validity	Payment	Designation
001	Flextime		901	Flextime minus
100	Doctor's visit (paid)		400	Illness
101	Work Accident		400	Illness
102	Doctor's visit (unpaid)		901	Flextime minus
200	School		420	School (full day)
205	Training internal		420	School (full day)
300	Prof. Absence	0001	200	3-Shift Mo-Fr
300	Prof. Absence	BSP	150	Prof. Absence
400	Company Meeting		100	Flextime Mo-Fr
401	Youth Meeting		100	Flextime Mo-Fr
500	Company Dinner&Dance		901	Flextime minus
600	Assembly		100	Flextime Mo-Fr

The right pane shows the details for the selected absence reason (001 Flextime minus). The fields are:

- Absence reason: 001
- Designation: Flextime
- Validity: Company (dropdown)
- Payment: Day type 901 ... Flextime minus
- Options:
 - ☐ Authorization required
 - ☐ Processing as absence time planning

Field Descriptions

Absence reason

Number of the absence reason. This number is assigned to the individual buttons of the PZE terminal within the terminal label or within the absence reason authorization.

Company

Company for which the absence reason configuration is to apply. If this field is empty the absence reason applies for all companies.

Day type

Number of the payment day type which this absence reason is to be allocated with. If this field is empty the payment day type planned for this day is used.

Authorization required

If this field is checked the postings resulting from this absence reason are subject to authorization.

Processing as absence time planning

If this option is checked the absence reason is processed as if it was a planned absence. This allows for the absence reason to be used for filling the target working time, for example, or to enter half days of leave as absence reason at the terminal.

Meaning

It may be chosen whether the clocking record resulting from the absence reason is generated as attendance time, absence or business trip/errand.

Start at

Subsequent clockings start with the beginning of the skeleton time, normal working time or core time if the employee was not present before the absence reason applied.

End at

Advance clockings end with the end of the skeleton time, normal working time or core time if the employee does not return after the absence reason does no longer apply.

Post on

For the current day only

The absence reason only applies for the current day. Possible absences at the days that follow are not allocated with this absence reason.

Post on

The absence reason is used for the current day and for full-day absences on the days that follow. However, if an absence is planned within this absence period, this planning takes priority. This absence reason is used again as soon as the planned absence ends.

Post full days on only

The absence reason is not used on the current day but only for full-day absences on the days that follow. This setting is used, for example, if employees enter that they want to take leave within the next days at the terminal.



The specifications made in the fields “start at” and “end at” only affect the first and last day of the absence. Whole absence days that are between this first and last day are allocated with the entered payment day type, just as it is the case for planned absences.