

Manual

QM Sub System Escalation Messages QMS-ESK 8.1

Version 1.1

Last changed on: 19.06.2020

Copyright

©Copyright 2012 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	QM Sub System Escalation Messages	4
2	Available Escalations	5
2.1	Failure analysis criterion generated for an inspection order (CPAUERR.INSERTED)	Error! Bookmark not defined.
2.2	Completed inspection reference (CPANUMP.COMPLETED)	5

1 QM Sub System Escalation Messages

Purpose

HYDRA escalation management provides a framework of functions to forward in real time the events that occurred or were recorded in HYDRA to individual users or user groups. During the process, escalation management takes active steps to ensure users are notified.

After notification, escalation management monitors the times until acknowledgment by the recipients and until the escalation is concluded. Escalations can be forwarded to other users or user groups during processing.

Implementation Considerations

Use escalation management for active, real-time notification of specific events related to the QM subsystem in order to prevent downtime and increase efficiency and productivity through rapid response.

Integration

The events / escalations triggered in the QM Subsystem are logged to the central escalation management. This forms the framework for forwarding and following up on the events triggered.

To notify people, escalation management accesses both [User Administration](#) and [HR Master Data](#) stored in the system. Notifications can be sent out as e-mails through integration with the local mail server.

Features

- Staging different escalation messages related to inspection recording in the QM subsystem
- Event configuration: configuration of order-related events
- Forwarding the detected events to the escalation framework.

2 Available Escalations

2.1 Completed inspection reference (CPANUMP.COMPLETED)

An escalation is generated as soon as an inspection reference (e.g. inspection point) is completed. The configuration can be set so that a notification is only executed, for example, if the inspection result is "fail" (CPANUMP.STA == "NIO").

Event	Identifiers	Description
CPANUMP.ABSCHLIESSEN	CPANUMP.RECTYP	Data type
	CPANUMP.BER	Area
	CPANUMP.PANNR	Inspection requirement
	CPANUMP.EINTTYP	Type of inspection resource
	CPANUMP.EINTNR	Number of the inspection reference
	CPANUMP.STA	Status
	CPANUMP.FU:1	Quick user field 1
	CPANUMP.FU:2	Quick user field 2
	CPANUMP.FU:3	Quick user field 3
	CPANUMP.FU:4	Quick user field 4
	CPANUMP.FU:5	Quick user field 5
	CPANUMP.FU:6	Quick user field 6
	CPANUMP.FU:7	Quick user field 7
	CPANUMP.FU:8	Quick user field 8
	CPANUMP.FU:9	Quick user field 9
	CPANUMP.FU:10	Quick user field 10
	CPANUMP.FU:11	Quick user field 11
	CPANUMP.FU:12	Quick user field 12
	CPANUMP.FU:13	Quick user field 13
	CPANUMP.FU:14	Quick user field 14
	CPAN.ANR	Order
	CPAN.AGNR	Operation
	CPAN.FU:1	Quick user field 1
	CPAN.FU:2	Quick user field 2
	CPAN.FU:3	Quick user field 3
	CPAN.FU:4	Quick user field 4
	CPAN.FU:5	Quick user field 5
	CPAN.FU:6	Quick user field 6

Event	Identifiers	Description
	CPAN.FU:7	Quick user field 7
	CPAN.FU:8	Quick user field 8
	CPAN.FU:9	Quick user field 9
	CPAN.FU:10	Quick user field 10
	CPAN.FU:11	Quick user field 11
	CPAN.FU:12	Quick user field 12
	CPAN.FU:13	Quick user field 13
	CPAN.FU:14	Quick user field 14
	CPAN.ATK	Article number
	CPAN.ATKIDX	Drawing issue number
	CPAN.ATKBEZ	Article designation