

Manual

SMA-SFP Shift and Absence Planning SMA-SFP 8.2

Version 1.0.23049

Last changed on: 02.09.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	SMA-SFP Shift and Absence Planning	4
2	Shift and Absence Planning	5
2.1	General	5
2.2	Overview	5
3	Absence Planning and Approval	9
3.1	General	9
3.2	Overview	9
4	Configuration Absence Workflow	14
5	Replacements	25

1 SMA-SFP Shift and Absence Planning

Purpose

The function package SMA-SFP Shift and Absence Planning includes the following components:

- Shift and absence planning
An employee can use shift and absence planning to display his/her requested, approved, planned and accounted absences in the form of a list or a calendar. In addition, the employee can request absences and withdraw such requests. For shift workers, the shift sequence can be displayed in a calendar.
- Planning and approval of absences
The absence planning and approval shows supervisors the planned and requested absences of their employees and allows them to process and approve and/or reject them.


2 Shift and Absence Planning

2.1 General

An employee can use Shift and Absence Planning to display his/her requested, approved, planned and accounted absences in the form of a list or a calendar. In addition, the employee can request absences and withdraw such requests. For shift workers, the shift sequence can be displayed in a calendar.

2.2 Overview

The list view shows the employee's requested, approved, and planned absences:



The screenshot shows the 'Shift and absence planning' interface. At the top, there is a blue header with the SMA logo and a menu icon. Below the header, the title 'Shift and absence planning' is displayed. A table shows the 'Leave account' with 'Current' and 'End of the year' values. The main list displays various absences with their dates and status (Planned or Requested). At the bottom, there is a navigation bar with icons for a document, a calendar, a grid, an information icon, and a plus sign.

Leave account	Current	End of the year
	19.0	3.5

Leave	Planned
12.01.2015 - 23.01.2015	Planned
Flextime minus 10.02.2015 - 11.02.2015	Planned
Half day leave 08.05.2015	Planned
Flextime minus 08.05.2015 - 12.05.2015	Planned
Leave 27.07.2015 - 14.08.2015	Requested
School (full day) 16.11.2015 - 20.11.2015	Planned

The monthly view shows the calendar with a narrow width, so that it can be displayed, for example, on a mobile phone:

Mon	Tue	Wed	Thu	Fri	Sat	Sun
5	PubH	7	8	9	10	11
Lea	Lea	Lea	Lea	Lea	17	18
Lea	Lea	Lea	Lea	Lea	24	25
26	27	28	29	30	31	
February 2015						
1	2	3	4	5	6	7
9	FLX	FLX	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	

The year view is appropriate for display on a tablet PC or in the web.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24
25	26	27	28	29	30	31					
1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24
25	26	27	28	29	30	31					
1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24
25	26	27	28	29	30	31					
1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24
25	26	27	28	29	30	31					
1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24
25	26	27	28	29	30	31					

Requested absences are indicated in italics in the calendar:

If the *Show shift planning* option is enabled in the settings, the planned shift type of shift workers is also indicated.

In addition, the employee can see the current leave account balance and the leave account balance at the end of the year.

Function keys



List view

Shows the list view



Month view

Shows the month view



Year view

Shows the year view



Info display

Displays current account balances

Information	
Flextime	-33:45
Overtime	26:30
Flexible time	0:00
Leave account	19,00
Monthly account	0:00

Close



Request absence

Opens a dialog for requesting an absence:

Request absence	
Absence	Leave
Date from	13.05.2015
Date to	13.05.2015
Commentary	

OK Close

When started from the month or year view, the date of the previously selected day is adopted.

You cannot request an absence, if the *Date from* of the absence is in the past.

Edit and/or delete absences

When clicking on an absence which the employee is allowed to plan himself/herself, a dialog opens in which the absence can be edited or deleted.

Withdraw request

When clicking on a requested absence, a dialog opens in which the absence can be canceled:

Leave

27.07.2015 - 14.08.2015

Request

Requested on	01.02.2015
Status	Requested

Withdraw

Close

3 Absence Planning and Approval

3.1 General

This application displays the planned and requested absences of the employees. The user can edit the absences and approve or reject the absences.


You can display the absences in a list or calendar.

In the calendar view, you can also show the planned shift type of shift workers.

To use the application, the user requires the function authorization **sma.apaa**.

3.2 Overview

For the list view, you can configure if only the requested absences or the requested, approved and planned absences of the employees are displayed:




The calendar view displays the planning of the separate employees one below the other. The days with a planned absence are displayed in the background color specified for this absence. The abbreviation of the absence is displayed in the day field. Requested absences are displayed in italic font:

		Leave account		January 2015																											
Person	Name	Current	End of year	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20								
667	Smith Christian	22.0	7.0	PubH					PubH		III	III						FLX	Lea			Lea									
40256	Pernikova Lisa	29.5	29.0	PubH	F			S	PubH	S	S	S			F	F	F	F	F			S	F								
40563	Green Mary	25.5	25.5	PubH	F			S	PubH	S	S				N	N	N	N	N			F	F								
40789	Sheen Edward	19.0	3.5	PubH	S			N	PubH	F	N	N			Lea	Lea	Lea	Lea	Lea			Lea	Lea								
50014	Albert Claudia	23.5	8.5	PubH				Sch	PubH	Sch	Sch	Sch																			
50201	Meyers Harald Edward	33.0	6.0	PubH	S			F	PubH	F	F	F			F	F	F	F	F			S	S								
59881	Brown Albert	25.0	9.0	PubH					PubH																						
85741	Meyers Joseph	27.0	23.0	PubH	N			N	PubH	N	N	N			S	S	S	S	S			N	N								
93856	Miller Steven	32.0	22.0	PubH					PubH													HLD									
96665	Hanson Betty	27.5	13.0	PubH					PubH						Lea	Lea	Lea	Lea	Lea			Lea	Lea								
10002541	Berry Claire	30.0	25.0	PubH	S			N	PubH	N	N	N			F	F	F	F	F			S	S								
10002630	White Susan	11.0	-24.0	PubH	N			Lea	PubH	Lea	Lea	Lea			S	S	S	S	S			N	N								

If the button *Show shift planning* is enabled in the settings, the planned shift type is additionally displayed for shift workers.

For each employee, the current leave account balance and the leave account at the end of the year are displayed.



Executives are usually authorized to view all subordinate employees. But when it comes to editing the absence requests, only the direct subordinates are displayed.

The user can use the additional selection criterion *Supervisor* and enter their own personnel number to only show the direct subordinates.

Using the selection criterion *Planning profile*, the user can flexibly narrow down the persons displayed. You can then display the employees of one or several departments, for example.

Selection criteria

Date from, to

The date range specified is only active for the calendar view. The list view always shows all current and future requests or absences.

Only requested absences

This option specifies if only absences with status *requested* or also approved and planned absences are displayed in the list view.

Function keys



List

Shows list view

**Calendar**

Shows calendar view

**Create absence**

Click to open a dialog and to plan an absence for a person:

The 'Create absence' dialog box contains the following fields and controls:

- Person:** A text field with 'Miller, Steven' and a search icon.
- Date from:** A date field with '08.01.2015'.
- to:** A date field with '08.01.2015'.
- Absence reason:** A text field with a search icon.
- Commentary:** A text field.
- Internal comment:** A text field.
- Buttons:** A green checkmark button and a red 'X' button.

If you call the dialog from the calendar view, person and date of the selected day are passed to the dialog.

Edit or delete absences

If you click a planned absence, a dialog opens and you can edit or delete the absence.

The 'Edit or delete absence' dialog box displays the following information:

- Title:** 15.01.2015
- Person:** 667, Smith, Christian
- Designation:** Flextime minus
- Commentary:** -
- Internal comment:** -
- Buttons:** An 'Edit' button (pencil icon), a 'Delete' button (red 'X' icon), and a 'Close' button.

Approve or reject absences

If you click a requested absence, a dialog opens and you can approve or reject the absence. If required, you can enter a reason:

05.01.2015 - 09.01.2015 

Person	10002630, White, Susan
Designation	Leave
Commentary	-
Internal comment	-

Request

Requested on	13.12.1901
Status	Requested
Reason	

 **Approve**  **Reject** 

4 Configuration Absence Workflow

Overview

Employees can use the absence workflow to request absences via Internet and/or Intranet. When a request has been filed, the supervisor is informed and can then approve or reject the request. The employee receives a notification via e-mail or on the terminal if the absence request was approved or not.

The settings for the absence workflow are configured in different applications on the MOC:

Configuration – Basic Settings

Menu	System administration → System settings → Basic settings
Transaction code	setup
Function authorization	setup

In the tab *ESK* of the application [Basic settings](#), the e-mail server must be entered so that notifications for absence times and their approval and/or rejection can be forwarded to the employees by e-mail:

The screenshot shows the 'Basic settings' application window with the 'ESK' tab selected. The configuration fields are as follows:

Field	Value
SMTP server	smtp.bsp.intern
Port	0
Timeout	0 [ms]
Sender	automail@bsp.de
SMS path	SMS
Pager path	PAGER

Field descriptions

It is important to specify the IP address of the SMTP server and the sender of the mails that are sent.

SMTP server

To send e-mails, enter the IP address or name of the local SMTP server in the *SMTP server* field.

Sender

You can enter a central e-mail account. E-mails sent via HYDRA Escalation Management will then have this central account as sender.

Event configuration in the Escalation Management

Menu	Master data → Escalation management → Escalation configuration
Transaction code	esccfg
Function authorization	esccfg

You store the events for requesting, approving and rejecting absences in the [Escalation configuration](#):

The screenshot displays the 'Escalation configuration' transaction in SAP. The main table lists various events, and the right-hand pane provides detailed configuration for the selected event 'DB.FILL_LEVEL_EXCEEDED'.

Reference	Event	Designation	Recipient t...	Recipient	Priority	Color	Active	ESK mode
1	DB.FILL_LE...	Fill level of ...	Function	HYDRA-Ad...	1	Light red	☒	F
2	FILESYS.FI...	Fullstandsp...	Function	HYDRA-Ad...	1	Light red	☒	F
3	ESK.NO_FE...	Keine Perso...	Function	Dispatcher	1	Pink	☒	F
4	MST.MALFU...	Machine ma...	Function	Instandsetz...	1	Yellow	☒	F
5	SAP.INBOU...	Keine Verbi...	Person		1	Turquoise	☒	F
6	TNR.OFFLINE	Terminal of ...	Function	HYDRA-Ad...	2	Light yellow	☒	F
7	TNR.OFFLINE	Terminal of ...	Function	HYDRA-Ad...	1	Light red	☒	F
8	SAP.INBOU...	min 1 Daten...	Function	HYDRA-Ad...	9	Light blue	☒	F
9	SAP.INBOU...	min 1 Daten...	Function	HYDRA-Ad...	9	Light blue	☒	F
10	SAP.PP_AV...	Kein Updat...	Function	HYDRA-Ad...	5	Green	☒	F
11	SAP.OUTB...	Keine Verbi...	Function	HYDRA-Ad...	1	Light red	☒	F
12	FZ.APPLIC...	Absence ap...	Function	HYDRA-Ad...	1	Green	☒	F
13	FZ.APPLIC...	Application ...	Function	HYDRA-Ad...	1	Pink	☒	F
14	FZ.APPLIC...	Application ...	Function	HYDRA-Ad...	1	Turquoise	☒	F
15	ZNR.OPEN...	Entrance o...	Function	HYDRA-Ad...	1	Light red	☒	F
16	ZNR.OPEN...	Entrance o...	Function	HYDRA-Ad...	1	Light red	☒	F

The right-hand pane shows the configuration for the selected event 'DB.FILL_LEVEL_EXCEEDED':

- Event: DB.FILL_LEVEL_EXCEEDED
- Designation: Fill level of database file groups/table spaces exceeded
- Recipient type: Function
- Recipient: HYDRA-Administrator
- Priority: 1
- Color: Light red
- Active: ☒
- Cyclic monitoring: ☒
- Automatic: after reading the message: ☒
- Automatic: after closing the event: ☒
- Automatic: after sending the message: ☒
- Active: ☒
- Function: Function
- CLOSE:

Field descriptions

Event


FZ.APPLICATION_FILED -> triggered when an absence is requested.

FZ.APPLICATION_ALLOWED -> triggered after approval of an absence request.

FZ.APPLICATION_REJECTED -> triggered after rejection of an absence request.

FZ.APPLICATION_WITHDRAWN -> triggered after withdrawal of an absence request by an employee.

Event tab for FZ.APPLICATION_FILED



Event: FZ.APPLICATION_FILED

Designation: Absence applied

Recipient type: Function

Recipient: HYDRA-Administrator

Priority: 1

Color: Green

☒ Active

☐ Cyclic monitoring

Cyclic monitoring

Automatic: after reading the message

Automatic: after closing the event

☒ Active


DLG=FZ.%ESKMSG.BEMGR%|FZ.VERWEIS=%FZ.VERWEIS%

Automatic: after sending the message

☐ Active

CLOSE

Event tab for FZ.APPLICATION_ALLOWED



Event: FZ.APPLICATION_ALLOWED

Designation: Application for absence allowed

Recipient type: Function

Recipient: HYDRA-Administrator

Priority: 1

Color: Turquoise

☒ Active

☐ Cyclic monitoring

Cyclic monitoring

Automatic: after reading the message

☒ Active

Function

CLOSE

Automatic: after closing the event


Automatic: after sending the message

☐ Active

Function

CLOSE

Event tab for FZ.APPLICATION_REJECTED




Event tab for FZ.APPLICATION_WITHDRAWN

The entries in the *Message* and *Notification* tabs have the same settings as the approval of an absence request.

Message tab

You can define the subject and text of the message in the *Message* tab



Examples:

Person %FZ.PNR% %FZ.NAME:PNR% has requested %FZ.BEZL:ENTLTMOD% from %FZ.DATB date dd.mm.yyyy% to %FZ.DATE date dd.mm.yyyy%.

Your absence request for the period from %FZ.DATB date dd.mm.yyyy% to %FZ.DATE date dd.mm.yyyy% absence %FZ.ENTLTMOD% %FZ.BEZL:ENTLTMOD% has been approved.

Your absence request for the period from %FZ.DATB date dd.mm.yyyy% to %FZ.DATE date dd.mm.yyyy% absence %FZ.ENTLTMOD% %FZ.BEZL:ENTLTMOD% has been rejected.

The following placeholders are available for creating the message:

Event	Acronyms	Description
FZ.APPLICATION_FILED FZ.APPLICATION_ALLOWED FZ.APPLICATION_REJECTED FZ.APPLICATION_WITHDRAWN	FZ.DATB	Start date
	FZ.BEZL	Comment
	FZ.BEZL:ENTLTMOD	Absence designation
	FZ.VERWEIS	Unique record number
	FZ.DATE	End date
	FZ.ENTLTMOD	Absence payment
	FZ.FIR	Company from the absence planning
	FZ.BEZX:ENTLTMOD	Absence abbreviation
	FZ.PNR	Personnel number
	FZ.NAME:PNR	Person's name
	FZ.PNAME	Last name
	FZ.PVORNAME	First name
	PNR.BESCHVERH	Employment relationship
	PNR.TEL:FIR	Company phone
	PNR.EMAIL:FIR	E-mail (business)
	PNR.BER	Area
	PNR.KST	Cost center
	PNR.ABT	Department
	PNR.PKREIS	Employee subgroup
	PNR.TAETIGKEIT	The person's activity
	PNR.PNR:VGS	The supervisor's personnel number
	FZ.KAT	Absence category
	FZ.DAT:APPLY	Date of request
	FZ.ZEI:APPLY	Period of request
FZ.APPLICATION_ALLOWED FZ.APPLICATION_REJECTED	FZ.BEARB	Modified by
	FZ.NAME:BEARB	Editor name

Event	Acronyms	Description
FZ.APPLICATION_REJECTED	FZ.ESK:BEM	Reason of reject <i>This variable is only available on the HYDRA systems with at least Service Pack 9 (2016).</i>

Notification tab

You can configure how the message is sent in the *Notification* tab. You can see in the example below, that the notification is sent to the console (MOC) where the supervisor is logged on, and additionally by e-mail.

If the e-mail notification type is active, an additional field is shown. You can enter one or more valid e-mail addresses, separated by a comma, in the *Send e-mail by CC to* field. When the e-mail is sent to the recipient of the escalation, a copy goes to the CC addressee(s):

The screenshot shows the 'Notification' tab configuration window. It features a tabbed interface with 'Event', 'Message', 'Notification', 'Condition', and 'Last change'. The 'Notification' tab is selected. Below the tabs, there are six conditions, each with 'Operator' and 'Type' dropdown menus. Condition 1 has 'to' for Operator and 'E-mail' for Type. Condition 2 has 'and' for Operator and 'Console' for Type. Condition 3 has 'and' for Operator and 'Pager' for Type. Conditions 4, 5, and 6 have empty dropdown menus. At the bottom, there is a field 'Send e-mail by CC to' with a text input area and a three-dot menu button.



If a message cannot be sent to the recipient of the escalation by e-mail, no copy is sent to the CC addressee, either. This could be the case if he/she does not have any e-mail address. No e-mail notification is required for employees for whom no e-mail address is entered in the personnel master record.



This notification type is configured in a way that the message is displayed only once on the PZE terminal and is removed after a maximum of 4 weeks. However, the message can be displayed several times during the period of the cyclic loading of authorizations. The message is displayed with the following actions on the PZE terminal: In, out, break, info, message and absence reason.

Messages can only be displayed on terminals of the type CT-36x, CT-37x and CT-38x.


Data retention of escalations

By default, escalations are stored for 30 days. With absence requests, you must usually extend this period so that the request is still displayed when the absence only starts half a year later, for example.

Supervisor and E-mail Address Configuration

Menu	Master data → Staff → HR master data
Transaction code	Pers
Function authorization	Pers


The person's supervisor is entered in the *Person* tab of the [HR master data](#). Absence times requested in the workflow are forwarded to this supervisor.



The screenshot shows a software window titled 'Edit' with a 'Main page' tab. The 'Person' tab is selected, displaying the following information:

- Person:**
 - Person: 667
 - Valid from: 1/1/1900
 - Valid to: (empty)
 - Staff badge no.: 8555
- Name:**
 - Title: (empty)
 - First name: Christian
 - Last name: Smith
- Assignment:**
 - Company: BSP
 - Area: VI
 - Cost center: 5187
 - Department: VI-VB1
 - Employee subgroup: Apprentice
 - Activity: Apprentice
 - Responsibility area: 5187-BSP
- Staff membership:**
 - Date of joining: 4/1/1993
 - Date of leaving: (empty)
- Supervisor:**
 - Supervisor: 96665 ... Hanson, Betty

Enter the e-mail address in the *Company e-mail* field in the *Personal Data* tab for employees and supervisors that are notified by e-mail.



The screenshot shows a web-based form titled 'Edit' with a 'Main page' tab. The 'Personal data' tab is active, displaying various fields for user information. The 'Personal data' section includes Nationality (D), Date of birth (11/24/1971), Gender (Male), Standard console, Pin code, Confirmation, Family status (Single), and Address (Street: 42, Lambeth Lane, ZIP code: 52534, Domicile: Carrollton). The 'Phone' section includes Company phone (05231/7943-192), Private phone, Company mobile, and Private mobile. The 'E-mail' section includes Company e-mail (christian.schulz@bsp.de) and Private e-mail.

Allocation of Supervisor to HYDRA User

Menu	System administration → User administration → Users
Transaction code	user
Function authorization	user

When the supervisor logs on to the HYDRA MOC, the system displays the requests for absences in the *Current Escalations* window. For this to work, it is necessary to link the personnel number of the supervisor and the [User](#) number he/she uses to log on.

The screenshot shows a software window titled "Edit" with a standard Windows-style title bar. Below the title bar is a tab labeled "Main page". The form contains the following fields and controls:

- User: Text field containing "mpdvadm".
- Name: Empty text field.
- Password: Empty text field.
- Password confirmation: Empty text field.
- Locked: Checkbox, currently unchecked.
- Lock from: Dropdown menu.
- Lock till: Dropdown menu.
- User has to change password when logging on the next time: Checkbox, currently unchecked.
- Company: Text field with a dropdown arrow.
- Person: Text field with a dropdown arrow.
- SSO active: Checkbox, currently unchecked.
- SSO user: Empty text field.
- SSO domain: Empty text field.

Company, Person

Assignment of the user to a person in the HR master data.

Control of Absence Times that are displayed

Menu	Master data → Labor time → Control of absence times
Transaction code	abse
Function authorization	abse

The absence times you can select in the *Absence workflow* are specified in the [Control of absences](#) window.

Absence payment	Day type	Designation	Abbreviation	Full-day absence	Partly absent	Priority
400 Illness			Ill			60
420 School (full day)			Sch			30
450 Leave			Lea			50
451 Half day leave			HLD			50
455 Special Leave			FCI			55
480 Short-time work			STW			25
600 Holiday			PubH			70
610 Half day (Publ.H.)			F12			70
901 Flextime minus			FLX			40

Control of absences - Settings

Options

- ☐ Authorization required
- ☐ Generate complete absence despite attendance
- ☐ Partly absent
- Fill up target time to: %
- ☒ Modification enabled
- ☒ Display as planned absent

Compensation

- ☒ Allocate actual time
- ☐ Allocate as undertime
- ☒ Allocate leave day
- ☐ Allocate half a leave day

Absence workflow

- ☒ Absence may be requested
- ☒ Request needs to be approved

Continued pay

Period of continued pay:

Subseq. payment:

Upload to payroll accounting

- ☒ Upload to payroll accounting

Absence reason:

Control indicator:

Absence may be requested

The button specifies whether you can select the absence time using the Web interface.

Request needs to be approved

This parameter is used to specify whether the absence time requested via the absence workflow must be approved by the supervisor or whether it is automatically approved.

5 Replacements

Overview

If the supervisor is absent and an absence request is made via absence workflow, then you can forward this absence request to the person replacing the supervisor (replacement).

The settings for the replacement configuration are made in different applications in HYDRA MOC:

Configuration – HR master data

Menu	Master data → Staff → HR master data
Transaction code	pers
Function authorization	pers.*

You specify the replacement of the supervisor in the application [HR master data](#).

Field descriptions

It is important to specify *Replacement 1* and *Replacement 2* in the HR master data of the relevant supervisor.

Replacement 1

Specifies the first person replacing the supervisor. You can use this field to specify the person that replaces the supervisor in case of absence. The absence workflow uses this field when a user replacing the supervisor is required.

Replacement 2

Specifies the second person replacing the supervisor. You can use this field to specify the person that replaces the supervisor and the first replacement in case of absence. The absence workflow uses this field when a user replacing the supervisor is required.

Configuration – INI configuration

Menu	System administration → System settings → INI configuration
Transaction code	inifg
Function authorization	inifg.*


INI configuration:


- Name: FORWARDING
- Section: WORKFLOW
- Key: DEPUTY
- Value: 7

By default, the value must be set to 7.

The INI configuration specifies that the supervisor must be available at least 7 days before start of the holiday leave of the person. Only then can the supervisor authorize or reject the request. If the supervisor cannot guarantee this because of an absence (e.g. holiday leave or sick leave), the absence request is sent to the first replacement. HYDRA uses the absence planning or the personnel scheduling to identify if a supervisor is available or not. If also the first person replacing the supervisor is not available these 7 days, then the absence request is sent to the second replacement.

Graphic presentation:





If the supervisor, the replacement and the second replacement are not available in the specified period (7 days), then the absence request is only sent to the supervisor.