

Manual

Supplier Assessment / Assessment Management WEP-LFB 8.2

Version 1.2.23049

Last changed on: 02.09.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	Supplier Assessment / Assessment Management.....	4
2	Assessment Catalogs	5
3	Assessment Management.....	15
4	Development of an Assessed Party	26

1 Supplier Assessment / Assessment Management

Purpose

This component is used if suppliers or departments are to be assessed for a specific period on the basis of previously created assessment catalogs. Assessment can be performed manually, but also automatically for some criteria. With regard to automatic assessment criteria, an appropriate data basis must previously have been entered in HYDRA, e.g. goods receipt inspections.

Implementation Considerations

If, for instance in the ERP system, supplier assessment is an integral part of the system, but there is no rating of quality criteria, HYDRA can determine these by using this application. In addition, it is also possible to perform a complete supplier assessment in HYDRA. Use is also recommended if a department-related assessment is to be performed.

Integration

This component considers the data of goods receipt inspection requirements and complaint management. These are the basis for automatic determination of quality-relevant statistical values.

Features

The following functions are available:

- Determination of limit values for rating in freely definable assessment classes (e.g. supplier classes)
- Free definition of assessment systems
- Determination of statistical values regarding to time and quantity-related deviations from specifications as well as from the supplied quality (WEP-PPW license required)
- Determination of statistical values regarding complaints (REK-EVA required)
- Creation of various assessment catalogs
- Free definition of assessment criteria with variable weighting
- Assessment of different organizations, e.g. suppliers, departments
- Comprehensive evaluations (e.g. supplier development, supplier comparison)

2 Assessment Catalogs

Overview

Menu	Quality management → Master data → Assessment catalogs
Transaction code	assessm
Function authorization	assessm

Catalog for the creation of assessment catalogs with assignment of assessment criteria, classes, rating lists, as well as release and activation functions.

Usage

Creation and maintenance of assessment catalogs. These contain groups and assessment criteria.

Creation and maintenance of groups. These can be used to group the assessment criteria contained in the catalog. The groups can be classified with individual weightings. One group per catalog is mandatory.

Creation and maintenance of assessment criteria are assigned. These are assigned to one group each.

Creation and maintenance of ratings to assessment catalogs, groups and criteria.

Creation and maintenance of assessment classes to assessment catalogs, groups and criteria.

Integration

The assessment catalogs with their subordinate elements are the prerequisite for performing precise assessments.

Prerequisite

There are no specific prerequisites. The only prerequisite is the existence of the required quality management master data (areas, party in charge, persons, etc.).

Selection Criteria

The following selection criteria are available in the application:

Catalog

Filtering for a specific catalog

Catalog idx.

Filtering for a specific catalog index

Catalog des.

Filtering for a specific catalog designation

Active

Filtering for active catalogs

Field Descriptions

Catalog

Catalog number (ID) of catalog

Catalog idx.

Catalog index (alphanumeric)

Catalog des.

Catalog designation

Comment

Comment on catalog

P.i.charge type

Type of party in charge (selection)

Party in charge


Party in charge

Name p. in charge 1 - 3

Names 1 - 3 of party in charge from master data

Editing functions

The following window opens for editing a data record:




Catalog	002
Catalog idx.	1
Catalog des.	Overall manual assessment
Comment	catalog with manual classification
P.i.charge type	
Party in charge	Miller
Name p. in charge 1	
Name p. in charge 2	
Name p. in charge 3	

Toolbar



Copy

The following dialog opens for copying a data record:



The screenshot shows a software window titled 'Main page' with a 'General' tab. Under the 'Source' section, there are two input fields: 'Catalog' with the value '002' and 'Catalog idx.' with the value '1'. Under the 'Target' section, there are two empty input fields: 'New catalog' and 'New index'.



Activate

Function authorization: assessm.activate

Activation of an inactive catalog



Deactivate

Function authorization: assessm.release

Deactivation of an active catalog

Detail applications

Groups


Function authorization	ratcrit
------------------------	---------

A minimum of one group has to be created per catalog. The groups contain the assessment criteria and can be used for grouping and differentiating criteria. Each group can be assigned an individual weighting and a comparison identification.

A comparison identification serves to provide a common identification for criteria with the same meanings but different designations (e.g. "audit" and "audit result") so that they are considered correctly in subsequent assessments.

Editing functions

The following window opens for editing a data record:



The screenshot shows a software window titled "Edit". At the top left is a toolbar with a "Main page" button, a green checkmark icon, a red X icon, and a small dropdown arrow. The main content area contains four labeled input fields: "Group" (text box with "part A"), "Weighting" (text box with "30.00"), "Source" (dropdown menu with "manually input" selected), and "Reference ID" (text box with a three-dot menu button).

Field Descriptions

Group

Group number (ID) of group

Weighting

Individual weight of group

Source

Assessment origin: *manual entry or automatic determination* (= by a rating program)

Comparison identification

Free entry of an identification (audit, quality, on-time delivery) used as a superordinate criterion in assessments. This enables assessments across different assessment catalogs.


Criteria

Function authorization	ratcrit
------------------------	---------

In an assessment, individual criteria are assessed. These criteria belong to an assessment catalog and are assigned to different groups. Criteria are numbered automatically when they are created, so that only the criterion designation is entered/maintained manually upon creation and/or editing.

Editing functions

The following window opens for editing a data record:



The screenshot shows a software window titled 'Edit' with a standard Windows-style title bar. Inside the window, there is a 'Main page' tab. The form contains four fields: 'Des. of criteria' with the text 'results of auditing', 'Weighting' with the value '1.00', 'Source' with a dropdown menu showing 'manually input', and 'Reference ID' with an empty field and a three-dot menu icon.

Field Descriptions

cf. Groups



Classification

Function authorization	arat
------------------------	------

A catalog, a group or a criterion may be classified with ratings. They contain the actual values according to which criteria are rated.

Editing functions

The following window opens for editing a data record:

Field Descriptions

Rating

Rating no. (ID) for rating

Rating des.

Rating designation for rating

Value

Value of rating (decimal). This is the crucial value, the scale value contributing to the result in the assessment.

Comment


A comment on the rating can be entered here.



Classes

Function authorization	aclass
------------------------	--------

A catalog, a group or a criterion can be assigned classes. They are used to classify the totalized values of subordinate ratings.



Selection

Catalog Catalog idx.

Catalog des.

Classes

Drag a column here to group by that column

Catalog	Catalog idx.	Catalog des.	Class	Class desig...
002	1	Overall man...	A	very good
002	1	Overall man...	B	good
002	1	Overall man...	C	bad
001	1	Automat. A...	A	very good
001	1	Automat. A...	B	good
001	1	Automat. A...	C	not satisfac...

Classes

General Administration

Catalog

Catalog idx.

Catalog des.

Class

Class designation

Value

Comment

Usage

Classes are used to classify ratings and/or their value. Classes can be assigned on catalog, group or criterion level. The individual classes represent the result of an assessment and can be evaluated. Classification may also be specified for the subordinate elements of a catalog and consequently enables differentiated classification in relation to the group result or the individual criteria.

Selection criteria

The selection criteria correspond to those of the assessment catalog. Upon starting the rating dialog, the currently selected catalog is preset.

Editing functions

The following window opens for editing a data record:

The screenshot shows a software window titled 'Edit'. Inside, there's a 'Main page' section with a 'General' tab. The form contains the following fields and values:

Field	Value
Catalog	002
Catalog idx.	1
Class	A
Class designation	very good
Value	100.00
Comment	

Field Descriptions

Class

Class no. (ID) for class

Class des.

Designation of class

Value

Value of class (decimal). This is a threshold value, from which this class is assigned to an assessment, a group or a criterion.

Comment

A comment on the class can be entered here.

3 Assessment Management

Overview

Menu	Quality management → Assessment → Assessment management
Transaction code	suev
Function authorization	suev.*

Assessment management is used to plan and perform various assessments (suppliers, departments). For this purpose, assessment catalogs are used in which the respective criteria are defined. Assessment results may be used for various reports.

Usage

In assessment management, precise assessments can be planned and performed. For this purpose,

- the type of assessment,
- the assessed party,
- the assessment period,
- an article reference and
- the underlying assessment catalog

can be determined among other things.

Integration

For the assessment, assessment management uses the specifications of an assessment catalog. For rating purposes, pre-defined automatic assessment programs may be used. Assessments themselves can be evaluated in different ways.

Prerequisite

For performing an assessment, a minimum of one assessment catalog (master data - assessment catalogs) must exist in addition to the usual master data such as supplier, etc.

Selection Criteria

The following selection criteria are available in the application:

Basis tab

Catalog

Catalog no. (ID) of assessment catalog used

Catalog idx.

Index (alphanumeric) of assessment catalog used

Catalog des.

Designation of assessment catalog used

Status

Assessment status (generated, finished, etc.)

Basis Tab

Assessment type

Type of assessment (supplier assessment, department assessment)

Evaluation Object

Object in terms of "What is the object, or subject of this assessment".

Evaluation type

Master data type of assessed party (customer, department, etc.)

Assessed party

Number (ID) of assessed party

Assessed party name 1

Name 1 of assessed party

Article Tab**Article ID, drawing revision number (drawing issue number), article designation**

Appropriate article fields from the article master data catalog

Data Tab**Start from, Start to**

Limitation of assessment start date

End from, End to

Limitation of assessment end date

Evaluation Tab**Class**

Filtering according to class of (performed) assessments Selection from master data

Rating from - to

Limitation of rating value of performed assessments

Rating date - to

Limitation according to the date of a performed rating

Field Descriptions**Assessment no.**

Consecutive number Assessments are numbered in the order of their creation. The user cannot influence this.

Catalog, catalog des., catalog idx.

Fields relating to the catalog used. When an assessment is created, only the catalog number (ID) is indicated. The index and the designation of the catalog used are read from the master data and presented.

Status

Current status of assessment The status is sometimes indicated automatically, e.g. after completion of an assessment.

Article ID, designation, drawing revision number (drawing issue number)

Optional indication of an article number. The designation and drawing revision number are retrieved from the article master data.

Weighting

The weighting field can be used to determine the weight of this article-related assessment for future evaluation. The value is interpreted as a percentage.

Assessment type

Different types of assessments (department assessment, supplier assessment) may be distinguished. The possible assessment types are pre-configured.

Evaluation Object

Here, the assessed process, for instance, is entered in the case of process audits. Free text entry is possible. The selection supplies the previously used contents (self-learning catalog).

Start from, End to

Start and end date of assessment

Assessment type

created automatically or created manually Assessments created manually in assessment management should always have the *created manually* assessment type.

Evaluation - Type

Type of assessed party Selection from master data

Assessed party

Number (ID) of assessed party Selection from master data in accordance with the assessed party type

Assessed party name 1 - 3

Names 1 - 3 of assessed party from master data

Editing functions

The following window opens for editing a data record:

The screenshot shows a software window titled 'Edit' with a standard Windows-style title bar (minimize, maximize, close buttons). The window has a 'Main page' tab and a 'General' tab selected. The 'General' tab contains a form with various fields for editing a data record. The fields are organized into a table-like structure with labels on the left and input fields on the right. The input fields contain the following values:

Field Label	Value
Evaluation number	10
Catalog	001
Catalog des.	Automat. Assessment
Catalog idx.	1
Status	evaluated
Id	77 9938 882
Article designation	Metal Pen, 4-colour, 10000m capacity
Drawing issue number	C
Weighting	100.00
Evaluation type	Supplier Assessment
Subject of evaluation	...
Start of	1/1/2012
End of	12/31/2012
Evaluation mode	manually created
Evaluated organization type	Supplier
Evaluated organization ID	893239
Evaluated organization name 1	Office GmbH & Co. KG
Evaluated organization name 2	
Evaluated organization name 3	

Toolbar



Copy

The following dialog opens for copying a data record:


Here, only the header data of the copied assessment are replaced. When saving, all results of the assessment are transferred from the template to the copy. A modification in accordance with the new header data can be achieved by a new assessment of the assessment just copied.



Assessment

Function authorization: suev.eval

The current assessment is precisely evaluated using the Assessment function. In the course of this, it acquires the Assessed status. Prior to the assessment, a selection can be used to determine how the criteria with automatic criteria determination shall be rated.



This enables a new assessment after manual rating without having to re-determine all criteria with automatic rating.




Warning! Depending on the determination program and the selected period, the rating of automatic criteria may require an extended calculation time.

The value of a superior group is derived from the (weighted) average of criteria belonging to this group as direct successors. The assessment itself results from the (weighted) average of its groups. The supplier is then rated on the basis of this value.

Detail applications

Groups

In the *Groups* detail application, the groups of the currently selected catalog are displayed in the list and in the detail view. The result is displayed in the *Classification* tab, if a rating and/or an assessment has already taken place.



Editing functions


none

Criteria

In the *Criteria* detail application, the criteria of the currently selected group and the selected catalog are displayed in the list and in the detail view. The result is displayed in the *Classification* tab, if a rating and/or an assessment has already taken place.

Editing functions

The following window opens for editing a data record:



Field Descriptions

Criteria des.

Designation of the criterion

Classification

ID number of rating may be selected from the catalog master data. This field is the only one which may be selected freely. With this selection, the actual rating is performed in addition to the automatic rating programs.

Classification des., weighting, comment, value perc., value dec.

Designations and values from the assessment catalog The percentage value is calculated in relation to the highest rating (100%).



This function is only available for criteria with manual entry (source: *Entry*).



Autom. rating

By using the *Automatic rating* button, a criterion is rated with the *automatic rating* evaluation source. The process may require quite some time, depending on the type of rating program and scope of calculation period.



The function is not available for criteria with manual rating.

Automatic Rating Programs

General

The functionality of automatic rating programs is described below. Some parameters of these rating programs can be edited and/or adapted in the course of a consulting meeting. The standard settings, only, are described below. After adaptation, the functionality may therefore deviate from the functionality described here.

Auditing Result

This rating program determines the audit result of the company for which the assessment was created. This value is determined from the HYDRA company master data.

Complaint Proportion

At first, all agreed goods receipt inspection requirements in the relevant areas of the company to be assessed (entered as supplier) are searched. In order to filter the data of the affected period, only the inspection requirements whose date (standard: delivery date) is within the limits of the assessment period are considered. The calculation basis (standard: piece number) for all data records found is added up and saved in the variable **n_{PAN}**.

In the next step, all complaint details of the affected areas including the company to be assessed as supplier are counted. In order to limit the data to the assessment period, only complaints whose date (standard: delivery date) is within the assessment period are considered. In order to exclude unjustified complaint details, data with findings to be ignored (standard: unjustified) are not considered. Here, too, the calculation basis (standard: piece number) for all data records found is added up and saved in the variable **n_{REK}**.

The percentage rating value of the assessment criterion is calculated as follows:

$$\left((n_{PAN} - n_{REK}) \div n_{PAN} \right) * 100$$

The decimal rating value is given as 'parts per million (ppm)'.

Delivery date

At first, all agreed goods receipt inspection requirements in the relevant areas of the company to be assessed (entered as supplier) are counted. In order to filter the data of the affected period, only the inspection requirements whose date (standard: delivery date) is within the limits of the assessment period are considered. The inspection requirements number is saved in the variable n_{PAN} .

For each inspection requirement found, an assessment factor f_{TERMIN} (date) is determined. These assessment factors are also added. The standard settings for the assessment factors are as follows:

Assessment	Assessment factor	Negative deviation [days]	Positive deviation [days]
A	3	-3	+1
B	2	-5	+2
C	1	-8	+3
D	0	< -8	> +3

For further calculation, the largest assessment factor (standard: 3) is determined first. This is saved in the variable f_{MAX} .

Finally, the sum total of the assessment factors f_{TERMIN} (date) is now divided by the number of identified goods receipts, multiplied by the maximum assessment factor.

$$\left(\sum_{n_{PAN}} f_{TERMIN} \right) \div (n_{PAN} * f_{MAX})$$

Quantity delivered

At first, all agreed goods receipt inspection requirements in the relevant areas of the company to be assessed (entered as supplier) are counted. In order to filter the data of the affected period, only the inspection requirements whose date (standard: delivery date) is within the limits of the assessment period are considered. Goods receipts whose target supply quantity is zero or for which no target and/or actual supply quantity was entered will not be considered in the determination of the rating result. The number of inspection requirements is saved in the variable n_{PAN} .

For each inspection requirement found, an assessment factor f_{MENGE} (quantity) is derived from the percentage deviation between actual and target quantity. These assessment factors are also added. The standard settings for the assessment factors are as follows:

Assessment	Assessment factor	Negative deviation [%]	Positive deviation [%]
A	2	0	0
B	1	-10	+10
C	0	< -10	> +10

For further calculation, the largest assessment factor (standard: 2) is determined first. This is saved in the variable f_{MAX} .

$$\left(\sum_{n_{PAN}} f_{MENGE} \right) \div (n_{PAN} * f_{MAX})$$


Finally, the sum total of the assessment factors f_{MENGE} (quantity) is divided by the number of identified goods receipts, multiplied by the maximum assessment factor.

4 Development of an Assessed Party

Overview

Menu	Quality management → QM evaluation → Development of an assessed party Quality management → Evaluation → Development of an assessed party
Transaction code	suevad
Function authorization	suevad

This document describes the "Development of an assessed party" application in the Manufacturing Operation Center (MOC).



Usage

This evaluation can be used to visualize the development of an assessed party, in this case a department (Production) over a period of time. To this end, the assessed party whose development you wish to observe needs to be selected in the filter.

Integration

This evaluation only uses assessments from Assessment Management.

Prerequisite

There are no specific prerequisites. The only prerequisite is the collection of assessments in Assessment Management.

Selection Criteria

Since the selection criteria are self-explanatory, they are not explained separately.

Toolbar

No other special function buttons are available in addition to the standard functions.

"Development of an assessed party" Detail Applications


The data is displayed in a pivot table in combination with a graphic format with bar charts. Various application functions are available for the display. The complaint data previously filtered by selection criteria are used as the data basis.

The general pivot functions are not described in detail at this point. The remarks below are limited to the elementary functions of this evaluation.


Pivot evaluations offer the following advantages:

- Large data volumes can be summarized and presented quickly.
- Rows and columns can be rotated in order to have different summaries of source data displayed.
- Simple filtering by "drag & drop" with additional detail filter.
- The interactive presentation enables the data to be summarized and analyzed in various formats and with different calculation methods.

The following context menu can be opened by clicking the right mouse button:




The "Show field list" function enables selection of the fields to be used for the pivot analysis. The figure below shows a possible field list.




A screenshot of a software dialog box titled "Field list". The dialog has a close button (X) in the top right corner. Below the title bar, the text "Drag fields to pivot grid" is displayed. A list of ten fields is shown, each in a blue rectangular button: "Catalog", "Catalog des.", "Catalog idx.", "Classification date", "Drawing issue number", "Evaluated organization name 2", "Evaluated organization name 3", "Evaluated organization type", and "Evaluation mode". Below this list is an empty white rectangular area. At the bottom of the dialog, there is an "Add to" button and a dropdown menu currently showing "Filter area".

The requested fields can be dragged and dropped into the evaluation area.


The "Show filter editor" function enables a further, flexible restriction of the data basis in addition to the



selection criteria.




By showing the settings, the following window is opened:



Activating the selection option allows content areas of the tabular presentation to be marked. In this case, the graphic format is based on the marked cells. An activated label display enables the sum total of the numbers from each bar to be shown.

The following figure illustrates these functions.



The sum function enables the Overall Result row in the bar graph to be shown also. If the selection function is activated, the overall result of the respective column is added to the respective bar when the Total Result row cells are marked accordingly.

By activating/deactivating the "Columns" option, the presentation switches between the graphic format of the respective number of columns and/or rows.

"Assessment Basis" Detail Applications

The assessment basis shows the assessments filtered on the basis of the selection criteria applied, including the referenced data. The referenced data usually correspond to the field list for the pivot analysis.