

Manual

Access Control Reports ZKS-AZK 8.2

Version 1.0.23049

Last changed on: 02.09.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	Access Control Reports - Overview	4
2	Status of access point	5
3	Access Log.....	8
4	Last Access.....	11
5	Access Authorizations.....	13
6	History of Access Authorizations.....	14

1 Access Control Reports - Overview

Purpose

This function package includes functions to display reports on the access status, access logs and access authorizations.

Implementation notes

You use the function package if:

- you want to have an overview of the status of accesses;
- you want to list the logged accesses and access attempts and the last access of the badges;
- you want to list the current access authorizations and the modifications to access authorizations.

Integration

This function package can only be used if the HYDRA access control product group is in use (function package *access control management functions*).

Features

- Access status
 - You can display the current status of the individual accesses.
- Access log
 - You can list the logged accesses and access attempts.
- Last access
 - You can display a list of the last accesses of the badges.
- Access authorizations
 - You can display the access authorizations for each badge or access group over a specific period of time.
- History of authorizations
 - You can log and list the modified and deleted access authorizations including editor and point in time.

2 Status of access point

Overview

Menu	HR management → Access control → Access status
Transaction code	acst
Function authorization	acst

In this application, the current status and the time since this status occurred are displayed.

Zugang	Zugangsgruppe	Status	Datum von	Zeit
1 Osteingang Schrauben	2 Schraubenfabrik	Unerlaubt offen	05.03.2012	3:10
2 Haupttor Schraubenf.	2 Schraubenfabrik	Geschlossen	05.03.2012	3:44
3 Kantine	4 Kantine	Sabotage	05.03.2012	5:57
4 EDV-Raum	3 EDV-Abteilung	Offen	05.03.2012	5:59
5 Nebeneing. Schrauben	2 Schraubenfabrik	Geschlossen	05.03.2012	0:42
6 Tiefgarage	1 Tiefgarage	Keine Meldung	05.03.2012	5:56



Here, you can set in the configuration of the HYDRA server which access status is communicated from the terminal to the HYDRA server and how often [Access points](#)

An access can have the following statuses:

Closed

The access is closed.

Open

The access is open as it was used before. This status is only displayed if a door contact is connected.

Online

If the access is configured in a way that it does not signal the Open and Closed statuses to the HYDRA server, the Online status is displayed instead. If there is no cyclic status posting, then the access changes to "No message" (see below).

Opened too long

The access was opened because there was an authorized access and the allowed opening time was exceeded. This status is only displayed if a door contact is connected.

Open w/o permission

The access was opened without an authorized badge. This status is only displayed if a door contact is connected.

Free

A permanent activation is currently in place for this access.

Disturbance

The terminal has no connection to the access reader. The status of the access is unknown.

Sabotage

The access reader was opened. This status only appears if the reader has a *sabotage loop*.

No message

The access (or the terminal to which the access is connected) has not responded within the cycle time set for the access status. The status of the access is unknown.

Offline component

The access is an offline component for which no current status is available.



[Alarms and disturbances](#) are displayed in yellow in the list if they have been signed off and still exist. Alarm and disturbances not signed off are shown in red.

Additional information on Dorma offline components:

The following additional information is displayed in the access status for the Dorma offline components:

Date from/time

Since the current status for offline components is not known, "Offline component" is displayed instead. The time displayed provides information about when data was last written to or read from the palm.

Modified on

The editing of badges, access profiles, access authorizations, profile assignments and exceptional authorizations has an effect on the time of the last change for the relevant accesses and therefore causes the loaded authorizations to be displayed as no longer current.

Load badges

In addition to the time when the authorizations were loaded onto the Dorma XS component, this category also shows the number of cards loaded and whether the authorizations in the account are current. There are three different colors for LEDs:

A red LED indicates that the offline components are not current.

A yellow LED indicates that the authorizations are loaded onto the palm but there is no message whether the date was actually loaded.

A green LED indicates if the authorizations for accesses are current.

Synchronize badges

If authorizations were changed, this category shows the time when the data was loaded onto the palm. You can also see the number of transferred badges.

Access logs

The access logs displayed here up to the point in time were fetched at the XS component and read into HYDRA. It is not guaranteed that the access logs are complete, as the logs in the offline components are overwritten when the available memory is full.

Battery

This category shows the battery status of the XS component. If a red minus sign is displayed instead of the green plus sign, the battery must be replaced. The battery status is identified when the data is read from the offline component and therefore does not necessarily represent the current status.

3 Access Log

Summary

Menu	Human Resources Management → Access Control → Access Log
Transaction code	aclo
Function authorization	aclo

The access log shows actual accesses, access attempts as well as accesses where the entrance/door was opened too long. When it comes to access attempts, the “reason” column indicates why the access has been refused.

Badge	Staff ba...	Person	Name	Access	Designation	Date	Time	Status	Reason
0149	10003645	Hoffman, Paul	4	IT-Room	2/7/2011	6:27	Access		
0149	10003645	Hoffman, Paul	2	Main Gate SF	2/7/2011	12:00	Access attempt	Bag check	
2049	10002630	White, Susan	2	Main Gate SF	2/8/2011	15:46	Access		
2005	10002854	Baker, Jake	2	Main Gate SF	2/9/2011	5:25	Access		
7435	10002541	Berry, Claire	4	IT-Room	2/10/2011	9:32	Access attempt	Unauthorized badge	
2011	10002541	Berry, Claire	2	Main Gate SF	2/10/2011	15:46	Access		
2005	10002854	Baker, Jake	2	Main Gate SF	2/11/2011	7:26	Access		
2005	10002854	Baker, Jake	2	Main Gate SF	2/14/2011	15:47	Access		
0149	10003645	Hoffman, Paul	4	IT-Room	2/15/2011	14:59	Access		
2005	10002854	Baker, Jake	4	IT-Room	2/17/2011	15:54	Opened too long		
0149	10003645	Hoffman, Paul	2	Main Gate SF	2/18/2011	5:09	Access		
2005	10002854	Baker, Jake	3	Canteen	2/18/2011	5:16	Access		
2011	10002541	Berry, Claire	3	Canteen	2/18/2011	6:49	Access		
2005	10002854	Baker, Jake	2	Main Gate SF	2/18/2011	7:03	Access		
0149	10003645	Hoffman, Paul	2	Main Gate SF	2/18/2011	9:35	Access attempt	Wrong pin code	
2005	10002854	Baker, Jake	3	Canteen	2/18/2011	10:20	Access		
2011	10002541	Berry, Claire	2	Main Gate SF	2/18/2011	11:42	Access		

For employee badges, the list only shows entries if the user is authorized for the responsibility area that is entered for the relevant person in the HR master. The responsibility area from the badge is checked for visitor badges.

The “reason” column shows the below-mentioned reasons for access attempts:

Reason	Description
--------	-------------

No badges loaded	There are no authorized badges for the entrance
Unauthorized badge	This badge is not authorized for the entrance
ID card beyond validity period	The access attempt was made outside of the validity period of the badge
Beyond access time model	The access attempt was made outside of the assigned access time model
Beyond opening hours	The access attempt was made outside of the opening hours of the entrance
Missing PIN code	No PIN code was entered
Wrong PIN code	The wrong PIN code was entered
Wrong system number	The system number of the badge does not match the system number of the basic parameter settings.
Bag check	The employee has been selected for bag checking
Alarm system activated	Access denied, as the alarm system is active
Duplicate posting within lock time	This badge has already entered the access within the specified blocking period
Fingerprint does not match	The fingerprint read in does not match the fingerprint saved on the badge
Other access point of sec. gate open	Another access point of the security gate was opened
Already present in room zone	Access to the room zone has been denied, as the badge is already present in the room zone
Not present in room zone	Exiting the room zone has been denied, as the badge is not present in the room zone
Room zone completely occupied	Access to the room zone has been denied as maximum occupation has been reached
Office unlocked	The office has been unlocked by the access
Office locked	The unlocked office has been locked again



Access logs where the badge number only consists of zeros and no personnel number is entered indicate that the entry has been opened using a door opener.

Selection criteria

The application provides the following selection criteria

Time from; until

The selection criteria “time from” or “time till” do not directly refer to the “date from” or “date till” fields but the specified period of time is processed for each day within the selected date range.

Toolbar



Badges

Shows the [badge](#) for the selected access log.

4 Last Access

Summary

Menu	Human Resources Management → Access Control → Last Access
Transaction code	acla
Function authorization	acla

The “Last Access” application lists the points in time when [badges](#) entered a room/zone the last time.

The screenshot shows the 'Last access' application window. The top menu bar includes 'Main page' and 'Profile'. Below the menu is a toolbar with icons for 'Request data', 'Cancel', 'Print preview', 'Print all', 'Badges', 'Save', 'Go to', 'Settings', and 'Help'. The main area is divided into two panes. The left pane, titled 'Selection', contains filters for 'Badge', 'Person', and 'Name', a date range from 1/1/2011 to 2/28/2011, and checkboxes for 'Currently valid', 'Valid in the future', and 'Valid in the past'. The right pane, titled 'Last access', displays a table of access events and a detailed view of a selected badge.

Badge	Badge type	Com...	Person	Name	Date	Time	Ac
2011	Employee	0001	10002541	Berry, Claire	2/18/2011	17:06	
2049	Employee	0001	10002630	White, Susan	2/8/2011	15:46	
8556	Employee	BSP	885	Burger, Simone	2/18/2011	15:36	
2005	Employee	0001	10002854	Baker, Jake	2/18/2011	12:20	
8555	Employee	BSP	667	Smith, Christian	2/18/2011	15:02	
2455	Employee	BSP	50014	Albert, Claudia	2/18/2011	19:47	
6541	Employee	BSP	96665	Hanson, Betty	2/18/2011	15:54	

The detailed view on the right shows the following information for the selected badge (2011):

- Badge type:** Employee
- Badge:** 2011
- Block badge:** ☐
- Company:** 0001
- Person:** 10002541
- Name:** Berry, Claire
- Validity:**
 - Valid from:** 9/1/1999
 - Valid until:**
- Last access:**
 - Access:** 2 Main Gate SF
 - Date:** 2/18/2011
 - Time:** 17:06

Selection Criteria

The selection criteria correspond to those of the badges. In addition to this, the application also provides the following selection criteria:

Date, until

Only badges the last access of which is within the selected date range are displayed.

Toolbar



Badges

Shows the [badge](#) for the selected “last access”.

5 Access Authorizations

Summary

Menu	Human Resources Management → Access Control → Access Authorizations
Transaction code	acal
Function authorization	acal

The list of access authorizations shows all [badges](#) or people that are authorized for individual [access groups](#) during a specific period of time. In addition to this, the list also indicates the [access profile](#) and [access time model](#) via which the authorization has been assigned and the periods of time for which the authorization applies.

Access authorizations

Main page Profile

Request data Cancel Print preview Print all Save Help on operation Help on application Help on detail application Help

Selection

Badge Person

Badge ... to ...

Access group ... to ...

Date from 2/28/2011 to 2/28/2011

Access authorizations

Drag a column here to group by that column

Badge	Access group	Access profile	Access time model									
Date	Staff ba...	Person	Name	A...	Designation	Location	A...	Designation	A...	Designation	Beginning	End
2/28/2011	0149	10003645	Hoffman, Paul	2	Screw Factory		6	IT-Department	1	00.00am - 23...	0:00	24:00
2/28/2011	0149	10003645	Hoffman, Paul	2	Screw Factory		999	Basic Authorization	4	Worktime	6:00	22:00
2/28/2011	0149	10003645	Hoffman, Paul	3	IT-Department		6	IT-Department	1	00.00am - 23...	0:00	24:00
2/28/2011	0149	10003645	Hoffman, Paul	4	Canteen		6	IT-Department	3	Canteen	11:00	14:00
2/28/2011	0149	10003645	Hoffman, Paul	4	Canteen		6	IT-Department	3	Canteen	17:00	19:00
2/28/2011	2005	10002854	Baker, Jake	2	Screw Factory		4	Parttime Assistants	5	10am - 04pm	10:00	16:00
2/28/2011	2005	10002854	Baker, Jake	4	Canteen		4	Parttime Assistants	3	Canteen	11:00	14:00
2/28/2011	2005	10002854	Baker, Jake	4	Canteen		4	Parttime Assistants	3	Canteen	17:00	19:00
2/28/2011	2011	10002541	Berry, Claire	2	Screw Factory		5	Boss	1	00.00am - 23...	0:00	24:00
2/28/2011	2011	10002541	Berry, Claire	3	IT-Department		5	Boss	1	00.00am - 23...	0:00	24:00
2/28/2011	2011	10002541	Berry, Claire	4	Canteen		5	Boss	1	00.00am - 23...	0:00	24:00
2/28/2011	2223	93856	Miller, Steven	2	Screw Factory		6	IT-Department	1	00.00am - 23...	0:00	24:00
2/28/2011	2223	93856	Miller, Steven	3	IT-Department		6	IT-Department	1	00.00am - 23...	0:00	24:00
2/28/2011	2223	93856	Miller, Steven	4	Canteen		6	IT-Department	3	Canteen	11:00	14:00
2/28/2011	2223	93856	Miller, Steven	4	Canteen		6	IT-Department	3	Canteen	17:00	19:00
2/28/2011	2455	50014	Albert, Claudia	2	Screw Factory		4	Parttime Assistants	5	10am - 04pm	10:00	16:00
2/28/2011	2455	50014	Albert, Claudia	4	Canteen		4	Parttime Assistants	3	Canteen	11:00	14:00
2/28/2011	2455	50014	Albert, Claudia	4	Canteen		4	Parttime Assistants	3	Canteen	17:00	19:00
2/28/2011	2458	50201	Meyers, Harald	2	Screw Factory		5	Boss	1	00.00am - 23...	0:00	24:00
2/28/2011	2458	50201	Meyers, Harald	3	IT-Department		5	Boss	1	00.00am - 23...	0:00	24:00

6 History of Access Authorizations

Summary

Menu	Human Resources Management → Access Control → History of Access Authorizations
Transaction code	acah
Function authorization	acah

The changes made to [access profile assignments](#) of [badges](#) are recorded and can be displayed in the “authorization history” report.

History of access authorizations

Main page Profile

Request data Cancel Print preview Print all Save Help on operation Help on application Help on detail application Help

Selection

Badge Person

Badge ... to ...

Access profile ... to ...

Date from 1/1/2008 to 5/1/2011

Modified by

History of access authorizations

Drag a column here to group by that column

Authorization	New value				Old value						
Action	Badge	Person	Name	Access profile	Designation	Valid from	Valid until	Access profile	Designation	Valid from	Valid until
Modified	2514	59881	Brown, Albert	3	Administration	11/11/2008	5/27/2011	3	Administration	11/11/2008	
Deleted	4125			999	Basic Authorization						
Created	0149	10003645	Hoffman, Paul	999	Basic Authorization						
Created	8555	667	Smith, Christian	6	IT-Department		4/15/2011			4/4/2011	

Field Descriptions

Categories “new value” and “old value”

The “new value” and “old value” categories show which changes have been made within access profile assignments.

Original data record number

The history of modifications made to an access profile assignment may be displayed by grouping by the “original data record number” column.



The list shows the changes to access profile assignments, which have been made since version 7.2 of HYDRA-ZKS. Provided that HYDRA-ZKS in version 7.1 was used before, it depends on the installed program version whether or not changes made to access profile assignments are displayed.