

Rakshan Sharma

500105046


R2142220142

Batch-4

Here are the Screenshots for Docker to set up Prometheus, Node Exporter, and Grafana,

```
1  global:
2    scrape_interval: 15s
3
4  scrape_configs:
5    - job_name: 'prometheus'
6      static_configs:
7        - targets: ['prometheus:9090']
8
9    - job_name: 'node_exporter'
10      static_configs:
11        - targets: ['node-exporter:9100']
12
```

```
PS C:\Users\Rakshan\OneDrive\Desktop\CCVT\Sem 6\DEVOPS\prometheus-grafana-monitoring> docker-compose up -d
time="2025-04-25T18:58:05+05:30" level=warning msg="C:\\Users\\Rakshan\\OneDrive\\Desktop\\CCVT\\Sem 6\\DEVOPS\\prometheus-grafana-monitoring\\docker-compose.yml
attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion"
[+] Running 24/3
 ✓ prometheus Pulled
 ✓ node-exporter Pulled
 ✓ prometheus Pulled
 ✓ node-exporter Pulled
 ✓ grafana Pulled
 ✓ node-exporter Pulled
 ✓ grafana Pulled
 ✓ grafana Pulled
[+] Running 4/4
[+] Running 4/4
 ✓ Network prometheus-grafana-monitoring_default Created
 ✓ Network prometheus-grafana-monitoring_default Created
 ✓ Container prometheus Started
 ✓ Container node-exporter Started
 ✓ Container grafana Started
PS C:\Users\Rakshan\OneDrive\Desktop\CCVT\Sem 6\DEVOPS\prometheus-grafana-monitoring>
```



Import dashboard

Import dashboard from file or Grafana.com

Importing dashboard from Grafana.com

Published by

rfmoz

Updated on

2025-04-12 20:05:16

Options

Name

Node Exporter Full

Folder

📁 Dashboards

Unique identifier (UID)

The unique identifier (UID) of a dashboard can be used for uniquely identify a dashboard between multiple Grafana installs. The UID allows having consistent URLs for accessing dashboards so changing the title of a dashboard will not break any bookmarked links to that dashboard.

rYdddIPWk

Change uid

Prometheus

No data sources of type Prometheus found

Import

Cancel

