


# Language distribution across the 52 usable AIMS benchmarks

Measured from item text: Unicode script ratios on a 400-item sample per benchmark, plus lang= tags parsed from item_features.








# Top non-English languages in the AIMS corpus

All 1,356,312 protocol items. Bar colour = the split the language lands in, which decides whether it affects the scored number.

## A. Language ranking by item count





## B. Encoder language coverage




* Amharic is inferred from Ethiopic script in helm_afr and bridging_gap, which carry no lang= tag; Ethiopic also writes Tigrinya and Oromo, so that row may be a mix.
Llama-3.1 officially supports en, fr, de, hi, it, pt, es, th — which intersects this language list at zero.

# Language distributions: benchmark count and item count


Every non-English language in the 1,356,312 protocol items. Left: how many of the 52 benchmarks contain it. Right: how many items.




Colour = the most-scored split the language appears in. Breadth and volume disagree: a language in many benchmarks is not necessarily a language with many items.


# Item content length: aggregate and per benchmark

item_content only, no metadata template. All 1,356,312 protocol items, tokenized with both candidate tokenizers.



# Item content length by language

Per-item language from lang= tags where present, otherwise dominant script. The 512 line is mE5's hard cap and cannot be raised.




| language | items | p50 | p90 | p99 | cut@512 | tokens lost@512 | benchmarks |
|---|---|---|---|---|---|---|---|
| English/Latin | 1,169,034 | 246 | 508 | 2156 | 9.8% | 21.2% | 49 |
| English | 69,437 | 270 | 531 | 2088 | 17.8% | 15.0% | 2 |
| Chinese | 38,067 | 95 | 162 | 1383 | 1.7% | 40.2% | 8 |
| Basque | 24,817 | 511 | 547 | 584 | 47.6% | 2.1% | 1 |
| Amharic | 18,054 | 376 | 637 | 901 | 15.0% | 6.9% | 3 |
| Kinyarwanda | 2,929 | 145 | 216 | 274 | 0.0% | 0.0% | 1 |
| Igbo | 2,849 | 230 | 372 | 413 | 0.0% | 0.0% | 1 |
| Yoruba | 2,799 | 294 | 556 | 736 | 18.3% | 4.6% | 1 |
| Swahili | 2,620 | 148 | 222 | 307 | 0.0% | 0.0% | 1 |
| Nigerian Pidgin | 2,375 | 136 | 195 | 269 | 0.0% | 0.0% | 1 |
| Hausa | 2,267 | 148 | 226 | 322 | 0.0% | 0.0% | 1 |
| Russian | 2,056 | 85 | 354 | 4033 | 5.1% | 42.1% | 3 |
| Luganda | 1,920 | 122 | 167 | 261 | 0.0% | 0.0% | 1 |
| Wolof | 1,916 | 154 | 278 | 403 | 0.0% | 0.0% | 1 |

Basque is the binding case: median 511 tokens, 48% of items cut at 512, and it is a test-split language. Chinese is short in tokens but has a heavy tail, so 512 still discards 40% of its tokens.

# Per-benchmark language audit (52 usable benchmarks)

Sorted by split, then by non-Latin share. 'nonlat' = fraction of a 400-item sample whose text is >5% non-Latin characters.

| benchmark | split | tasks | items | nonlat | scripts / lang tags |
|---|---|---|---|---|---|
| ceval | train | 2 | 13951 | 98.5% | CJK 60%, latin-ext/other 4% |
| editbench | train | 44 | 540 | 22.8% | Cyrillic 4% |
| helm_afr | train | 22 | 72223 | 20.8% | Ethiopic 4%, latin-ext/other 1% |
| braveguard | train | 2 | 536 | 15.0% | CJK 3% |
| bridging_gap | train | 417 | 132418 | 11.5% | Ethiopic 2% |
| harmbench | train | 33 | 62160 | 2.0% | |
| averimatec | train | 1 | 152 | 1.3% | |
| agi_elo | train | 20 | 13953 | 0.2% | |
| emoji_attack | train | 2 | 15153 | 0.2% | |
| evouna | train | 5 | 5609 | 0.2% | |
| abstract_reason | train | 1 | 9089 | 0.0% | |
| adaptivestep | train | 2 | 4525 | 0.0% | |
| aegis | train | 1 | 11500 | 0.0% | |
| afrieval | train | 948 | 35205 | 0.0% | \| tags: kin:2929, ibo:2849, yor:2799 |
| agentic_review_perturbation | train | 3 | 105 | 0.0% | |
| ai2d_test | train | 254 | 3088 | 0.0% | |
| algotune | train | 18 | 154 | 0.0% | |
| alignment_faking | train | 4278 | 1464 | 0.0% | |
| babilong | train | 83 | 526202 | 0.0% | |
| bbq | train | 7 | 204201 | 0.0% | |
| beavertails | train | 4 | 420 | 0.0% | |
| benger | train | 25 | 760 | 0.0% | latin-ext/other 1% |
| bird_sql | train | 120 | 360 | 0.0% | |
| brace | train | 28 | 12631 | 0.0% | |
| clasheval | train | 6 | 12495 | 0.0% | |
| critic_discernment_game | train | 4 | 1819 | 0.0% | |
| crow | train | 26 | 1984 | 0.0% | |
| edu_circuit_hw | train | 6 | 513 | 0.0% | |
| egoschema | train | 11 | 4500 | 0.0% | |
| elicitation_game | train | 6 | 2960 | 0.0% | |
| engdesign | train | 12 | 101 | 0.0% | |
| enginemt_qa | train | 1 | 676 | 0.0% | |
| erbench | train | 8 | 32163 | 0.0% | |
| exploitgym | train | 5 | 1737 | 0.0% | |
| faithcot | train | 4 | 687 | 0.0% | |
| felm | train | 1 | 4412 | 0.0% | |
| fewshot_ttt_bbh | train | 11 | 1310 | 0.0% | |
| financebench | train | 16 | 150 | 0.0% | |
| finegrain_t2i | train | 5 | 760 | 0.0% | |
| hallusionbench | train | 253 | 1205 | 0.0% | |
| healthadminbench | train | 7 | 540 | 0.0% | |
| cmmlu | validation | 22 | 23160 | 100.0% | CJK 68%, latin-ext/other 2% |
| afrimedqa | validation | 32 | 42494 | 0.0% | \| tags: en:42494 |
| appworld | validation | 18 | 585 | 0.0% | |
| cruxeval | validation | 31 | 4000 | 0.0% | |
| devbench | validation | 1 | 271 | 0.0% | |
| alpha_sql | test | 1 | 1534 | 0.0% | |
| bertaqa | test | 6 | 51760 | 0.0% | \| tags: en:26943, eu:24817 |
| causal_axioms | test | 2 | 4500 | 0.0% | |
| cellverse | test | 1 | 748 | 0.0% | |
| dave | test | 8 | 3922 | 0.0% | |
| disco | test | 4 | 28000 | 0.0% | |

chi_bench and haiid are excluded: 0 eligible tasks (54 announced, 52 usable).