






Brier score
0.0
0.1
0.2
0.3
0.4
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
Beta-binomial
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1



Brier score
0.0
0.1
0.2
0.3
0.4
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
Beta-binomial
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1



Brier score
0.0
0.1
0.2
0.3
0.4
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
Beta-binomial
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1



Brier score
0.0
0.1
0.2
0.3
0.4
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
Beta-binomial
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1



Brier score
0.0
0.1
0.2
0.3
0.4
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
Beta-binomial
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1



Brier − beta-binomial
0.15
0.10
0.05
0.00
−0.05
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1



Brier − beta-binomial
0.15
0.10
0.05
0.00
−0.05
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1



Brier − beta-binomial
0.15
0.10
0.05
0.00
−0.05
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1



Brier − beta-binomial
0.15
0.10
0.05
0.00
−0.05
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1



Brier − beta-binomial
0.15
0.10
0.05
0.00
−0.05
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1



0.30
0.25
0.20
0.15
0.10
0.05
0.00
Brier score
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
Beta-binomial
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1



0.30
0.25
0.20
0.15
0.10
0.05
0.00
Brier score
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
Beta-binomial
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1



Brier score
0.30
0.25
0.20
0.15
0.10
0.05
0.00
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
Beta-binomial
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1



0.30
0.25
0.20
0.15
0.10
0.05
0.00
Brier score
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
Beta-binomial
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1



Brier score
0.30
0.25
0.20
0.15
0.10
0.05
0.00
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
Beta-binomial
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1


0.125
0.100
0.075
0.050
0.025
0.000
−0.025
−0.050
Brier − beta-binomial
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1


0.125
0.100
0.075
0.050
0.025
0.000
−0.025
−0.050
Brier − beta-binomial
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1


0.125
0.100
0.075
0.050
0.025
0.000
−0.025
−0.050
Brier − beta-binomial
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1


0.125
0.100
0.075
0.050
0.025
0.000
−0.025
−0.050
Brier − beta-binomial
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1


0.125
0.100
0.075
0.050
0.025
0.000
−0.025
−0.050
Brier − beta-binomial
0
1
3
7
15
31
labels acquired
Constant (training mean)
Raw hit rate
ANP
ANP, dense-prefix training
ANP + SAM
ANP, random-subject split*
ANP, random-subject split (width 1