	Week-2	
	Polit	
	Tocal IP - 172.16.88.80: 8088 (Melsles)	(
_	9870 (Cluster)	
_		(:
-	Stand-Alone- Only Masteli	
-	Pseudo-Based - Mastell and Slave have same IP address.	(
-	Fully DEstributed - Master & Slave have different IP address	
	Use prefex along with commands. [Handatory?	(
	Prefex - hadoop fe - nikdler	2 Character and the control of the c
1	holls off -mkdey	(fi
.		
_	Commande	and the second s
		Ü
	Sp&	
	Jaemons Running on an appeter Slave	(is
-	hadoop velision	
	Verston of hadoop - 3.3.4	
-	VOSI GIC Of Marriage S. S.	13
3	holls de mkder batch-3/200968048	
	Ulate a délicitory en hadoop cluster.	Œ.
		(14
	halfs als -copy From Local /home /holoop /200 9680 48. Art	
	1 Both 3 1200 968048	(15
	copy file becom cocal system to hadoop duster	
	hale ale :-con Toloro e 1	(1)
	Copy file to local system from hadoop	(6)
_		
	Can also copy denectory.	1
	. 0	

	PAGE NO. 7
hdfs dfs -ls 1 latch_3	
(Est feles En hadoop Levertouy	
Flalle alle - touch 7 (Rotate 3/2009)	1 900
Tholfs off -touch z / hatch-3/2009680 Creates an empty fele	48 1884
8) holfs des - put //nome/hdoop/test /ha Copy feles/folder from local fele system to	1ch-3/200968048
gy fells/folder flion local felle system t	Tholfs satisfico
9 holps olps - cat (hatch -3 /200368048/ Aes	el .
9 holls als -cat (hatch-3/200368048/fes To psent fele Contents	
(D) hole de -004 / Roth 3/200968048/ Aust	Thome/hdoon
10 holfs als -get /batch 3/200968048/ Alst 10 copy feles /folders become halfs to	local System.
10 copy fêles withen holfe.	1 haren -s
12 holfs de nu batch-3/ test batch-	3/200968048
To move feles within holfs	
13 holls of 8 - xmx-x /aatch 3/200968048/ &	est
13 holls of g - xmx-x / lastch-3/200968048/ E To delete a file ferom HDFS succussively	
(I) 10- 100 1 100tol 3	
To bend some of each fele en deleca	Moley
(5) holls offe -dus-8 / hatch_3	
Total sere of Senechouy file	
50 1 11 11 nn nn n 1 nn nh 3	
(6) holls of stat / hatch-s last modified time of allectory / path	
The state of the s	

(17) holle des -setsep - R -w 6 / batch-3/200968048/text Change lieptration factor of a fele To change for derectory remove (-w).
Change Replication factor of a fele
To change for devectory remove (-w).
B helfs els - tarl latch-3/200968048/200968048. Att Shows the last LKB of a file
Shows the last LKB of a file
B) holfs offs - sm / batch 3/200968048/test
Removes the single specified file
Shows the capacity, the and feel space available on HDFS.
Shows the capacity, sire and fell spice available
OU PLUPS.
2) Holls des - Jose -e (latch 3/200 9/8048/11. Set
21 holls offs -test -e /halch 3/200368048/fl. Bet Returns O of fele extets
Returns the checksum Enformation of a felo.
Returns the checksum Enfounation of a felo.
23 holls alls -count / batch-3
Counts the number of files, Duectoures & lufter.
(1) 1 1/10 1/10 00 1 00 1 1 1 1 1 1 1 2 1 2 2 2 2 2 2
Malloca of 1000 00 100-0 C - 1000 000 00 18 / NOTES
Ento a single local file.
The state of the s
(5) holfs offs - chinod - x / batch 3/200568048/f1. At
Changes the peunises on of a fele.
- QG) hall als - usage [command]
Retwens the help for an Ender Edual Command