



UPPSALA
UNIVERSITET

Best Practices I: Organising, Debugging and Profiling Python Code

2017-05-16

Advanced Scientific Programming with Python

Starting Survey

How much Python experience do you have?



How much programming experience do you have?

How much time do you spend programming?

The Zen Of Python (PEP 20)

In [1]: `import this`

The Zen of Python, by Tim Peters

- Beautiful is better than ugly.
- Explicit is better than implicit.
- Simple is better than complex.
- Complex is better than complicated.
- Flat is better than nested.
- Sparse is better than dense.
- Readability counts.
- Special cases aren't special enough to break the rules.
- Although practicality beats purity.

The Zen Of Python

- Errors should never pass silently.
- Unless explicitly silenced.
- In the face of ambiguity, refuse the temptation to guess.
- There should be one-- and preferably only one --obvious way to do it.
- Although that way may not be obvious at first unless you're Dutch.
- Now is better than never.
- Although never is often better than *right* now.
- If the implementation is hard to explain, it's a bad idea.
- If the implementation is easy to explain, it may be a good idea.
- Namespaces are one honking great idea -- let's do more of those!

Code Organisation

- Many projects start with a random collection of files

```
icm-39-33:python-course-library filipe$ ls -l
total 2976
-rw-r----- 1 filipe  staff   151355 Apr 25 17:40 1FFK.ipynb
-rw-r----- 1 filipe  staff    3017 Apr 25 17:30 2space_brute_force.py
-rw-r--r--  1 filipe  staff      24 Apr 25 17:25 README.md
-rw-r----- 1 filipe  staff  1360292 Apr 25 17:43 center_of_mass_aligning.ipynb
icm-39-33:python-course-library filipe$
```

- Some Python scripts, some Jupyter notebooks, etc...
- The naming style could be better... (1FFK???)
- As soon as the project grows bigger things quickly get ugly

```

import numpy as np
...

def FSC(F1, F2):
def radial_average(data):
def fun2(z, f1, f2):
def vector_align(cm11, cm12, cm21, cm22):
...
#center of mass f1

cm11 = np.array(ndimage.measurements.center_of_mass(f1))
print cm11

cm12 = ndimage.measurements.center_of_mass(f1[:,24:,:])
print cm12
cm12 = np.array((14.5, 24, 14.5))
print cm12

#center of mass f1

cm21 = np.array(ndimage.measurements.center_of_mass(f2))
print cm21

cm22 = ndimage.measurements.center_of_mass(f2[:12,15:,:])
cm22 = np.array((10.299, 16.954, 21.223))
#cm22 = np.array((11.299, 15.954, 22.223))
print cm22

angles = vector_align(cm11,cm12,cm21,cm22)
print angles[0]

f2 = ndimage.interpolation.rotate(f2, angles[3], axes=(0,1), reshape=False, mode='wrap')
f2 = ndimage.interpolation.rotate(f2, angles[1], axes=(1,2), reshape=False, mode='wrap')

```

```

fig = plt.figure()
ax = fig.add_subplot(121)
ax.imshow(np.abs(f1.sum(axis=2)), cmap='plasma')
ax1 = fig.add_subplot(122)
ax1.imshow(np.abs(f2.sum(axis=2)), cmap='plasma')
plt.show()

#fsc = FSC(f1, f2)
#print len(fsc)

fsc_2 = FSC(f1,f2)
# index/pixel in resolution
res = []
for i in range(1,26):
    res.append(1.24E-9/(2*((i*75E-6)/np.sqrt(((i*75E-6)**2+0.4**2)))))

print res

res_round = [ '%.1e' % elem for elem in res ]

fig = plt.figure(figsize=((15,5)))
ax = fig.add_subplot(121)
ax.plot(np.arange(len(res)),np.abs(fsc), color='b')
#ax.set_xticklabels(res_round)
ax.set_xlabel('pixels')
ax.axhline(1/np.exp(1), color='r', label='1/e')
ax.axvline(15, color='k', linestyle='-.', label='detector edge')
ax.axvline(21.21, color='k', linestyle='--', label='corner 2D detector')
ax.axvline(25, color='k', label='corner 3D image')
ax.legend(loc='upper right')
ax.set_title('before alignment')
...

```

Code Organisation

- A lot of code outside of functions in the example
- Again ambiguous names (**fun2**)
- Many special values (**10.299**, **16.954**, etc...)
- "Sparse" documentation

- Python includes **Classes, Modules and Packages** to help you organise you code

Python Classes

- Classes are the key features of object-oriented programming.
- A class is a structure for representing an object and the operations that can be performed on the object.
- In Python a class can contain attributes (variables) and methods (functions).
- A class is defined almost like a function, but using the **class** keyword, and the class definition usually contains a number of class method definitions (a function in a class).
- Each class method should have an argument `self` as its first argument. This object is a self-reference.

Python Classes

- Some class method names have special meaning, for example:
 - `__init__`: The name of the method that is invoked when the object is first created.
 - `__str__`: A method that is invoked when a simple string representation of the class is needed, as for example when printed.
 - There are many more, see <https://docs.python.org/3/reference/datamodel.html#special-method-names>

```
class Point:
    """
    Simple class for representing a point in a Cartesian coordinate system.
    """

    def __init__(self, x, y):
        """
        Create a new Point at x, y.
        """
        self.x = x
        self.y = y

    def translate(self, dx, dy):
        """
        Translate the point by dx and dy in the x and y direction.
        """
        self.x += dx
        self.y += dy

    def __str__(self):
        return("Point at [%f, %f]" % (self.x, self.y))
```

Python Classes

- To create a new instance of a class:

```
p1 = Point(0, 0) # this will invoke the __init__ method in the Point class
print(p1)        # this will invoke the __str__ method
```

- To invoke a class method in the class instance p:

```
p2 = Point(1, 1)
p1.translate(0.25, 1.5)
print(p1)
print(p2)
```

- Note that calling class methods can modify the state of that particular class instance, but does not effect other class instances or any global variables.
- That is one of the nice things about object-oriented design: code such as functions and related variables are grouped in separate and independent entities.

Python Modules

- One of the most important concepts in good programming is to reuse code and avoid repetitions.
- Functions and classes with a well-defined purpose and scope
- Reuse instead of repeating similar code in different part of a program (modular programming)
- Greatly improved readability and maintainability
- Fewer bugs, easier to extend and debug/troubleshoot
- Python modules are a higher-level modular programming construct, where we can collect related variables, functions and classes in a module
- A python module is defined in a python file
- Accessible to other Python modules and programs using the **import** statement

```
"""
Example of a python module. Contains a variable called my_variable,
a function called my_function, and a class called MyClass.
"""
```

```
my_variable = 0
```

```
def my_function():
    """
    Example function
    """
    return my_variable
```

```
class MyClass:
    """
    Example class.
    """

    def __init__(self):
        self.variable = my_variable

    def set_variable(self, new_value):
        """
        Set self.variable to a new value
        """
        self.variable = new_value

    def get_variable(self):
        return self.variable
```

mymodule.py

Python Modules

- We can import the module mymodule into our Python program using import:
`import mymodule`
- Use `help(module)` to get a summary of what the module provides:
`help(mymodule)`

Python Modules

Help on module mymodule:

NAME

mymodule

FILE

/Users/rob/Desktop/scientific-python-lectures/mymodule.py

DESCRIPTION

Example of a python module. Contains a variable called my_variable, a function called my_function, and a class called MyClass.

CLASSES

MyClass

```
class MyClass
|   Example class.
|
|   Methods defined here:
|
|   __init__(self)
|
|   get_variable(self)
|
|   set_variable(self, new_value)
|       Set self.variable to a new value
```

FUNCTIONS

my_function()
Example function

DATA

my_variable = 0

Python Modules

```
In [1]: import mymodule
```

```
In [2]: mymodule.my_variable
```

```
Out[2]: 0
```

```
In [3]: mymodule.my_function()
```

```
Out[3]: 0
```

```
In [4]: my_class = mymodule.MyClass()
```

```
...: my_class.set_variable(10)
```

```
...: my_class.get_variable()
```

```
...:
```

```
Out[4]: 10
```

Python Packages

- When you've got a large number of Python Modules, you'll want to organise them into packages.
- Packages are namespaces which contain multiple packages and modules themselves.
- They are simply directories, but with a twist.
- Each package in Python is a directory which must contain a special file called `__init__.py`.
- This file can be empty, and it indicates that the directory it contains is a Python package, so it can be imported the same way a module can be imported.

Steps To Create A Python Package

- Working with Python packages is really simple. All you need to do is:
 1. Create a directory and give it your package's name.
 2. Put your classes in it.
 3. Create a `__init__.py` file in the directory
- The `__init__.py` file is executed when the package is imported.
- It is typically used to import classes and modules from the package.

Python Package Example

- In this example, we will create an **animals** package
- It contains two module files named **mammals.py** and **birds.py** with a class each.
- Step 1: Create the Package Directory
- Step 2: Add Modules

```
class Mammals:
    def __init__(self):
        ''' Constructor for this class. '''
        # Create some member animals
        self.members = ['Tiger', 'Elephant', 'Wild Cat']

    def printMembers(self):
        print('Printing members of the Mammals class')
        for member in self.members:
            print('\t%s ' % member)
```

Python Package Example

```
class Birds:
    def __init__(self):
        ''' Constructor for this class. '''
        # Create some member animals
        self.members = ['Sparrow', 'Robin', 'Duck']

    def printMembers(self):
        print('Printing members of the Birds class')
        for member in self.members:
            print('\t%s ' % member)
```

- Step 3: Add the `__init__.py` file

```
from mammals import Mammals
from birds import Birds
```

- Step 4: Test your package! Create a `test_animals.py` file outside of the package

```
# Import classes from your brand new package
```

```
from animals import Mammals
from animals import Birds
```

```
# Create an object of Mammals class & call a method of it
```

```
myMammal = Mammals()
myMammal.printMembers()
```

```
# Create an object of Birds class & call a method of it
```

```
myBird = Birds()
myBird.printMembers()
```

Coding Style

- It's important to follow a consistent coding style
- Python has its own Style Guide in PEP 8

[Python](#) >>> [Python Developer's Guide](#) >>> [PEP Index](#) >>> PEP 8 -- Style Guide for Python Code

PEP 8 -- Style Guide for Python Code

PEP:	8
Title:	Style Guide for Python Code
Author:	Guido van Rossum <guido at python.org>, Barry Warsaw <barry at python.org>, Nick Coghlan <ncoghlan at gmail.com>
Status:	Active
Type:	Process
Created:	05-Jul-2001
Post-History:	05-Jul-2001, 01-Aug-2013

Coding Style

- Another important one is the Google Python Style Guide

Secure <https://google.github.io/styleguide/pyguide.html>

Google Python Style Guide

Revision 2.59

*Amit Patel
Antoine Picard
Eugene Jhong
Jeremy Hylton
Matt Smart
Mike Shields*

Each style point has a summary for which additional information is available by toggling the accompanying arrow button that looks this way: . You may toggle all summaries with the big arrow button:

Toggle all summaries

Table of Contents

Python Language Rules	Lint Imports Packages Exceptions Global variables Nested/Local/Inner Classes and Functions List Comprehensions Default Iterators and Operators Generators Lambda Functions Conditional Expressions Default Argument Values Properties True/False evaluations Deprecated Language Features Lexical Scoping Function and Method Decorators Threading Power Features
Python Style Rules	Semicolons Line length Parentheses Indentation Blank Lines Whitespace Shebang Line Comments Classes Strings Files and Sockets TODO Comments Imports formatting Statements Access Control Naming Main

- I recommend picking a coding style and sticking to it!

Debugging

It is a painful thing
To look at your own trouble and know
That you yourself and no one else has made it
Sophocles, Ajax

- With a debugger, you can:
 - Explore the state of a running program
 - Test implementation code before applying it
 - Follow the program's execution logic
- You can set a **breakpoint** at any point of your program
- Much more powerful than using `print()` statements everywhere
- Being good at debugging is crucial to become a good programmer
- Python includes the `pdb`, the Python Debugger
- I prefer to use `ipdb`, which is similar but a bit more user friendly

The buggy program

```
$ python main.py
```

```
Add the values
```

```
It's really that easy
```

```
Round
```

```
2, 3, 4, 2, 5
```

```
Sigh. What is your guess?: 16
```

```
Sorry that's wrong
```

```
The answer is: 5
```

```
Like seriously, how could you mess that up
```

```
Wins: 0 Loses 1
```

```
Would you like to play again?[Y/n]: y
```

```
Traceback (most recent call last):
```

```
  File "main.py", line 12, in <module>
```

```
    main()
```

```
  File "main.py", line 8, in main
```

```
    GameRunner.run()
```

```
  File "/Users/filipe/Documents/Teaching/Advanced Scientific Programming  
with Python/python-course/day1-basics/code/pdb-tutorial/dicegame/  
runner.py", line 55, in run
```

```
    prompt = input("Would you like to play again?[Y/n]: ")
```

```
  File "<string>", line 1, in <module>
```

```
NameError: name 'y' is not defined
```

ipdb In Action

- First, we have to import **ipdb**
- To analyse the code you need to set a breakpoint, **ipdb.set_trace()**
- Lets look at main.py:

```
1 from dicegame.runner import GameRunner
2
3
4 def main():
5     print("Add the values of the dice")
6     print("It's really that easy")
7     print("What are you doing with your life.")
8     GameRunner.run()
9
10
11 if __name__ == "__main__":
12     main()
```

Where you would you put the breakpoint?



ipdb In Action

```
from dicegame.runner import GameRunner
```

```
def main():  
    print("Add the values of the dice")  
    print("It's really that easy")  
    print("What are you doing with your life.")  
    import ipdb; ipdb.set_trace() # add pdb here  
    GameRunner.run()
```

```
if __name__ == "__main__":  
    main()
```

- Let's run main.py again and see what happens.

```
$ python main.py
```

```
Add the values of the dice
```

```
It's really that easy
```

```
What are you doing with your life.
```

```
> /Users/filipe/Documents/Teaching/Advanced Scientific Programming with Python/python-  
course/day2-bestpractices-1/code/pdb-tutorial/main.py(9)main()
```

```
      8      import ipdb; ipdb.set_trace() # add pdb here
```

```
----> 9      GameRunner.run()
```

```
     10
```

```
ipdb>
```

ipdb In Action

- We are now in the middle of the running program and we can start poking around.
- Top (i)pdb commands:
 1. **l(ist)** - Displays 11 lines around the current line or continue the previous listing.
 2. **s(tep)** - Execute the current line, stop at the first possible occasion.
 3. **n(ext)** - Continue execution until the next line in the current function is reached or it returns.
 4. **b(reak)** - Set a breakpoint (depending on the argument provided).
 5. **r(eturn)** - Continue execution until the current function returns.
 6. **w(here)** - Print a stack trace, with the most recent frame at the bottom.

`list` - I'm too lazy to open the source code

```
l(list) [first [,last]]
```

List source code for the current file. Without arguments, list 11 lines around the current line or continue the previous listing. With one argument, list 11 lines starting at that line. With two arguments, list the given range; if the second argument is less than the first, it is a count.

- The above description was generated by calling `help` on `list`.
- Arguments specify range of lines you wish to see
- In Python 3.2 and above, `ll` (long list) shows the current function or frame

list examples

(Pdb) 1

```
4     def main():
5         print("Add the values of the dice")
6         print("It's really that easy")
7         print("What are you doing with your life.")
8         import pdb; pdb.set_trace()
9     ->     GameRunner.run()
10
11
12     if __name__ == "__main__":
13         main()
[EOF]
```

(Pdb) 1 1, 13

```
1     from dicegame.runner import GameRunner
2
3
4     def main():
5         print("Add the values of the dice")
6         print("It's really that easy")
7         print("What are you doing with your life.")
8         import pdb; pdb.set_trace()
9     ->     GameRunner.run()
10
11
12     if __name__ == "__main__":
13         main()
```

step - let's see what this method does...

`s(tep)`

Execute the current line, stop at the first possible occasion (either in a function that is called or in the current function).

step examples

```
(Pdb) 1
4     def main():
5         print("Add the values of the dice")
6         print("It's really that easy")
7         print("What are you doing with your life.")
8         import pdb; pdb.set_trace()
9     ->     GameRunner.run()
10
11
12     if __name__ == "__main__":
13         main()
```

```
(Pdb) s
--Call--
> /Users/Development/pdb-tutorial/dicegame/runner.py(22)run()
-> @classmethod
```


step examples

(Pdb) 1

```
17         total = 0
18         for die in self.dice:
19             total += 1
20         return total
21
22 ->     @classmethod
23         def run(cls):
24             # Probably counts wins or something.
25             # Great variable name, 10/10.
26             c = 0
27             while True:
```

(Pdb) s

> /Users/Development/pdb-tutorial/dicegame/runner.py(26)run()

-> c = 0

(Pdb) 1

```
21
22     @classmethod
23     def run(cls):
24         # Probably counts wins or something.
25         # Great variable name, 10/10.
26 ->         c = 0
27         while True:
28             runner = cls()
29
30             print("Round {}".format(runner.round))
31
```

next - I hope the current line doesn't throw an exception

`n(ext)`

Continue execution until the next line in the current function is reached or it returns.

next examples

```
(Pdb) n
> /Users/Development/pdb-tutorial/dicegame/runner.py(27)run()
-> while True:
(Pdb) 1
22         @classmethod
23         def run(cls):
24             # Probably counts wins or something.
25             # Great variable name, 10/10.
26             c = 0
27     ->         while True:
28                 runner = cls()
29
30                 print("Round {}\n".format(runner.round))
31
32                 for die in runner.dice:
```

next examples

```
(Pdb) n
> /Users/Development/pdb-tutorial/dicegame/runner.py(28)run()
-> runner = cls()
(Pdb) n
> /Users/Development/pdb-tutorial/dicegame/runner.py(30)run()
-> print("Round {}\n".format(runner.round))
(Pdb) n
Round 1

> /Users/Development/pdb-tutorial/dicegame/runner.py(32)run()
-> for die in runner.dice:
(Pdb) 1
27         while True:
28             runner = cls()
29
30             print("Round {}\n".format(runner.round))
31
32 ->         for die in runner.dice:
33             print(die.show())
34
35             guess = input("Sigh. What is your guess?: ")
36             guess = int(guess)
```

break - I don't want to type n anymore

```
b(reak) [ ([filename:]lineno | function) [, condition] ]
```

Without argument, list all breaks.

With a line number argument, set a break at this line in the current file. With a function name, set a break at the first executable line of that function. If a second argument is present, it is a string specifying an expression which must evaluate to true before the breakpoint is honored.

The line number may be prefixed with a filename and a colon, to specify a breakpoint in another file (probably one that hasn't been loaded yet). The file is searched for on `sys.path`; the `.py` suffix may be omitted.

break examples

- Setting a breakpoint

```
(Pdb) b 35
Breakpoint 1 at /Users/Development/pdb-tutorial/dicegame/runner.py(32)run()
(Pdb) c
```

```
[...] # prints some dice
```

```
> /Users/Development/pdb-tutorial/dicegame/runner.py(35)run()
-> guess = input("Sigh. What is your guess?: ")
```

- Viewing breakpoints

```
(Pdb) b
Num Type          Disp Enb   Where
1 breakpoint keep yes at /Users/Development/pdb-tutorial/dicegame/runner.py:35
 breakpoint already hit 1 time
```

- Clear breakpoints

```
(Pdb) cl 1
Deleted breakpoint 1 at /Users/Development/pdb-tutorial/dicegame/runner.py:35
```

return - I want to get out of this function

r(eturn)

Continue execution until the current function returns.

(Pdb) 1

```
10     def reset(self):
11         self.round = 1
12         self.wins = 0
13         self.loses = 0
14
15 ->     def answer(self):
16         total = 0
17         for die in self.dice:
18             total += 1
19         return total
20
```

(Pdb) r

--Return--

> /Users/Development/pdb-tutorial/dicegame/runner.py(19)answer()->5

-> return total

(Pdb) 1

```
14
15     def answer(self):
16         total = 0
17         for die in self.dice:
18             total += 1
19 ->         return total
20
21     @classmethod
22     def run(cls):
23         # Probably counts wins or something.
24         # Great variable name, 10/10.
```

(Pdb)

where - How did I get here

w(here)

Print a stack trace, with the most recent frame at the bottom.

An arrow indicates the "current frame", which determines the context of most commands. 'bt' is an alias for this command.

```
ipdb> w
/Users/filipe/Documents/Teaching/Advanced Scientific Programming with Python/python-
course/day2-bestpractices-1/code/pdb-tutorial/main.py(13)<module>()
    11
    12 if __name__ == "__main__":
--> 13     main()

/Users/filipe/Documents/Teaching/Advanced Scientific Programming with Python/python-
course/day2-bestpractices-1/code/pdb-tutorial/main.py(9)main()
     8     import ipdb; ipdb.set_trace() # add pdb here
----> 9     GameRunner.run()
    10

> /Users/filipe/Documents/Teaching/Advanced Scientific Programming with Python/python-
course/day2-bestpractices-1/code/pdb-tutorial/dicegame/runner.py(32)run()
    31         for die in runner.dice:
--> 32             print(die.show())
    33
```


Arbitrary Python Commands

```
ipdb> 1
      27         runner = cls()
      28
      29         print("Round {}".format(runner.round))
      30
      31         for die in runner.dice:
---> 32             print(die.show())
      33
      34         guess = input("Sigh. What is your guess?: ")
      35         guess = int(guess)
      36
      37         if guess == runner.answer():
```

```
ipdb> die
<dicegame.die.Die instance at 0x1088b1998>
```

```
ipdb> die.value
```

```
5
```

```
ipdb> die.value = 1
```

```
ipdb> die.value
```

```
1
```

```
ipdb> die.show()
```

```
'-----\n|          |\n|          *          |\n|          |\n|          \n-----'
```

```
ipdb> print(die.show())
```

```
-----
|          |
|          *          |
|          |
|          \n
-----
```

```
ipdb>
```

Where Will Execution Stop?

```
1 #!/usr/bin/python
2
3 def fact(x): return (1 if x==0 else x * fact(x-1))
4
5 def is_curious(n):
6     s = str(n)
7     sum = 0;
8     for c in s:
9         sum += fact(int(c))
10    if(sum == n):
11        return True
12    return False
13
14 for a in range(10,1000000):
15     import ipdb; ipdb.set_trace() # add pdb here
16     if(is_curious(a)):
17         print a
```

Where will the program stop after you start it?

And if you now do next?

And if you had done step instead of next?

And if you now do continue?



Debugging Tips

- Fix the Problem, not the Blame
- Don't Panic
- Don't Assume It - Prove It
- Is the problem being reported a direct result of the underlying bug, or merely a symptom?
- If you had explained this problem in detail to a coworker, what would you say?
- If the suspect code passes its tests are the tests complete? What happens if you run them with *this* data?
- Do the conditions that caused this bug exist anywhere else in the system?

The Pragmatic Programmer

Profiling Code

- Python provides the **cProfile** profiler as part of the standard library.
- cProfile is very simple to use, just:
python -m cProfile script.py
- **Running it on the curious number script:**

```
$ python -m cProfile curious.py
```

```
145
```

```
40585
```

```
33888828 function calls (6888873 primitive calls) in 10.921 seconds
```

```
Ordered by: standard name
```

ncalls	tottime	percall	cumtime	percall	filename:lineno(function)
1	0.205	0.205	10.921	10.921	profile.py:3(<module>)
32888835/5888880	6.589	0.000	6.589	0.000	profile.py:3(fact)
999990	4.110	0.000	10.699	0.000	profile.py:5(is_curious)
1	0.000	0.000	0.000	0.000	{method 'disable' of
'_lsprof.Profiler' objects}					
1	0.016	0.016	0.016	0.016	{range}

Profiling Code

```
1 #!/usr/bin/python
2
3 def fact(x): return (1 if x==0 else x * fact(x-1))
4
5 def is_curious(n):
6     s = str(n)
7     sum = 0;
8     for c in s:
9         sum += fact(int(c))
10    if(sum == n):
11        return True
12    return False
13
14 for a in range(10,1000000):
15     import ipdb; ipdb.set_trace() # add pdb here
16     if(is_curious(a)):
17         print a
```

ncalls	totttime	percall	cumtime	percall	filename:lineno(function)
1	0.205	0.205	10.921	10.921	profile.py:3(<module>)
32888835/5888880	6.589	0.000	6.589	0.000	profile.py:3(fact)
999990	4.110	0.000	10.699	0.000	profile.py:5(is_curious)
1	0.000	0.000	0.000	0.000	{method 'disable' of
'_lsprof.Profiler' objects}					
1	0.016	0.016	0.016	0.016	{range}

Line By Line Profiling

- In the previous example we just saw how long each function takes
- Often we want more fine grained knowledge
- The excellent **line_profiler** package provides this
- Install it with **pip install --user line_profiler**
- **line_profiler** comes with the kernprof script to help you run it
- You need to decorate the functions you want to profile with the **@profile** decorator
- **memory_profiler** is another package which provides line by line memory usage

Line By Line Profiling

```
1 #!/usr/bin/python
2
3 @profile
4 def fact(x): return (1 if x==0 else x * fact(x-1))
5
6 @profile
7 def is_curious(n):
8     s = str(n)
9     sum = 0;
10    for c in s:
11        sum += fact(int(c))
12    if(sum == n):
13        return True
14    return False
15
16 @profile
17 def find_curious():
18     for a in range(10,1000000):
19         if(is_curious(a)):
20             print a
21
22 find_curious()
```

Line By Line Profiling

```
$ kernprof -l -v profile.py
```

```
145
```

```
40585
```

```
Wrote profile results to profile.py.lprof
```

```
Timer unit: 1e-06 s
```

```
Total time: 23.8517 s
```

```
File: profile.py
```

```
Function: fact at line 3
```

Line #	Hits	Time	Per Hit	% Time	Line Contents
3					@profile
4	32888835	23851734	0.7	100.0	def fact(x): return (1 if x==0 else x * fact(x-1))

```
Total time: 66.264 s
```

```
File: profile.py
```

```
Function: is_curious at line 6
```

Line #	Hits	Time	Per Hit	% Time	Line Contents
6					@profile
7					def is_curious(n):
8	999990	455368	0.5	0.7	s = str(n)
9	999990	283893	0.3	0.4	sum = 0;
10	6888870	2270834	0.3	3.4	for c in s:
11	5888880	62645645	10.6	94.5	sum += fact(int(c))
12	999990	312672	0.3	0.5	if(sum == n):
13	2	0	0.0	0.0	return True
14	999988	295636	0.3	0.4	return False

```
Total time: 72.7165 s
```

```
File: profile.py
```

```
Function: find_curious at line 16
```

Line #	Hits	Time	Per Hit	% Time	Line Contents
16					@profile
17					def find_curious():
18	999991	306494	0.3	0.4	for a in range(10,1000000):
19	999990	72409951	72.4	99.6	if(is_curious(a)):
20	2	48	24.0	0.0	print a

Times given in microseconds unless noted otherwise.

Memory Profiling

- **memory_profiler** is another package which provides line by line memory usage
- Uses the same **@profile** decorator
- Install it with **pip install --user memory_profiler**
- You need to decorate the functions you want to profile with the **@profile** decorator
- You can run it as **python -m memory_profiler <script.py>**

Memory Profiling

```
$ python -m memory_profiler profile.py
```

145

40585

Filename: profile.py

Line #	Mem usage	Increment	Line Contents
4	58.152 MiB	0.000 MiB	@profile
5	58.152 MiB	0.000 MiB	def fact(x): return (1 if x==0 else x * fact(x-1))

Filename: profile.py

Line #	Mem usage	Increment	Line Contents
7	58.152 MiB	0.000 MiB	@profile
8			def is_curious(n):
9	58.152 MiB	0.000 MiB	s = str(n)
10	58.152 MiB	0.000 MiB	sum = 0;
11	58.152 MiB	0.000 MiB	for c in s:
12	58.152 MiB	0.000 MiB	sum += fact(int(c))
13	58.152 MiB	0.000 MiB	if(sum == n):
14	58.152 MiB	0.000 MiB	return True
15	58.152 MiB	0.000 MiB	return False

Filename: profile.py

Line #	Mem usage	Increment	Line Contents
17	27.047 MiB	0.000 MiB	@profile
18			def find_curious():
19	27.051 MiB	0.004 MiB	time.sleep(10)
20	58.152 MiB	31.102 MiB	for a in range(10,1000000):
21	58.152 MiB	0.000 MiB	if(is_curious(a)):
22	58.152 MiB	0.000 MiB	print a

Profiling In IPython

- You can load `memory_profiler` and `line_profiler` in IPython with:
`%load_ext memory_profiler`
`%load_ext line_profiler`
- Now you'll have access to the magic commands `%lprun` and `%mprun` which behave similarly to their command-line counterparts.
- Except you won't need to decorate your functions with the `@profile` decorator.
- Just go ahead and run the profiling directly within your IPython session like so:
`In [1]: from primes import primes`
`In [2]: %mprun -f primes primes(1000)`
`In [3]: %lprun -f primes primes(1000)`
- This can save you a lot of time and effort since none of your source code needs to be modified in order to use these profiling commands.

Final Thoughts On Profiling

- Timing your code will change its timing
- Profiling incurs some performance penalty
- The finer the profiling the greater the penalty
- 10s with **cProfile** vs 70s with **line_profiler**
- **Always profile before optimising**

“We should forget about small efficiencies, say about 97% of the time: premature optimization is the root of all evil. Yet we should not pass up our opportunities in that critical 3%.”

Donald Knuth