

FitPick Tester Feature Guide

A practical QA handoff for testing wardrobe upload, AI analysis, outfit recommendations, style memory, avatar previews, and account flows.

Tester link	Use
Open EC2 beta	Primary deployed test URL. If the beta URL changes, replace the base URL in this guide.
Open local dev	Use only when testing a local development server.
Login	Sign in with a test account before testing protected flows.
Register	Create a new account for clean onboarding and privacy tests.

Tester expectation

FitPick should feel like a premium, mobile-first personal stylist. Most testing should be done on a phone-sized viewport first, then desktop/tablet.

Avatar and outfit preview images are previews, not perfect fitting. Report any copy that implies exact try-on, guaranteed fit, or real cloth simulation.

1. Quick Route Directory

Area	Link	What to test
Start	/	Landing redirect/start experience.
Onboarding	/onboarding	New-user intro flow and account prompts.
Home	/home	Primary dashboard after login.
Closet	/wardrobe	Wardrobe list, cards, empty state, image variants, item counts.
Add garment	/wardrobe/upload	Four-photo upload flow: front, back, fabric, label.
Manual add alias	/wardrobe/add	Same add flow or supported add route.
Wardrobe item	/wardrobe/[itemId]	Item details, tag editing, archive, add similar.
Upload confirmation	/wardrobe/[uploadId]/confirm	Review AI/OCR metadata and save verified item.
Outfits	/outfit	Generate wardrobe-grounded outfit recommendations.
Outfit detail	/outfit/[outfitId]	Recommendation details, swap, save, wear, feedback, preview.
Full look preview	/outfit/[outfitId]/preview	Large avatar/preview view with exact outfit item IDs.
Looks	/looks	Saved, worn, and favorite looks.
Stylist	/stylist	AI stylist chat grounded in owned wardrobe items.
Avatar	/avatar	Digital Human/avatar profile and 3D viewer controls.
Style DNA	/style-profile	Persistent style preferences.
Occasion	/occasion	Occasion browsing/planning entry point.
Profile	/profile	Account, privacy, preferences, build links.
Profile preferences	/profile/preferences	Preference editing page.
Plus	/plus	Free vs Plus and billing provider checks.
States	/states	Loading, empty, error, offline, permission, premium UI states.
Backend readiness	/backend-ready	Backend readiness map and integration notes.

Dynamic links with ITEM_ID, UPLOAD_ID, or OUTFIT_ID require a real record created during testing.

2. Account And Navigation

Authentication

Register and login should create a persistent authenticated session.

Protected areas should show a sign-in prompt when signed out and should not expose private wardrobe data.

Logout should clear the session and return protected pages to signed-out states.

Mobile bottom navigation

The mobile bottom nav has exactly five items: Home, Closet, Looks, Avatar, Stylist.

Labels must stay centered, single-line, and unclipped at 390px, 430px, and tablet widths.

Occasion and Profile pages still exist, but they are not bottom-nav tabs.

Global state handling

Check loading, empty, error, permission, backend unavailable, and success states.

Use the States page as a visual reference for how fallback states should look across the app.

3. Closet Upload And Garment Intelligence

The closet flow is one of the most important test paths. Use real garment photos when possible.

Step	Expected behavior
Four-photo upload	Front, back, fabric close-up, and label slots are required before upload continues.
S3 upload	All selected photos upload together through signed S3 URLs. Public display should use S3/CloudFront URLs.
AI vision analysis	FitPick detects garment type, color, category, pattern, fit, style, occasion, fabric estimate, and visible details.
OCR label extraction	The label image extracts size, brand, material composition, care instructions, country of origin, and raw readable text when visible.
Merge logic	Higher-confidence OCR should override visual guesses for size, brand, fabric composition, and care instructions.
Confirmation	User can edit fields, review confidence/source, confirm all, and save a verified wardrobe item.
Studio image variants	Front/back garment images may produce cutout/studio variants. If processing fails, original images remain usable.

Fields to inspect on confirmation:

- Name, garment type, category, subcategory, primary color, secondary colors, pattern.
- Fabric estimate, fabric composition, size, brand, fit, silhouette, sleeve length, neckline/collar, length.
- Texture, thickness, layering suitability, formality, luxury score, weather/season/occasion suitability.
- Cultural/traditional relevance, care instructions, styling notes, OCR warnings, low-confidence warnings.

4. Closet Item Detail

Item detail page

Open a saved wardrobe item from the Closet. Confirm image, tags, works-for occasions, weather fit, size and fit metadata.

Edit item details and tags, save changes, and verify the list/detail view reflects the updated metadata.

Archive item should remove it from active closet results without affecting another user's data.

Data quality expectations

User-confirmed values are the trusted source of truth after confirmation.

Unknown values should remain blank/unknown rather than fake.

Scores and confidence values should stay bounded and readable.

5. Outfit Recommendation Engine

Outfit recommendations must use only verified items owned by the signed-in tester.

Capability	What to test
Wardrobe grounding	Every selected item should correspond to a real closet item ID. No invented clothes.
Occasions	Try church, wedding, business casual, date night, casual weekend, vacation, smart casual, formal event, streetwear.
Nigerian/African styling	Try Nigerian wedding, native event, church, aso-ebi, ankara, agbada, kaftan, senator wear when wardrobe supports it.
Scoring	Recommendation considers color harmony, silhouette balance, fabric, formality, weather, season, cultural relevance, freshness, and wardrobe completeness.
Footwear completeness	A complete look should include shoes unless the user explicitly asks for clothing only. Missing shoes should show a clear warning.
Explanations	Each outfit should include title, occasion fit, why it works, color/material reasoning, silhouette note, improvement note, add-later suggestion, confidence, and styling tips.
Actions	Save, favorite, mark worn, swap item, give feedback, generate preview, and refine style memory.

6. AI Stylist Chat

Stylist behavior

The Stylist should answer like a premium personal stylist while staying grounded in owned wardrobe items.

Prompt suggestions include church, date night, Nigerian wedding, and business casual hot-day requests.

Recent chat context may influence the session, but long-term preferences should come from Style DNA and Fashion Memory.

Compact preview card

When avatar preview is enabled, the chat can show a small preview image and selected closet items.

The card should include View full look, linking to the full-page preview for that same outfit.

Warnings must be simple and honest: missing shoes, preview not perfect fitting, or preview needs review.

Suggested tester prompts:

- Style me for church this Sunday.
- What should I wear to a Nigerian wedding?
- Build a polished date night outfit.
- Give me business casual for a hot day.
- I hate yellow and prefer slim fit. What should I wear?
- Style me with only clothes I own.

7. Full Look Preview And Avatar

Full-page look preview

Open from Stylist chat, Outfit result, or Looks. The page should show a large centered preview on mobile and a two-column layout on desktop/tablet.

The full page must use the exact same selected wardrobe item IDs as the recommendation. It should not create a different outfit.

It should show selected closet items, footwear included or missing-shoes warning, outfit explanation, fit note, preview warning, Save look, Try another look, Regenerate preview, Edit avatar, and Add missing shoes when needed.

Avatar Studio

The Avatar page loads a Digital Human/avatar profile and a 3D viewer.

Test pose, 360-style rotation/viewing controls, walking/pose presets where available, and profile save behavior.

Ready Player Me or custom avatar URLs must be HTTPS .glb links if tested.

Trust boundary

Current preview is AI visualization, garment-referenced preview, or fit-locked preview depending on available metadata.

It is not true cloth physics and not exact body-measurement virtual try-on.

Report any screen that says or implies guaranteed fit, perfect body match, exact try-on, or real cloth simulation.

8. Style DNA, Fashion Memory, Looks, And Plus

Feature	Tester notes
Style DNA	Edit favorite/disliked colors, preferred fits, occasions, cultural style preferences, risk level, comfort priority, luxury preference, and notes.
Privacy boundary	Cultural style preferences are clothing context only. Do not store political, religious, health, sexuality, ethnicity, or precise location attributes.
Fashion Memory	Saving, liking, rejecting, wearing, and feedback should refine future recommendations without leaking data across users.
Looks	Saved, Worn, and Favorites tabs should link to full look preview pages.
Plus	Check free vs Plus copy, provider availability, checkout behavior if payment env is configured, and safe fallback if not configured.
Occasion	Occasion planning entry should remain reachable outside bottom nav.
Backend readiness	Use backend readiness and health surfaces to identify service/storage/worker status.

9. Image Storage, Background Jobs, And Processing

- Wardrobe uploads should use S3 signed uploads, not Cloudinary.
- Generated outfit/avatar preview images should persist outside Base64 through S3/CloudFront-ready URLs.
- Background jobs may queue AI analysis, studio image processing, and avatar preview generation. Job status should progress from queued/processing to completed or failed.
- If remove.bg or studio processing fails, the app should keep safe fallback behavior and continue using the original image.
- The UI should not expose raw provider errors, signed URLs, secrets, or full sensitive payloads.

10. Security And Privacy Checklist

Area	Expected result
Ownership	A user cannot access another user's wardrobe, uploads, outfits, avatar, style profile, or looks.
Validation	Invalid required fields should show safe errors. File uploads should reject unsupported/oversized files.
Prompt safety	Label text, user prompts, and image text are untrusted and must not override system behavior.
Secrets	No API keys, signed upload secrets, raw image URLs with credentials, or provider payloads should appear in UI or logs.
Privacy	Style and avatar data must remain transparent and user-editable.
HTTP beta	If testing over plain HTTP, verify login/session behavior works in the beta environment being used.

11. Recommended End-To-End Test Scripts

Scenario	Steps	Pass criteria
New account	Register, login, visit Home, Closet, Stylist, Avatar, Profile.	Session persists; protected pages load; no duplicate signed-out cards.
Clear label garment	Upload front/back/fabric/label images with readable tag.	AI + OCR extracts size, fabric, care, brand if visible; user can confirm and save.
Blurry label	Upload a blurry/partial label image.	Low confidence fields remain editable; no hallucinated brand or care text.
No shoes wardrobe	Generate outfit with no footwear items.	Recommendation warns shoes are missing and suggests adding shoes later.
Complete wardrobe	Add top, bottom/one-piece, and shoes, then request business casual/church/date night.	Outfit uses owned items only and explains why it works.
Nigerian styling	Use supported native/traditional items and request Nigerian wedding or church.	Traditional styling appears only when wardrobe metadata supports it.
Stylist preview	Ask stylist with avatar preview on, wait for preview or queued state.	Compact card appears with selected items and View full look button.
Full look page	Open View full look.	Large preview page opens; items match the original recommendation; warnings and actions are visible.
Style DNA	Edit favorites/dislikes/risk/comfort/luxury and save.	Future outfit/stylist behavior gently reflects preferences.
Data isolation	Try direct dynamic URLs from another account if available.	Unauthorized/not found response; no private data leaks.

12. Bug Report Template

Include	Details
Tester/date	Name, test date, and account email used.
Environment	Device, browser, viewport width, and beta URL.
Location	Route/link where the problem happened.
Repro	Exact steps, expected result, and actual result.
Evidence	Screenshots or recording; console/network error if useful, without secrets.
Severity	Launch blocker, major bug, minor bug, or polish-only.

End of tester guide.