

# Atrápalos a todos

Tutor: Matías Cisneros

Alumno: Agustín Juárez

## Casos Positivos

### Berries


Caso positivo 1: Introduce el endpoint 23 y el resultado fue positivo

The screenshot shows the ApiMon interface for a new request. The method is GET and the URL is https://pokeapi.co/api/v2/berry/23. The request is sent, and the response is displayed in the Body tab, formatted as JSON. The status is 200 OK, the time is 625 ms, and the size is 1.91 KB.

```
1 {
2   "firmness": {
3     "name": "hard",
4     "url": "https://pokeapi.co/api/v2/berry-firmness/3/"
5   },
6   "flavors": [
7     {
8       "flavor": {
9         "name": "spicy",
10        "url": "https://pokeapi.co/api/v2/berry-flavor/1/"
11      },
12      "potency": 10
13    },
14    {
15      "flavor": {
16        "name": "dzy",
17        "url": "https://pokeapi.co/api/v2/berry-flavor/2/"
18      },
19      "potency": 0
20    },
21    {
22      "flavor": {
23        "name": "sweet",
24        "url": "https://pokeapi.co/api/v2/berry-flavor/3/"
25      },
26      "potency": 10
27    }
28  ]
29 }
```


### Contest Types

Caso positivo 2: Se ingreso el endpoint smart y el resultado fue positivo



## Contest-effect

### Caso positivo 3: Ingrese el endpoint 10 y el resultado fue positivo



## Encounter Methods

### Caso positivo 5: Se ingreso el endpoint headbutt-high y el resultado fue positivo

GET <https://pokeapi.co/api/v2/encounter-method/headbutt-high/> Send

Params Authorization Headers (5) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description
Key	Value	Description

Body Cookies Headers (24) Test Results Status: 200 OK Time: 1577 ms Size: 1.24 KB Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 24,
3   "name": "headbutt-high",
4   "names": [
5     {
6       "language": {
7         "name": "en",
8         "url": "https://pokeapi.co/api/v2/language/9/"
9       },
10      "name": "Headbutting a high encounter rate tree"
11    }
12  ],
13  "order": 24
14 }
```

## Casos Negativos

### Evolution Chains

Caso negativo 1: Se ingreso el endpoint 1000 y el resultado fue negativo

GET <https://pokeapi.co/api/v2/evolution-chain/1000/> Send

Params Authorization Headers (5) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description
Key	Value	Description


Body Cookies Headers (21) Test Results Status: 404 Not Found Time: 2.76 s Size: 879 B Save as Example

Pretty Raw Preview Visualize Text

```
1 Not Found
```


### Named

Caso negativo 2: Se ingreso el endpoint jorge y el resultado fue negativo



## Berries

Caso negativo 3: Se ingreso el endpoint 0 y el resultado fue negativo



Caso negativo 4: Ingrese el endpoint \* y el resultado fue negativo

GET [https://pokeapi.co/api/v2/berry\\*/](https://pokeapi.co/api/v2/berry*/) Send

Params Authorization Headers (5) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description	...	Bulk Edit
Key	Value	Description		

Body Cookies Headers (21) Test Results

Status: 404 Not Found Time: 2.03 s Size: 989 B Save as Example

Pretty Raw Preview Visualize Text

1. Not Found

Runner Auto-select agent Cookies Trash 17°C Nublado 20:58 14/8/2023

### Caso negativo 5: Ingrese el endpoint 65 y el resultado fue negativo

GET <https://pokeapi.co/api/v2/berry/65> Send

Params Authorization Headers (5) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description	...	Bulk Edit
Key	Value	Description		

Body Cookies Headers (21) Test Results

Status: 404 Not Found Time: 983 ms Size: 976 B Save as Example

Pretty Raw Preview Visualize Text

1. Not Found

Runner Auto-select agent Cookies Trash 17°C Nublado 21:12 14/8/2023