

PROYECTO FINAL

Investigación de API

TESTING QA MANUAL

CODER HOUSE

Comisión n°: 47810

Estudiante: Agustin Juarez

URL Aplicación Web: <https://petstore.octoperf.com/actions/Catalog.action>

CP-01

Nombre: Registro de usuario - Datos Validos

Pasos:

- 1)presionar F12
- 2)seleccionar Inspeccionar
- 3)Presionar pestaña Network (o red)
- 4)Ejecutar la prueba
- 5)Ubicar el mouse en la pestaña Name (o nombre)
- 6)Clickear en Account.action
- 7) Código de estado 500

Estado HTTP 500 – Internal Server Error

Info Informe de Excepción

mensaje Unhandled exception in exception handler.

Descripción El servidor encontró un error interno que hizo que no pudiera rellenar este requerimiento.

Excepción

```
net.sourceforge.stripes.exception.StripesServletException: Unhandled exception in exception handler.
net.sourceforge.stripes.exception.DefaultExceptionHandler.handle(DefaultExceptionHandler.java:179)
net.sourceforge.stripes.controller.StripesFilter.doFilter(StripesFilter.java:263)
org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)
```

Causa raíz

```
org.springframework.dao.DuplicateKeyException:
## Error updating database. Cause: java.sql.SQLException: integrity constraint violation: unique constraint
## The error may exist in org.mybatis.jpetsstore.mapper.AccountMapper.xml
## The error may involve org.mybatis.jpetsstore.mapper.AccountMapper.insertAccount-Inline
## The error occurred while setting parameters
## SQL: INSERT INTO ACCOUNT (EMAIL, FIRSTNAME, LASTNAME, STATUS, ADDR1, ADDR2, CITY, STATE, ZIP, COUNTRY, PHONE, USERID) VALUE
## Cause: java.sql.SQLException: integrity constraint violation: unique constraint or index violation: PK_ACCOUNT;
integrity constraint violation: unique constraint or index violation: PK_ACCOUNT table: ACCOUNT; nested exception is java.sql.SQLException:
org.springframework.jdbc.support.AbstractFallbackSQLExceptionTranslator.translate(AbstractFallbackSQLExceptionTranslator.java:70)
org.mybatis.spring.MyBatisExceptionTranslator.translateExceptionIfPossible(MyBatisExceptionTranslator.java:91)
org.mybatis.spring.SqlSessionTemplate$SqlSessionInterceptor.invoke(SqlSessionTemplate.java:441)
com.sun.proxy.$Proxy15.insert(Unknown Source)
org.mybatis.spring.SqlSessionTemplate.insert(SqlSessionTemplate.java:272)
org.apache.ibatis.binding.MapperMethod.execute(MapperMethod.java:62)
org.apache.ibatis.binding.MapperProxy$PlainMethodInvoker.invoke(MapperProxy.java:145)
org.apache.ibatis.binding.MapperProxy.invoke(MapperProxy.java:86)
com.sun.proxy.$Proxy17.insertAccount(Unknown Source)
org.mybatis.jpetsstore.service.AccountService.insertAccount(AccountService.java:95)
org.mybatis.jpetsstore.service.AccountService$FastClassBySpringAOPWrapper.invoke(<generated>)
org.springframework.aop.framework.cglibproxy.MethodProxy.invoke(MethodProxy.java:218)
org.springframework.aop.framework.cglibproxy.CglibMethodInvocation.invokeToImitate(CglibMethodInvocation.java:793)
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:763)
org.springframework.transaction.interceptor.TransactionInterceptor$1.proceedWithInvocation(TransactionInterceptor.java:123)
org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:388)
org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:119)
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:763)
org.mybatis.jpetsstore.service.AccountService$EnhancerBySpringAOPProxy.invoke(<generated>)
org.mybatis.jpetsstore.web.actions.AccountActionBean.newAccount(AccountActionBean.java:116)
jdk.internal.reflect.GeneratedMethodAccessor119.invoke(Unknown Source)
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
java.base/java.lang.reflect.Method.invoke(Method.java:566)
net.sourceforge.stripes.controller.DispatcherHelper$6.intercept(DispatcherHelper.java:456)
net.sourceforge.stripes.controller.ExecutionContext.proceed(ExecutionContext.java:176)
net.sourceforge.stripes.controller.BeforeFilterMethodInterceptor.intercept(BeforeFilterMethodInterceptor.java:113)
net.sourceforge.stripes.controller.ExecutionContext.proceed(ExecutionContext.java:173)
net.sourceforge.stripes.controller.ExecutionContext.wrap(ExecutionContext.java:86)
net.sourceforge.stripes.controller.DispatcherHelper.invokeEventHandler(DispatcherHelper.java:454)
net.sourceforge.stripes.controller.DispatcherServlet.invokeEventHandler(DispatcherServlet.java:278)
net.sourceforge.stripes.controller.DispatcherServlet.service(DispatcherServlet.java:168)
```

Encabezados

Nombre	Encabezados	Carga útil	Vista previa	Respuesta	Iniciador	Tiempos	Cookies
Account.action	URL De Solicitud: https://petstore.octoperf.com/actions/Account.action Método De Solicitud: POST Código De Estado: 500 Dirección Remota: 45.12.128.248:443 Política De Referencia: strict-origin-when-cross-origin						
Encabezados de respuesta	Content-Language: es Content-Type: text/html;charset=utf-8 Date: Thu, 14 Sep 2023 21:41:28 GMT Strict-Transport-Security: max-age=15724800; includeSubDomains						
Encabezados de solicitud	authority: petstore.octoperf.com method: POST path: /actions/Account.action scheme: https Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng/* Accept-Encoding: gzip, deflate, br Accept-Language: es-ES;q=0.9 Cache-Control: max-age=0 Content-Length: 637 Content-Type: application/x-www-form-urlencoded Cookie: J5E53H0ND=A962611FF42B089F2D3665A348F07C51 Origin: https://petstore.octoperf.com Referer: https://petstore.octoperf.com/actions/Account.actionNewAccountForm Sec-CH-UA: "Chromium"v="116", "Not(A.Brand)"v="24", "Google Chrome"v="116" Sec-CH-UA-Mobile: 10 Sec-CH-UA-Platform: "Windows" Sec-Fetch-Dest: document Sec-Fetch-Mode: navigate Sec-Fetch-Site: same-origin						

Nota: El error surge cada vez que se hace click en “Save Account Information”

CP-02

Nombre: Registro de usuario - Datos Inválidos

Pasos:

- 1)presionar F12
- 2)seleccionar Inspeccionar
- 3)Presionar pestaña Network (o red)
- 4)Ejecutar la prueba
- 5)Ubicar el mouse en la pestaña Name (o nombre)
- 6)Clickear en jpetstore.css
- 7) Código de estado 200

The screenshot shows a web browser with the JPetStore Demo application. The registration form is visible, with fields for User ID, New password, Repeat password, Account Information (First name, Last name, Email, Phone, Address 1, Address 2, City, State, Zip, Country), and Profile Information (Language Preference, Favourite Category, Enable MyList, Enable MyBanner). The form is titled "User Information" and "Account Information".

The Chrome DevTools Network tab is open, showing a list of requests. The request "jpetstore.css" is selected, and its details are displayed. The details show the URL "https://petstore.octoperf.com/css/jpetstore.css", the method "GET", and the status "200 (desde la caché del disco)". The response headers are also visible, including "Accept-Ranges: bytes", "Content-Length: 5680", "Content-Type: text/css", "Date: Thu, 14 Sep 2023 18:46:51 GMT", "Etag: W/"5680-1645112680000", and "Last-Modified: Thu, 17 Feb 2022 15:44:48 GMT".

CP-03

Nombre: Registro de usuario - Inputs de campo contraseña ocultos

Pasos:

- 1)presionar F12
- 2)seleccionar Inspeccionar
- 3)Presionar pestaña Network (o red)
- 4)Ejecutar la prueba
- 5)Ubicar el mouse en la pestaña Name (o nombre)
- 6)Clickear en web-vitals.js
- 7) Código de estado 200

The screenshot shows a web browser with the JPetStore Demo application. The registration form is visible, with fields for User Information (User ID, New password, Repeat password) and Account Information (First name, Last name, Email, Phone, Address, City, State, Zip, Country). The Profile Information section includes Language Preference, Favourite Category, and checkboxes for Enable MyList and Enable MyBanner. A 'Save Account Information' button is at the bottom of the form.

The Chrome DevTools Network tab is open, showing a list of network requests. The request 'web-vitals.js' is selected, and its details are shown on the right. The 'Encabezados' (Headers) section is expanded, displaying the following information:

- URL De Solicitud: chrome-extension://ahfhjldgdaabipipeagghimibma/src/browser_action/web-vitals.js
- Método De Solicitud: GET
- Código De Estado: 200 OK
- Política De Referencia: strict-origin-when-cross-origin

The 'Encabezados de respuesta' (Response Headers) section shows:

- Access-Control-Allow-Origin: *
- Cache-Control: no-cache
- Content-Security-Policy: default-src 'self'; connect-src https://chromeuxreport.googleapis.com/;
- Content-Type: text/javascript
- Cross-Origin-Resource-Policy: cross-origin
- Etag: "L6/00gUhsVYIHM/CSA5ATn/qs="
- Last-Modified: Tue, 08 Aug 2023 14:48:44 GMT

The 'Encabezados de solicitud' (Request Headers) section shows:

- Origin: https://petstore.octoperf.com
- Referer: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
- User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36

The status bar at the bottom indicates 'Solicitudes: 28' and 'Se ha transferido 1:'.

CP-04

Nombre: Carro de Compra - Ingreso de mercadería

Pasos:

- 1)presionar F12
- 2)seleccionar Inspeccionar
- 3)Presionar pestaña Network (o red)
- 4)Ejecutar la prueba
- 5)Ubicar el mouse en la pestaña Name (o nombre)
- 6)Clickear en Cart.action?addItemToCart=&workingItemId=EST-4
- 7) Código de estado 200

The screenshot shows a web browser window displaying the JPetStore Demo application. The application has a navigation bar with links for Fish, Dogs, Reptiles, Cats, and Birds. Below the navigation bar is a Shopping Cart table with the following data:

Item ID	Product ID	Description	In Stock?	Quantity	List Price	Total Cost	
EST-1	FI-SW-01	Large Angelfish	false	1	\$16.50	\$16.50	Remove
EST-2	FI-SW-01	Small Angelfish	true	1	\$16.50	\$16.50	Remove
EST-4	FI-FW-01	Spotted Koi	false	1	\$18.50	\$18.50	Remove
Sub Total: \$51.50						Update Cart	Proceed to Checkout

Below the table is a link to www.mysatis.org. To the right of the application is the Network DevTools console, which shows a list of requests. The selected request is 'Cart.action?addItemToCart=&workingItemId=EST-4', which is a GET request to 'https://petstore.octoperf.com/actions/Cart.action?addItemToCart=&workingItemId=EST-4'. The status is 200. The console also shows the request headers, response headers, and request body.

Request Headers:

- URL De Solicitud: https://petstore.octoperf.com/actions/Cart.action?addItemToCart=&workingItemId=EST-4
- Método De Solicitud: GET
- Código De Estado: 200
- separador.gif
- sm_fish.gif
- sm_dogs.gif
- sm_reptiles.gif
- sm_cats.gif
- sm_birds.gif
- main.js?attr=PWHsuGJNRwS...
- init?data=eyJlcmwiOiVudHR...
- wsm.sessionActivated
- longpooling?get&nocache=1...
- web-vitals.js
- on-each-interaction.js
- wsm.sessionDeactivated

Response Headers:

- Content-Language: en
- Content-Length: 5305
- Content-Type: text/html; charset=UTF-8
- Date: Thu, 14 Sep 2023 22:22:09 GMT
- Strict-Transport-Security: max-age=15724800; includeSubDomains

Request Body:

- authority: petstore.octoperf.com
- method: GET
- path: /actions/Cart.action?addItemToCart=&workingItemId=EST-4
- scheme: https
- accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng/*;q=0.8,application/signed-exchange;v=b3;q=0.7
- accept-encoding: gzip, deflate, br
- accept-language: es-ES;q=0.9
- cookie: JSESSIONID=77887D2630A25D42CA9D1E701709A6DD
- referer: https://petstore.octoperf.com/actions/Catalog.action?viewProduct=&productId=FI-FW-01
- sec-ch-ua: "Chromium";v="116", "Not(A)Brand";v="24", "Google Chrome";v="116"
- sec-ch-ua-mobile: 0
- sec-ch-ua-platform: "Windows"
- sec-fetch-dest: document
- sec-fetch-mode: navigate
- sec-fetch-site: same-origin
- sec-fetch-user: 1
- upgrade-insecure-requests: 1
- user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36

CP-05

Nombre: Tienda - Ficha de Bulldog

Pasos:

- 1)presionar F12
- 2)seleccionar Inspeccionar
- 3)Presionar pestaña Network (o red)
- 4)Ejecutar la prueba
- 5)Ubicar el mouse en la pestaña Name (o nombre)
- 6)Clickear en Catalog.action?viewItem=&itemId=EST-6
- 7) Código de estado 200

The screenshot shows a web browser window displaying the JPetStore Demo application. The URL in the address bar is `https://petstore.octoperf.com/actions/Catalog.action?viewItem=&itemId=EST-6`. The page shows a product listing for a "Male Adult Bulldog" (EST-6) with a price of \$18.50 and a status of "Back ordered".

The browser's developer tools are open, showing the Network tab. The selected request is `Catalog.action?viewItem=&itemId=EST-6`. The response status is 200 (OK). The response headers include:

- Content-Language: en
- Content-Length: 3613
- Content-Type: text/html; charset=UTF-8
- Date: Thu, 14 Sep 2023 22:31:45 GMT
- Strict-Transport-Security: max-age=15724800; includeSubDomains

The response body is a JSON object containing product details, including the name "Male Adult Bulldog", the price "\$18.50", and the status "Back ordered".

CP-06

Nombre: Carro de Compra - Ingreso de caracteres no numéricos en columna cantidades

Pasos:

- 1)presionar F12
- 2)seleccionar Inspeccionar
- 3)Presionar pestaña Network (o red)
- 4)Ejecutar la prueba
- 5)Ubicar el mouse en la pestaña Name (o nombre)
- 6)Clickear en Cart.action?addItemToCart=&workingItemId=EST-6
- 7) Código de estado 200

The screenshot shows a web browser window with the JPetStore Demo application. The application displays a shopping cart with one item: EST-6 K9-BD-01 Male Adult Bulldog. The cart total is \$18.50. The browser's Network tab is open, showing a list of requests. The selected request is 'Cart.action?addItemToCart=&workingItemId=EST-6'. The response status is 200 (OK). The response headers include 'Content-Language: en', 'Content-Length: 4499', 'Content-Type: text/html; charset=UTF-8', 'Date: Thu, 14 Sep 2023 22:35:09 GMT', and 'Strict-Transport-Security: max-age=15724800; includeSubDomains'. The response body is not visible.

Item ID	Product ID	Description	In Stock?	Quantity	List Price	Total Cost	
EST-6	K9-BD-01	Male Adult Bulldog	false	1	\$18.50	\$18.50	Remove
Sub Total: \$18.50				Update Cart			

[Proceed to Checkout](#)

[Return to Main Menu](#)

[www.mysbatis.org](#)

CP-07

Nombre: Carro de Compra - Ingreso de caracteres no numéricos en columna cantidades

Pasos:

- 1)presionar F12
- 2)seleccionar Inspeccionar
- 3)Presionar pestaña Network (o red)
- 4)Ejecutar la prueba
- 5)Ubicar el mouse en la pestaña Name (o nombre)
- 6)Clickear en Catalog.action?viewCategory=&categoryId=REPTILES
- 7) Código de estado 200

The screenshot shows a web browser window displaying the JPetStore Demo application. The URL in the address bar is `https://petstore.octoperf.com/actions/Catalog.action?viewCategory=&categoryId=REPTILES`. The page content shows a navigation bar with links for Fish, Dogs, Reptiles, Cats, and Birds. Under the Reptiles section, there is a table with the following data:

Product ID	Name
RP-SN-01	Rattlesnake
RP-LI-02	Iguana

Below the table, there is a link to `www.nybata.org`. The browser's developer tools are open, showing the Network tab. The selected request is `Catalog.action?viewCategory=&categoryId=REPTILES`. The request details are as follows:

- URL De Solicitud: `https://petstore.octoperf.com/actions/Catalog.action?viewCategory=&categoryId=REPTILES`
- Método De Solicitud: GET
- Código De Estado: 200
- Dirección Remota: 49.12.128.248:443
- Política De Referencia: strict-origin-when-cross-origin

The response headers are:

- Content-Language: en
- Content-Length: 3501
- Content-Type: text/html; charset=UTF-8
- Date: Thu, 14 Sep 2023 22:40:23 GMT
- Strict-Transport-Security: max-age=15724800; includeSubDomains

The request headers are:

- authority: petstore.octoperf.com
- method: GET
- path: /actions/Catalog.action?viewCategory=&categoryId=REPTILES
- scheme: https
- accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
- accept-encoding: gzip, deflate, br
- accept-language: es-ES;q=0.9
- cookie: JSESSIONID=77887D2630A25D42CA9D1E701709A6DD
- sec-ch-ua: "Chromium" ;v="116", "NotA.Brand" ;v="24", "Google Chrome" ;v="116"
- sec-ch-ua-mobile: 70
- sec-ch-ua-platform: "Windows"
- sec-fetch-dest: document
- sec-fetch-mode: navigate
- sec-fetch-site: none
- sec-fetch-user: ?1
- upgrade-insecure-requests: 1
- user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36

CP-08

Nombre: Registro de usuario - registro con todos los campos vacíos

Pasos:

- 1)presionar F12
- 2)seleccionar Inspeccionar
- 3)Presionar pestaña Network (o red)
- 4)Ejecutar la prueba
- 5)Ubicar el mouse en la pestaña Name (o nombre)
- 6)Clickear en Account.action
- 7) Código de estado 200

The screenshot displays a web browser window with the URL `https://petstore.octoperf.com/actions/Account.action`. The page is titled "JPetStore Demo" and features a registration form with sections for "User Information", "Account Information", and "Profile Information". The "User Information" section includes fields for "User ID:", "New password:", and "Repeat password:". The "Account Information" section includes fields for "First name:", "Last name:", "Email:", "Phone:", "Address 1:", "Address 2:", "City:", "State:", "Zip:", and "Country:". The "Profile Information" section includes a "Language Preference:" dropdown set to "english", a "Favourite Category:" dropdown set to "FISH", and checkboxes for "Enable MyList" and "Enable MyBanner". A "Save Account Information" button is at the bottom of the form.

The right side of the browser window shows the "Network" tab, which is expanded to show the "Account.action" request. The request is a POST method to the URL `https://petstore.octoperf.com/actions/Account.action`. The status is 200. The response headers include "Content-Language: en", "Content-Length: 5942", "Content-Type: text/html; charset=UTF-8", "Date: Thu, 14 Sep 2023 22:44:25 GMT", and "Strict-Transport-Security: max-age=15724800; includeSubDomains". The response body is partially visible, showing a success message.

CP-09

Nombre: Registro de usuario - Cambio de idioma

Pasos:

- 1)presionar F12
- 2)seleccionar Inspeccionar
- 3)Presionar pestaña Network (o red)
- 4)Ejecutar la prueba
- 5)Ubicar el mouse en la pestaña Name (o nombre)
- 6)Clickear en on-each-interaction.js
- 7) Código de estado 200

The screenshot shows a web browser with the JPetStore Demo application. The registration form is visible, with fields for User ID, New password, Repeat password, Account Information (First name, Last name, Email, Phone, Address 1, Address 2, City, State, Zip, Country), and Profile Information (Language Preference, Favourite Category, Enable MyList, Enable MyBanner). The 'Save Account Information' button is highlighted in green.

The Chrome DevTools Network tab is open, showing a list of requests. The 'on-each-interaction.js' request is selected, and the 'Encabezados' (Headers) tab is active. The headers show a 200 OK status, indicating a successful response.

Nombre	Encabezados	Vista previa	Respuesta	Iniciador	Tiempos
Accountaction	General				
logo-topbar.gif	URL De Solicitud:	chrome-extension://ahfijidlegdababipipeagghigmbla/src/browser_action/on-eac			
cart.gif	Método De Solicitud:	GET			
separator.gif	Código De Estado:	200 OK			
sm_fish.gif	Política De Referencia:	strict-origin-when-cross-origin			
sm_dogs.gif					
sm_reptiles.gif					
sm_cats.gif					
sm_birds.gif					
jpstore.css	Access-Control-Allow-Origin:	*			
main.js?attr=Jd0QxUgEL_nlmSnNj7sD:564d1m3-QJQCeR...	Cache-Control:	no-cache			
init?data=eyJ1cmwvOjUodHRwcovL38ldHN0b3JlLm9ydg...	Content-Security-Policy:	default-src 'self'; connect-src https://chromeuxreport.googleapis.com;			
wsm.sessionActivated	Content-Type:	text/javascript			
longpooling?get&nocache=1aa89	Cross-Origin-Resource-Policy:	cross-origin			
web-vitals.js	Etag:	"L6/00gUhsVYH9M/C5A5A7U/os="			
on-each-interactions.js	Last-Modified:	Tue, 08 Aug 2023 14:48:44 GMT			
wsm.sessionDeactivated					

Se muestran los encabezados provisionales. Más información

Origin: https://petstore.octoperf.com
Referen:
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36

CP-10

Nombre: Registro de usuario - Campo de repetir contraseña con contraseña diferente

Pasos:

- 1)presionar F12
- 2)seleccionar Inspeccionar
- 3)Presionar pestaña Network (o red)
- 4)Ejecutar la prueba
- 5)Ubicar el mouse en la pestaña Name (o nombre)
- 6)Clickear en Account.action?newAccountForm=
- 7) Código de estado 200

The screenshot displays a web browser window with the JPetStore Demo application. The main content area shows a registration form with sections for User Information, Account Information, and Profile Information. The form fields are populated with test data: User ID: 1234, New password: 1234, Repeat password: algodistinto, First name: agustin, Last name: juarez, Email: , Phone: , Address 1: , Address 2: , City: , State: , Zip: , Country: , Language Preference: japanese, Favourite Category: FISH, Enable MyList: , and Enable MyBanner: . A 'Save Account Information' button is visible at the bottom of the form.

The right side of the browser window shows the Network tab, which is currently displaying the response for the request 'Account.action?newAccountForm='. The response status is 200 (OK), and the response body is empty. The response headers are visible, including 'Content-Language: en', 'Content-Length: 5908', 'Content-Type: text/html; charset=UTF-8', and 'Date: Thu, 14 Sep 2023 22:51:37 GMT'. The request headers are also visible, including 'Referer: https://petstore.octoperf.com/actions/Account.action?signinForm=...' and 'User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36'.

CP-11

Nombre: Help desk - ver contenido del apartado Known Issues

Pasos:

- 1)presionar F12
- 2)seleccionar Inspeccionar
- 3)Presionar pestaña Network (o red)
- 4)Ejecutar la prueba
- 5)Ubicar el mouse en la pestaña Name (o nombre)
- 6)Clickear en help.html
- 7) Código de estado 200

The screenshot shows a web browser window with the URL <https://petstore.octoperf.com/help.html#Issues>. The page content includes sections like "Working with the Shopping Cart", "Adding and Removing Items", "Updating the Quantity of an Item", "Ordering Items", and "Reviewing An Order".

On the right side, the browser's developer tools are open, showing the "Network" tab. A list of requests is displayed, with "help.html" selected. The details for this request are shown on the right:

- Nombre:** help.html
- General:**
 - URL De Solicitud: <https://petstore.octoperf.com/help.html>
 - Método De Solicitud: GET
 - Código De Estado: 200
 - Dirección Remota: 49.12.128.248:443
 - Política De Referencia: strict-origin-when-cross-origin
- Encabezados de respuesta:**
 - Accept-Ranges: bytes
 - Content-Length: 6597
 - Content-Type: text/html
 - Date: Thu, 14 Sep 2023 22:55:43 GMT
 - Etag: W/"6337-164511268000"
 - Last-Modified: Thu, 17 Feb 2022 15:44:48 GMT
 - Strict-Transport-Security: max-age=15724800; includeSubDomains
- Encabezados de solicitud:**
 - authority: petstore.octoperf.com
 - method: GET
 - path: /help.html
 - scheme: https
 - Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
 - Accept-Encoding: gzip, deflate, br
 - Accept-Language: es-ES;q=0.9
 - Cookie: JSESSIONID=77887D2630A25D42CA9D1E701709A6DD
 - Referer: <https://petstore.octoperf.com/actions/Catalog.action>
 - Sec-Ch-Ua: "Chromium" v="116", "NotIA.Brand" v="24", "Google Chrome" v="116"
 - Sec-Ch-Ua-Mobile: 0
 - Sec-Ch-Ua-Platform: "Windows"
 - Sec-Fetch-Dest: document
 - Sec-Fetch-Mode: navigate
 - Sec-Fetch-Site: same-origin
 - Sec-Fetch-User: ?1