G I O I · BALI RESERVATION PLATFORM

Security, QA & Launch Readiness Report

apps/api (Fastify) · apps/web (Nuxt)

Pentest · SAST · SCA · DAST · QA · Lighthouse | 2026-11-10 | branch development

Executive summary

This report consolidates the Strix penetration test (2026-11-10), the Semgrep / OSV / ZAP scan (2026-11-08), the QA E2E browser run (2026-11-09), a Lighthouse audit of gioigroup.com/bali, Google Search Console indexing, Google Business Profile links, the SEO organic estimate, the journey diagrams and Vercel Web Analytics. The pentest found three medium-severity issues and no high or critical ones. All three are fixed in commit adf2181 (CSV escaping is covered by a passing unit test; the CORS and dev-server changes are code-reviewed but not yet re-scanned). The public page scores 100 in every Lighthouse category and is indexed by Google.

3	3 of 3	162 of 196	100
Pentest findings, all medium	Fixed in adf2181	QA scenarios passing	Lighthouse, all 4 scores

Pentest findings and fixes

ID	Finding	CWE / CVSS	Fix applied	Status
vuln-0001	Reflected credentialed CORS: arbitrary Origin echoed with Allow-Credentials, so a hostile site could read /admin/venues for a logged-in user	CWE-942 / 4.3	apps/api/src/index.ts: origin is now an explicit CORS_ORIGIN allowlist; unset means no cross-origin access (was `true`). The CSRF origin hook uses the same list	Fixed, retest pending
vuln-0002	Nuxt dev server on :3002 served raw source, /_nuxt/@fs paths and Vite internals without authentication	CWE-200 / 5.3	apps/web/nuxt.config.ts: devServer binds to 127.0.0.1 unless NUXT_DEV_HOST is set. README: exposed environments must use nuxt build. API listens on HOST (default 127.0.0.1)	Fixed, retest pending
vuln-0003	CSV formula injection: public guestName such as `=HYPERLINK(...)` exported unchanged by /admin/venues/:id/export.csv	CWE-1236 / 4.3	New apps/api/src/lib/csv.ts csvEscape prefixes a single quote when a value starts (after whitespace) with = + - @ or tab/CR; the export route uses it for every field	Fixed, unit test passes

Verified in this run: apps/api csv.test.ts passes (2 tests). The CORS and dev-server fixes were read in the diff but the Strix scan was not re-run against them.

Cleared by the pentest

Unauthenticated /staff/* and /admin/* calls return authorization errors, and host and venue-admin users cannot perform super-admin actions. Cross-venue guest and reservation access is blocked. Public mass-assignment fields are ignored and booking codes resisted guessing. Guest names and notes render as escaped text (no stored XSS), and SQL, NoSQL, template, command, SSRF and XXE probes found nothing. Login errors do not reveal usernames; session cookies are HttpOnly, Secure and SameSite=Lax; logout invalidates the session.

Penetration test detail

Strix ran an authorized, non-destructive black-box test against the Nuxt frontend (:3002) and the Fastify API (:3001), using the seeded admin, host and venueadmin roles. /ingest/ **was excluded. The source repository was not mounted during the run, so there was no static source review.**

vuln-0001 · Reflected credentialed CORS (Medium)

Request `GET /admin/venues` with `Origin: http://evil.example` and a valid gioi_session cookie returned 200 with `Access-Control-Allow-Origin: http://evil.example` and `Access-Control-Allow-Credentials: true`. The same call without the cookie returned 401, so exposure needs a logged-in victim visiting a hostile page. The pre-fix code passed `origin: allowedOrigins ?? true`, which reflects any origin when CORS_ORIGIN is unset.

Retest: an untrusted or `null` origin must receive neither Access-Control-Allow-Origin nor credentialed responses. Production must set CORS_ORIGIN to the book. and admin. hosts only.

vuln-0002 · Nuxt dev server exposes source (Medium)

`GET /_nuxt/composables/useApi.ts` and `/_nuxt/stores/auth.ts` returned 200 with raw TypeScript showing the staff and admin API map. The HTML also leaked absolute developer paths under /_nuxt/@fs/ and served about 180 KB of Vite runtime at /_nuxt/@vite/client. The production deployment on Vercel serves a built bundle, so the exposure was the local dev server reached from the scanner container.

Retest: with default settings the dev server must refuse connections from other hosts. Any shared environment must run `nuxt build`; source maps, @fs and @vite/client must return 404.

vuln-0003 · CSV formula injection (Medium)

A public reservation with `guestName` set to `=HYPERLINK("http://x","x")` was accepted (booking GIOI-V93TGH7M) and appeared verbatim in the admin CSV export, where a spreadsheet would evaluate it. Quoting only protects delimiters, not formulas.

Retest: open an export containing `=`, `+`, `-`, `@` and leading-whitespace payloads in a spreadsheet; they must display as text while ordinary reservation data stays unchanged.

Dependency and header scans

Both apps were scanned on commit f61b15f (2026-11-08) with Semgrep (SAST), OSV.dev via cve-mcp-server (SCA) and OWASP ZAP baseline (DAST). Findings below are unchanged from that report.

SAST · Semgrep

389 and 390 rules ran on 47 (api) and 41 (web) tracked files with 0 findings.

SCA · OSV.dev

Package	Advisory	Severity	EPSS	Status
vitest	GHSA-5xrq-8626-4rwp	Critical	0.0103	Fixed (2.1.9 to 4.1.12)
vitest	GHSA-82fw-gwwq-j7x9	Moderate	0.0053	Fixed (2.1.9 to 4.1.12)
happy-dom	GHSA-37j7 / 5fpq / 6q6h / c8p4 / w4gp	Mixed	<= 0.0065	Fixed (15.11.7 to ^21)
nuxt	GHSA-vjh5-4x84-xrqp	Moderate	0.0042	Open (Nuxt 4)
nuxt	GHSA-jjm6-p2m9-9w4x	Low	0.0041	Open, inactive path
nuxt	GHSA-xfq5-w38q-pc2x	n/a	0.0022	Open, inactive path

Fixed packages are devDependencies and not shipped to production. The three open nuxt advisories are fixed only in Nuxt 4; an upgrade to 4.6.4 was tried and reverted (@pinia/nuxt incompatible, /bali prerender returned 500). Only CVE-2026-114132 (routeRules skipped for case-variant paths) touches this app, because /admin/**, /host and /guests/** rely on routeRules.

DAST · OWASP ZAP baseline (passive)

API: 67 pass, 1 warn (cacheable 404s); the spider reached only the root. Web: 58 pass, 10 warn, 0 fail across 46 URLs. All warnings are hardening gaps.

Alert	ID	Fix
Content Security Policy not set	10038	Add Content-Security-Policy via routeRules headers
Missing anti-clickjacking header	10020	X-Frame-Options or frame-ancestors
X-Content-Type-Options missing	10021	nosniff
Permissions Policy not set	10063	Add Permissions-Policy
Cross-Origin-Embedder-Policy missing	90004	Add COEP header
X-Powered-By disclosure	10037	Disable the header in nitro config
Sub Resource Integrity missing	90003	Add integrity to external assets
Cacheable content / cross-domain	10049, 10098	Review cache headers

QA E2E browser scenarios

Run of 2026-11-07 to 2026-11-09 on a seeded dev database (Chromium plus curl) across customer, host and admin journeys. 196 scenarios carry a status.

162	3	31	196
Passed	Failed	Not run	Scenarios

Failed scenarios

ID	P	Scenario	Result
G-12	P1	Required fields on booking	Confirm is disabled until name and phone are valid, but no inline error messages are shown
D-11	P1	Dashboard Export CSV button	Button has no handler; the export works from Settings -> Data export
U-05	P1	Console clean	Dev-only hydration mismatch on /bali (cause not isolated)

Security smoke checks (section 10)


All eight checks passed: 401 without a cookie, old cookie rejected after login elsewhere, no PII on public booking lookup, XSS payloads rendered as text, SQL-style search treated literally, tampered UUIDs return 403 or 404, garbage bodies return 4xx never 500, and error bodies are `{ error, message }` without stack traces.

Known gaps

- Login rate limiting is in-memory per serverless instance; a shared store is needed for real brute-force protection.
- Sessions have a fixed 7-day life (no sliding expiry).
- Guest cancel exists only as an API; the confirmation page has no button.
- The super admin can still edit venue settings through the API even though the UI hides those sections.
- 31 scenarios not run, including keyboard (U-03), reduced motion (U-04), API-down states (U-06, D-14) and the zero-venue bootstrap paths (B-02 to B-04).


Journey: Customer

Discover, book, confirmation and feedback (public, no login). Scenarios G-01 to G-30.




Journey: Host

Sign in, today's service and status machine, walk-ins and guests. Scenarios A-01 to A-14, H-*, W-*, S-*.



Journey: Admin

Sign in and role gate, dashboard, settings, audit log, venues and accounts. Scenarios R-*, D-*, T-*, L-*.




Journey: Seating: admin

Floor plan editor: areas, tables, drawing upload, capacity from seats. Scenarios F-01 to F-22.


Venue admin journey: laying out seating

Venue admin only (/admin/floor-plan). A host is sent to /host; a super admin only uploads the venue's drawing in Settings. API: /api/admin/venues/:id/floor-plan



1 CREATE AREAS


An area is a named group of tables, e.g. Sunset Terrace. Guests book an area, not a table.




```
AREAS
  Beachfront Lounge     3 tables · 16 seats
  Sunset Terrace        3 tables · 14 seats   ← selected
  Terrace               0 tables · 0 seats
  [ + Add area ]
-------------------------------------------------
EDIT SELECTED AREA
  Name  [ Sunset Terrace            ]
  [x] Guests can book this area
  [ + Add table ]
  Delete area
```

2 ADD AND SHAPE TABLES

Pick the area first: the toolbar button always says which area the new table joins.





```
ADD  [ + Table in Sunset Terrace ]  [ Stage v ]  [ + Add object ]

+-------------------------------------------------------------+
| Selected table in Sunset Terrace                            |
| Chairs  [ − ]  4  [ + ]     Rotate [ L ] [ R ]    Delete |
+-------------------------------------------------------------+

Keys: drag to move · arrows nudge (Shift x10) · R rotate
      + / − chairs · Del removes the selected table
```


3 SAVE LAYOUT

Nothing is stored until Save layout; the header shows "Unsaved changes" and Revert reloads the saved plan.



4 WHAT THE SAVE CHANGES

Capacity is never typed: each area's capacity is the sum of its tables' chairs, rewritten on every save.




Party-size limits (min/max) are no longer editable here; the first layout save clears any set earlier.
A table is a drawing aid only; reservations are never pinned to a specific table.

Journey: Seating: host

Seating map on the booking page and host view. Scenarios G-31 to G-43.

Host journey: seating during service

Host sees seating areas on every booking and picks one for walk-ins. The layout itself is read-only for hosts. API: /api/staff/*




1 READ THE DAY

Every booking shows its seating area. There are no table numbers: tell guests the area.

```
19:00   Mega Putri   [Repeat]            pending
4 guests · Sunset Terrace · GIOI-H9UEX2WC · web
! allergies: shellfish
```

Area comes from the booking: the guest tapped a table on the map, or the server auto-picked one.


Status machine (host buttons)



Seat = status only; it does not assign a table.


2 SEAT A WALK-IN

Walk-in modal: date is today; area is optional. Created bookings are auto-confirmed.



3 WHAT THE HOST CANNOT DO

Seating layout belongs to the venue admin.




A change in the venue admin's layout changes what the host can book into: more chairs = more free seats in that area; an area with 0 tables takes no walk-ins either.

Journey: Booking source tracking

How the src parameter (for example src=google from the Business Profile link) is stored and reported per reservation.

How the booking ?src= param tells us where a guest came from

One query param on the public link. Anything unknown, or no param at all, is recorded as 'website'. Staff channels (host, walk_in, phone) can never be claimed from a URL.



Rules (code)

```
web/utils/bookingSource.ts  SOURCES = [instagram, google, whatsapp]; else 'website'
api/routes/public/reservations.ts  same enum, kept in sync by hand
web/pages/admin/index.vue  source filter lists website, instagram, google, whatsapp,
                           walk_in, phone, host

Share these links:
  https://<site>/bali?src=instagram     -> put in Instagram bio
  https://<site>/bali?src=whatsapp      -> put in WhatsApp profile / broadcast
  https://<site>/bali                   -> website (default)
```

Performance, search and traffic

Lighthouse · gioigroup.com/bali (desktop, 2026-11-10)

100	100	100	100
Performance	Accessibility	Best Practices	SEO

Agentic Browsing scores 3 of 3. Core metrics: First Contentful Paint 0.4 s, Largest Contentful Paint 0.8 s, Total Blocking Time 0 ms, Cumulative Layout Shift 0.001, Speed Index 0.7 s. Lighthouse 13.5.0, Chromium 157, single page session.


Opportunity	Estimate
Improve image delivery	449 KiB
Reduce unused JavaScript	88 KiB
Legacy JavaScript	9 KiB
Efficient cache lifetimes	1 KiB
Back/forward cache restoration	1 failure reason

Best Practices also flags three trust items that tie to the DAST findings: ensure CSP is effective against XSS, use a strong HSTS policy, and mitigate DOM-based XSS with Trusted Types.

Search indexing

Google Search Console · URL inspection

https://gioigroup.com/bali is on Google and page indexing is passed: sitemap https://gioigroup.com/sitemap.xml, last crawl Nov 9, 2026 by Googlebot smartphone, crawl allowed, page fetch successful, indexing allowed, Google-selected canonical equals the declared canonical, and the page is served over HTTPS.



SEO and local presence


Source: docs/seo-organic-estimate.md (scope apps/web, 2026-11-09). Search Console now confirms `/bali` is indexed, which resolves the main open question in that estimate. Ranking and traffic ranges below are planning assumptions, not measurements.


Current state

Area	Status
Indexable pages	2: /bali and /privacy. Booking, confirmation and feedback send X-Robots-Tag noindex; staff pages are disallowed; unknown venue slugs return 404
On-page SEO	Title, description, canonical, og:* and twitter:* tags, descriptive image alt text. English plus Indonesian keywords on /bali only (no /id route or hreflang)
Structured data	Restaurant JSON-LD with address, E.164 phone, opening hours, geo, price range (IDR 250,000 to 300,000), menus, ReserveAction to /bali/book. No postalCode
Content	About 135 words; menus are PDFs (food menu 2.7 MB). Thin for a ranking page
Sitemap / robots	sitemap.xml lists / and venue slugs but not /privacy; robots.txt disallows staff paths
Off-page	No known backlinks or review data. On 2026-11-09 Google AI Overview for "gioi gourmet ocean reservasi" listed WhatsApp, Chope Bali, Grab Dine Out and Instagram, not the venue's own booking page

Google Business Profile

The profile now links the website to https://gioigroup.com/bali and the booking link to https://book.gioigroup.com/bali/book?src=google. The `src=google` parameter attributes bookings to Google (see the booking source tracking journey). This covers the estimate's actions 1 and 13 for links only; hours, menu, photos and reviews were not verified here.





Growth limits and scenarios

Limits: one ranking page, thin content, a high-competition Kuta local pack, no domain authority yet, and third parties (Chope, Grab, WhatsApp) owning the "reservasi" answer. Brand queries should rank first within weeks of indexing.

Phase (from indexing)	Conservative	Base	Optimistic
Weeks 0 to 2	Indexed	Indexed, brand query ranks	Brand #1
Months 1 to 3	Brand traffic only	Brand plus a few local impressions	Local impressions growing
Months 3 to 6	Little non-brand	Non-brand local page 2 to 3	Local page 1
Months 6 to 12	Non-brand still small	Steady local organic plus Maps	Meaningful share of bookings

Monthly organic visits at month 6 to 12 before adding pages: conservative tens, base low hundreds, optimistic several hundred. Most discovery will come from Google Maps and the Business Profile.

Highest-impact actions


#	Action	Effort
1	Collect and answer real reviews	Ongoing
2	Add an HTML menu page (/bali/menu) with Menu markup; compress bali-menu.pdf	Medium
3	Add 300+ words of copy: location, cuisine, hours, directions, FAQ	Medium
4	Add /privacy to the sitemap; split JSON-LD address and add postalCode	Low
5	Keep name, address and phone identical across site, GBP and listings	Low
6	Build local links (Discovery Mall, Bali food blogs, Instagram bio booking link)	Medium
7	Add an /id/bali page with hreflang if Indonesian queries show impressions	Medium

Web analytics

Vercel Web Analytics · gioi-web, production, last 7 days

49	230	59%	1
Visitors	Page views	Bounce rate	Online now


Traffic arrived on Nov 8 and peaked on Nov 9. /bali leads with 46 visitors, then /bali/book (17), /login (7), / (5) and /admin (5). Desktop is 57% of visitors, mobile 41% and tablet 2%. Indonesia is 51% and the United States 29%. Referrers are gioigroup.com (8), vercel.com (6) and google.com (2). No custom events or flags are configured. Admin and login paths appear in the public analytics, so part of the sample is staff and test traffic.




PostHog Web analytics · book.gioigroup.com, last 7 days

8	32	15	33%
Visitors	Page views	Sessions	Bounce rate

Average session duration is 15m 50s. /bali/book has 5 visitors and 23 views (28.6% bounce); /bali has 4 visitors and 9 views (42.9% bounce). Direct brings 8 visitors, Referral 3. Desktop and mobile each have 4 visitors, desktop with 24 views and mobile 8. Traffic is mainly Indonesia and the United States. Activity began Nov 8 and peaked Nov 9, with Monday 10:00 to 11:00 UTC the busiest hours. Error tracking is not set up, no conversion action is defined, and retention is 0% in week 1 for the Nov 1 to 7 cohort. The sample is very small, and the book. host only, so it is not comparable with the Vercel figures above.



Geography by Map Open as insight ···



Retention Open as insight ···

Cohort	Size	Week 0	Week 1
Mean	4	0.0%	0.0%
Nov 1 to Nov 7	0	0.0%	0.0%
Nov 8 to Nov 14	8	100.0%	

Active hours by Unique users Open as insight ···


	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	All
Sun	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mon	0	0	0	0	0	0	0	0	0	0	3	3	1	1	1	2	0	0	0	0	0	0	1	0	8
Tue	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Wed	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thu	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Fri	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sat	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
All	1	1	0	1	0	0	0	0	0	0	3	3	1	1	1	2	0	0	0	0	0	0	1	0	8

Data shown in timezone: UTC (UTC±0:00) Change

Vercel Firewall · gioi-web, traffic, past day

527	61	0	Inactive
Requests denied	Requests challenged	Custom rules	Bot Protection

The firewall is active with system mitigations on; the DDoS Mitigation filter is applied. Traffic peaks at about 250 requests in one interval, with smaller spikes later in the day. Two Google-hosted IPs (34.76.33.44 with 251 and 34.22.196.121 with 123) and the AS Google LLC (375) lead, followed by DigitalOcean (68). Most user agents are Windows Chrome (367), and one is the i9scan scanner (29). Top request paths include /, /.git/config (12), /.env (11), /.svn/entries (7) and /config.json (7), which are typical secret-hunting probes. Hosts hit are gioigroup.com (343), www.gioigroup.com (167) and book.gioigroup.com (78). No custom rules are set and Bot Protection is inactive. Reading these as automated scanning is an inference from the paths and sources; the dashboard does not label them.



Method and limits: the pentest was black-box with no source access and /ingest/ **excluded; ZAP was passive; QA ran on the dev database, not production. Raw outputs: gioi/strix_runs/host-docker-internal-3002_7cee/, /tmp/gioi-{api,web}-semgrep.json, cve-mcp.json, zap/zap-report.json.**