






R?: No utiliza atenuador digital por pasos
R25: No adapta impedancia de entra de 50 Ohm al PE4312
R26: Adapta impedancia de 50 ohm a la entrada del PE4312


Title		
Size	Number	Revision
A4		
Date:	2/08/2026	Sheet of
File:	D:\aguar\...\Canal-DDS.V03.R00.SchDoc	Drawn By:



DDS AD9102




CAPACITORES DE BYPASS



SEÑAL DE SALIDA


Title		
Size	Number	Revision
A4		
Date:	2/08/2026	Sheet of
File:	D:\guat\...\Sintetizador-AD9102.V03.R001	By:

Convierte la corriente de salida
diferencial
a tensión diferencial.




CONVERSOR CORRIENTE A TENSIÓN

Convierte de tensión diferencial a
salida simple




AMPLIFICADOR RESTADOR

$G = 2$
 $DC = 0$
 $V_o = -2 \text{ a } 2 \text{ Vp}$



CAPACITORES DE BYPASS




CAPACITORES DE BYPASS


Title		
Size	Number	Revision
A4		
Date:	2/08/2026	Sheet of
File:	D:\aguar\...DifferentialToSingleOutput.V	01001841.D

La entrada de RFIN debe tener una componente de continua DC = 0 V.

DATA: Dato serie de 6 bits
CLK: Reloj para modo serie
LE: Latch Enable




ATENUADOR DIGITAL POR PASOS PE4312




CONFIGURACION MODO PARALELO/SERIAL




P/S	LE	PUP2	PUP1	Attenuation State
0	0	0	0	Reference Loss
0	0	1	0	8 dB
0	0	0	1	16 dB
0	0	1	1	31.5 dB
0	1	X	X	Defined by C0.5-C16




CONFIGURAR PULL UPS




Title		
Size	Number	Revision
A4		
Date:	2/08/2026	Sheet of
File:	D:\aguar\PE4312.V03.R00.SchDoc	Drawn By:



Title		
Size	Number	Revision
A4		
Date:	2/08/2026	Sheet of
File:	D:\aguar\...\Offset.V03.R00.SchDoc	Drawn By:






AMPLIFICADOR PRINCIPAL-SALIDA 50 OHM




CAPACITORES DE BYPASS


Title		
Size	Number	Revision
A4		
Date:	2/08/2026	Sheet of
File:	D:\aguar\Amplificador.V03.R00.SchDocDrawn By:	



Title			
Size	Number		Revision
A4			
Date:	2/08/2026		Sheet of
File:	D:\aguar\...\SI5351.V03.R00.SchDoc		Drawn By:





CONVERSOR DE CMOS A LVPECL





CAPACITORES DE BYPASS



Title		
Size	Number	Revision
A4		
Date:	2/08/2026	Sheet of
File:	D:\aguar\...\SY55857L.V03.R00.SchDoc	Drawn By:






Title		
Size	Number	Revision
A4		
Date:	2/08/2026	Sheet of
File:	D:\aguar\...\MCP4725.V03.R00.SchDoc	Drawn By:






Title		
Size A4	Number	Revision
Date:	2/08/2026	Sheet of
File:	D:\aguar\...\OPA41971.V03.R00.SchDoc	Drawn By:






Title		
Size	Number	Revision
A4		
Date:	2/08/2026	Sheet of
File:	D:\aguar\BNC-OUTPUT.V03.R00.Sch	Drawn By:





Title		
Size	Number	Revision
A4		
Date:	2/08/2026	Sheet of
File:	D:\aguar\ConexionesPanelFrontal.V03.H00.Sch.Doc	100



Title		
Size	Number	Revision
A4		
Date:	2/08/2026	Sheet of
File:	D:\aguar\Alimentacion.V03.R00.SchDoc	Drawn By:



Title		
Size	Number	Revision
A4		
Date:	2/08/2026	Sheet of
File:	D:\aguar\ReferenciaTensionDDS.V03.R00.SchDoc	00



Title		
Size	Number	Revision
A4		
Date:	2/08/2026	Sheet of
File:	D:\aguar\...\MemoriaEEPROM.V03.R00.SchDoc	Drawn By:

