

1	2	3	4
A			A
B			B
C			C
D			D
1	2	3	4

Title

Size

A4

Number

Revision

Date:

1/17/2026

Sheet of

File:

D:\aguar\...\Control-Principal.V03.R00.Sch

Drawn By:

Comment	Description	Designator	Footprint	LibRef	Quantity
USBLC6-2SC6	TVS Diode Array Uni-Directional USBLC6-2SC6 17V, SOT-23 6-Pin	B?	SOT95P280X145-6N	USBLC6-2SC6	1
1u		C?	CAPC2013X140X50NL20T25	CMP-2007-04663-1	1
2.2uF	CC0603 2.2 uF X5R 10.00% 16 V	C?	FP-CC0603-DA-MFG	CMP-03422-000187-1	1
4.7uF	Chip Multilayer Ceramic Capacitors for General Purpose, 0805, 4.7uF, X6S, 22%, 20%, 35V	C?	FP-GRM21B-0_15-IPC_A	CMP-06035-033280-1	1
10u	WCAP-ASLI Radial Can - SMD aluminum electrolytic capacitor 0.248Dia 6.30mm ±20% 10muF 80V	C?	WCAP-ASLI_D6.3H7.7	CMP-03913-89507488-2	2
15p		C?	CAPC2013X94X50NL20T25	CMP-1036-01049-2	2
100n	CC0805KKX7RYBB104 Capacitor Ceramic 0.01uF 250V X7R 10% 0805 T/R	C?	FP-CC0805-EB-MFG	CMP-00621-107850848-1	10
MBR120VLSFT1G	Guardring for Stress Protection; Optimized for Very Low Forward Voltage; 125 C Operating Junction Temperature; Epoxy Meets UL94, VO; Package Designed for Optimal Automated Board Assembly; ESD Rated Machine Model C; ESD Rated Human Body Model 3B; Device Meets MSL 1 Requirements; Pb-Free Packages are Available	D?	SODFL3616X98N	MBR120VLSFT1G	4
MPZ1608S331ATA00	Power line Ferrite Bead 330Ω @ 100MHz 1.7A DCR 0.08Ω SMD 0603	FB?	FP-MPZ1608-0_8-IPC_C	CMP-08257-000202-1	1
USB4105-GF-A	CONN RCPT USB2.0 TYPEC 5A	J?	FP-USB4105-GF-A-MFG	CMP-245163-000001-1	1
1k-1%		R?	RESC2013X50X30ML20T20	CMP-2001-04268-1	2
5K1	RES SMD 5.1K OHM 0.1% 1/8W 0805	R?	FP-RT0805-MFG	CMP-2001-01553-2	2
33	RES Thick Film, 33Ω, 5%, 0.5W, 200ppm/°C, 0805	R?	FP-CRCW0805-HPe3-MFG	CMP-02407-005919-1	2
DFN		R?	RESC2013X50X30ML20T20	CMP-2001-04268-1	1
2-1977223-2	SWITCH TACTILE SPST-NO 0.05A 24V	SW?	FP-2-1977223-2-MFG	CMP-03407-000026-1	2
NCP1117ST33T3G	Low-Dropout Positive Fixed Voltage Regulator, 1 A, 3.3 V Output Voltage, 0 to 125 degC, 4-Pin SOT-223 (318H-01), Pb-Free, Tape and Reel	U?	ONSC-SOT-223-4-318H-01_A_V	CMP-1679-00010-1	1
RP2040	32-Bit Dual-Core ARM Cortex-M0+ Microcontroller	U?	QFN-56-EP	RP2040	1
W25Q16JVUXIQ	IC FLASH 16MBIT SPI/QUAD 8USON	U?	FP-UX-MFG	CMP-78876-000011-1	1
ABM8-272-T3	Crystal, 12 MHz, SMD, 3.2mm x 2.5mm, 30 ppm, 10 pF, 30 ppm, ABM8 Series	X?	ABM8272T3	ABM8-272-T3	1