## Assignment-3

Name: Ahab Anwer

Regd.no-2341001097

Section:23412G1

Q1) write a jquery program that lets a user apply one of two classes ('highlight' and 'dim') to a <div> element by clicking two different buttons, the highlighted class should set the background color of the <div> to yellow while the "dim" class should reduce the opacity of the <div> ensure that clicking the add highlight button applies the highlight class and clicking the 'add dim' button applies the 'dim' class with the previously applied class being removed before the new one is added

```
CODE:-
<html>
<head>
<title>Ahab Anwer , Assignment-3,Q-1</title>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script>
$(document).ready(function() {
$("#btn1").click(function() {
$('#myDiv').removeClass('dim').addClass('highlight');
 });
$("#btn2").click(function() {
$('#myDiv').removeClass('highlight').addClass('dim');
 });
 });
</script>
<style>
.highlight {
background-color: yellow;
 }
.dim {
 background-color:rgba(241, 248, 28, 0.7);
 opacity: 0.7;
```

```
}
#myDiv {
 width: 200px;
 height: 100px;
 border: 1px solid #000;
 margin-top: 20px;
    }
</style>
</head>
<body>
<button id="btn1">Add Highlight</button>
<button id="btn2">Add Dim</button>
<div id="myDiv">Hi, Iam Ahab Anwer</div>
</body>
</html>
OUTPUT:-
Add Highlight Add Dim
Hi, Iam Ahab Anwer
Add Highlight Add Dim
Hi, Iam Ahab Anwer
Add Highlight Add Dim
Hi, Iam Ahab Anwer
```

```
Q2) Write code to display a popup box without using the JavaScript alert0 function.
CODE:-
<html>
<head>
<title>Ahab Anwer,Assignment-3,Q-2</title>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script>
$(document).ready(function(){
$("#btn1").click(function(){
$("#pop").css({"height":"150px","width":"150px","border":"2px solid black","text-
align":"center",}).text("Hi ,I am Ahab Anwer");
});
});
</script>
<style>
button{
width:100px;
height:50px;
}
</style>
</head>
<body>
<button id="btn1">Pop Up! </button>
<div id="pop">
</div>
</body>
</html>
OUTPUT:-
```

Pop Up!

Pop Upl
Hi ,I am Ahab Anwer

Q3) Create a webpage using j querry that contains a table displaying student data and an 'Add Row' button. The 'Add Row' button should add a new row with data from input fields each time it is clicked. Additionally, include a 'Change Color' button to change the text color of all table data to red.

```
});
$("#btn2").click(function () {
$("tr").css("color", "red");
    })
   });
</script>
<style>
table {
border-collapse: collapse;
}
th,
td {
padding: 10px;
   }
</style>
</head>
<body>
 <thead>
    Manufacture
      Model
      Engine
      Year
```

```
</thead>
 Lamborghini
   Aventador SVJ
   V10
   2019
  Bugatti
   Bugatti Chiron
   W16
   2016
  Mercedes
   SLR Mclaren
   V8
   2003
  <br>
<button id="btn1">Add Row</button>
<button id="btn2">Change Color</button>
```

</body>

</html>

OUTPUT:-

. . . .

| Manufacture | Model          | Engine | Year |
|-------------|----------------|--------|------|
| Lamborghini | Aventador SVJ  | V10    | 2019 |
| Bugatti     | Bugatti Chiron | W16    | 2016 |
| Mercedes    | SLR Mclaren    | V8     | 2003 |

Add Row Change Color

| Manufacture | Model              | Engine | Year |
|-------------|--------------------|--------|------|
| Lamborghini | Aventador SVJ      | V10    | 2019 |
| Bugatti     | Bugatti Chiron     | W16    | 2016 |
| Mercedes    | SLR Mclaren        | V8     | 2003 |
| Ferrari     | Ferrari 458-italia | V8     | 2009 |

Add Row Change Color

| Manufacture | Model              | Engine | Year |
|-------------|--------------------|--------|------|
| Lamborghini | Aventador SVJ      | V10    | 2019 |
| Bugatti     | Bugatti Chiron     | W16    | 2016 |
| Mercedes    | SLR Mclaren        | V8     | 2003 |
| Ferrari     | Ferrari 458-italia | V8     | 2009 |

Add Row Change Color