SECURE TECH CONSULTANCY (PVT) LTD

Website Documentation

Technology, design system, content and delivery

REVISION 1.0 · 10 AUGUST 2026

CONTENTS

01 · What the site is	Purpose, pages, audience
02 · Technology	Framework, libraries, exact versions
03 · Colour system	Every token, with hex values and usage rules
04 · Typography	Families, weights, the fluid type scale
05 · Motion system	Easing, durations, travel, reduced motion
06 · The four signature interactions	How each animation actually works
07 · Page by page	Every section on every page, in order
08 · File and component map	Where everything lives
09 · Content and data	What to edit to change what
10 · Images and assets	Full inventory and where each came from
11 · Accessibility	What was done and why
12 · Performance	Measured build output
13 · Hosting and deployment	Vercel, headers, how to ship
14 · Known gaps and next steps	What still needs the client

Live production deployment

https://securetech-next-ruddy.vercel.app

01 · What the site is

A six-page marketing website for **Secure Tech Consultancy (Pvt) Ltd**, an IT consulting and systems integration firm founded in Islamabad in 2008. The company designs and deploys biometric verification, secure documentation and access control systems for governments, telecom operators and banks across Pakistan, the Middle East and Africa.

The site's job is to make a procurement-grade case to a specialist audience — programme owners, regulators and integrators — rather than to convert a general visitor. Every design decision below follows from that: restrained display type, one accent colour, evidence rather than adjectives, and motion that is felt at the edge of attention rather than watched.

Pages

ROUTE	PAGE	WHAT IT COVERS
/	Home	Positioning, capabilities, the product suite, why choose us
/products	Products	The full catalogue — 15 products across two pinned scroll rails
/about	About Us	Who we are, vision, leadership, team, awards, partners
/company	Company	The delivery record — metrics, timeline, recognition, sectors
/careers	Careers	Benefits, current vacancies, hiring process, partners
/contact	Contact	Enquiry form and office locations

Two related but distinct companies

Secure Tech Consultancy and Secure Tech Cards are separate legal entities in the same group. The Cards company is a GSMA SAS-UP accredited SIM manufacturer; the Consultancy is not. Structure and accreditation claims are shared where they are genuinely shared (the group holds GSMA SAS-UP and ISO/IEC 27001:2022), but the copy on this site was written for the Consultancy specifically and never lifted from the Cards site.

02 · Technology

PACKAGE	VERSION	WHAT IT DOES AND WHY IT WAS CHOSEN
next	15.5 (App Router)	React framework. Every page is statically prerendered at build time, so there is no server to run and no cold start.
react / react-dom	19.0	UI runtime.
typescript	5.x	Product records, client logos and awards are typed, so a typo in the data is a build error rather than a broken page.
tailwindcss	4.1	Utility CSS. In v4 the design tokens live in CSS (@theme) rather than a JavaScript config, which is why globals.css is the single source of truth for the design system.
gsap	3.13	Scroll-driven work: reveals, pinned sections, split-text headlines.
@gsap/react	2.1	The useGSAP hook — scoped animations with automatic cleanup.
gsap/ScrollTrigger	bundled	Scroll positions and once-only reveals.
gsap/SplitText	bundled	Splits headlines into lines for the masked reveal.
gsap/CustomEase	bundled	Registers the site's one easing curve so GSAP and CSS run the identical bezier.

PACKAGE	VERSION	WHAT IT DOES AND WHY IT WAS CHOSEN
framer-motion	12.23	Component-level motion: cards, buttons, enter/exit transitions, the product switcher.
lenis	1.3	Smooth scrolling — the weighted glide.
lucide-react	0.544	Icon set. One consistent stroke weight throughout.
@radix-ui/*	accordion, label, select, slot, tabs	Unstyled accessible primitives for the enquiry form and interactive panels.
clsx + tailwind-merge	2.1 / 3.3	Conditional class names that resolve Tailwind conflicts correctly.
class-variance-authority	0.7	Typed component variants (button tones, card surfaces).
tw-animate-css	1.3	A small set of keyframe helpers on top of Tailwind.
eslint + eslint-config-next	9 / 15.5	Linting.

The one architectural rule

GSAP and Lenis share **one** animation loop. Lenis runs with `autoRaf: false` and is stepped by GSAP's ticker inside `SmoothScrollProvider.tsx`. Two independent requestAnimationFrame loops produce a frame of jitter between the scroll position and everything driven by it, which is the usual cause of reveals that fire a beat late. If a new animation library is ever added, it must join this loop rather than start its own.

Rendering

All six pages plus the 404 are prerendered as static content. Nothing is server-rendered per request, nothing is client-fetched on load. Components that need browser APIs (anything with scroll or motion) are marked `"use client"` and hydrate after the static HTML has already painted.

03 · Colour system

White is the substrate. Blue is the only interactive accent. Green carries exactly one meaning — verification — and never competes with blue inside a component. All tokens are declared in `src/app/globals.css` under `@theme`.

Brand blue — the official #136CB3, extended into a working scale

	TOKEN / HEX	WHERE IT IS USED
	brand-50 `#F2F7FC`	Page gradients, hero wash, hover fills
	brand-100 `#E2EDF7`	Soft tinted backgrounds
	brand-200 `#BFD8EC`	Card borders on hover
	brand-300 `#8FBBDD`	Eyebrows and labels on dark surfaces
	brand-400 `#4D93C9`	Progress fills on dark, hover borders
	brand-500 `#136CB3`	THE brand colour. Primary buttons, links, icons, active states
	brand-600 `#0F5A96`	The duotone wash over photographic tiles
	brand-700 `#0C4676`	Deep accents
	brand-800 `#093556`	Rarely used; deep accents on navy
	brand-900 `#06253C`	The lit-room radial inside the navy surface

Verification green — the official #6DAC50

One meaning only: something has been verified. It appears as the pip beside a certification, the underline under the word “verified” in the home headline, the scan sweep across the Products hero device, and nowhere else.

	TOKEN / HEX	WHERE IT IS USED
	verify-50 `#F4F9F1`	Very light verification backgrounds
	verify-100 `#E5F1DE`	Verification badge fills
	verify-300 `#A8CE94`	Muted verification marks
	verify-500 `#6DAC50`	The verification signal — pips, the headline underline, the hero scan line
	verify-600 `#5A9040`	Hover state on verification elements

	TOKEN / HEX	WHERE IT IS USED
	verify-700 `#457030`	Deep verification accents

Ink — the neutral ramp

The dark end is a true navy-black rather than a mid blue, so dark surfaces read as depth rather than as more brand colour.

	TOKEN / HEX	WHERE IT IS USED
	ink-50 `#F7F9FB`	Alternating section backgrounds, image plinths
	ink-100 `#ECEFF4`	Button tiles, image placeholders
	ink-200 `#D8DFE8`	Dividers
	ink-300 `#B2BFCD`	Disabled text
	ink-400 `#8695A8`	Faint UI text
	ink-500 `#596A80`	Mono labels, eyebrows, captions
	ink-600 `#3B4C63`	Body copy
	ink-700 `#22334A`	Emphasised body copy
	ink-800 `#101E31`	Award rows and strong body text
	ink-900 `#08111E`	Headlines, primary text, dark buttons
	ink-950 `#040A13`	The navy surface base, caption scrims

Derived values

TOKEN	VALUE	USED FOR
--hairline	#0A1626 at 9%	Every thin rule and card border on light surfaces
--hairline-strong	#0A1626 at 16%	Ghost button borders, icon tiles
--nav-h	4.75rem	Navigation height; hero top padding is derived from it
themeColor	#136CB3	The browser chrome colour on mobile
.surface-navy	ink-950 + two radials	The one dark surface treatment. A flat fill at this depth looks like a void; the two barely visible radials (brand-900 top right, ink-800 bottom left) give it the sense of a lit room.

Textures

UTILITY	WHAT IT IS	WHY
.grain	Inline SVG fractal noise at 3% opacity	Stops large flat fills reading as flat vector. A large part of why an expensive-looking site feels physical.
.dot-matrix	1px radial dots on a 22px grid, radially masked	The machine-readable texture on navy surfaces — register, not decoration.

04 · Typography

Two families, both loaded through `next/font/google`, which self-hosts the files at build time. There is no request to Google's servers at runtime, and no layout shift beyond the swap.

FAMILY	ROLE	WEIGHTS	CSS VARIABLE
Instrument Sans	Everything — display type, headings, body, buttons	400 Regular, 500 Medium, 600 SemiBold, 700 Bold	--font-instrument
IBM Plex Mono	Eyebrows, section indices, specs, stat labels, breadcrumbs	400 Regular, 500 Medium	--font-plex-mono

Both are loaded with `display: swap` and the Latin subset only.

Why a mono face at all

The IBM Plex Mono eyebrow — a two-digit section index, a hairline rule, then an uppercase label — is the register that separates this from a generic landing page. It reads as instrumentation, which is the correct voice for an identity business.

The fluid display scale

Every size is a `clamp()`, so type scales with the viewport rather than stepping at breakpoints. The scale was deliberately pulled back from an earlier, louder setting: an agency site can shout at 100px, an enterprise consultancy should not.

TOKEN	SIZE	LINE HEIGHT	TRACKING	WEIGHT	USED FOR
display-2xl	clamp(2.75rem, 5.8vw, 5.5rem)	0.98	-0.034em	500	Product Suite heading, the switcher's product name
display-xl	clamp(2.375rem, 4.6vw, 4.25rem)	1.02	-0.030em	500	Home and Products page H1
display-lg	clamp(1.875rem, 3.3vw, 3rem)	1.08	-0.026em	500	Section headings, inner page H1

TOKEN	SIZE	LINE HEIGHT	TRACKING	WEIGHT	USED FOR
display-md	clamp(1.5rem, 2.1vw, 2rem)	1.18	-0.020em	500	Sub-section headings
display-sm	clamp(1.25rem, 1.6vw, 1.5rem)	1.28	-0.015em	500	Card titles, names
lede	clamp(1.0625rem, 1.1vw, 1.125rem)	1.65	—	400	Standfirst paragraphs, max 36em wide
label	0.6875rem	1	0.14em	500	Mono eyebrows and labels, always uppercase
body	1rem	1.68	—	400	Default body copy

05 · Motion system

One vocabulary, shared by GSAP and Framer Motion, declared in `src/lib/motion.ts`. The point of centralising it is that a scroll-driven tween and a CSS hover on the same section cannot drift apart.

Easing

NAME	CURVE	USED FOR
expo (primary)	cubic-bezier(0.22, 1, 0.36, 1)	easeOutQuint. Leaves immediately, decelerates for a long time. Every reveal and every hover on the site. Registered with GSAP CustomEase as “quint” so both engines run literally the same curve.
inOut	cubic-bezier(0.62, 0.05, 0.3, 1)	Things that leave as well as arrive — the hero scan sweep.
snap	cubic-bezier(0.33, 1, 0.68, 1)	Short, mechanical. Tiny state flips.

Durations, in seconds

TOKEN	VALUE	USED FOR
micro	0.16	Instant feedback
fast	0.24	Small hovers
base	0.36	Standard state transitions
slow	0.58	Entrances
reveal	0.72	Scroll reveals
long	1.00	Display type only — a masked line travelling its own height needs the extra beat to read as deliberate rather than nervous

Travel and stagger

Travel distances are 10 / 16 / 24px. Deliberately small: on a consultancy site movement should be felt at the edge of attention, and anything past roughly 24px starts reading as a slide-deck transition. Stagger steps are 0.03–0.06s — tight enough that a row of cards reads as one gesture rather than a queue.

Reduced motion

Honoured in three places, so there is no path that misses it: `prefersReducedMotion()` guards every GSAP timeline, `useReducedMotion()` guards the Framer components, and a `@media (prefers-reduced-motion: reduce)` block in globals.css collapses any remaining CSS animation to 0.01ms. The two pinned sections drop their pin entirely and fall back to plain scrollable strips.

The blank-page guard

Anything GSAP fades in starts at opacity 0 — but only once JavaScript has confirmed it is running, via a `js-ready` class set on the html element by the scroll provider. A failed or blocked bundle can therefore never leave a visitor looking at a blank page.

06 · The four signature interactions

1 · Home — the pinned Product Suite switcher

`src/components/products/ProductSwitcher.tsx`

The section holds the viewport and the **product** changes as you scroll — one device at a time, its copy on the left and its render on the right.

- A tall runway sets how long the section lasts: 0.8 × viewport height per product. Six products means 100vh + 480vh.
- A sticky, full-height frame sits inside that runway.
- A scroll listener maps progress through the runway to an **index**. Nothing else is scroll-driven — the swap itself is a normal enter/exit transition, which is what keeps it smooth on a trackpad that delivers scroll in lumps.
- Direction matters: scrolling down brings the next device in from the right, scrolling back brings the previous one in from the left. The motion always agrees with the gesture.
- On screen alongside: a progress rule, and a clickable index row of all six product names. Clicking one scrolls through Lenis to the centre of that product's segment.
- Below 1024px, and under reduced motion, there is no pin at all — it degrades to a native swipe strip of cards. Pinning six screens on a phone is a trap: you cannot leave the section without scrolling all of it.

2 · Products — the pinned horizontal rails

`src/components/products/ProductScroller.tsx`

The catalogue as two pinned horizontal rails: **The TPS family** (8 handheld and facial terminals) and **The platforms behind them** (7 software platforms). Same shape as the switcher — runway, sticky frame, scroll-mapped progress — but here progress maps to a shared horizontal offset and each card is then transformed individually.

- **Vertical stagger.** Cards sit on a repeating [0, +100, 0, –120]px pattern, so the row reads as a drifting wave rather than a rigid strip.
- **Approach scale.** A card enters at 0.7 and reaches 1.0 only once its centre crosses a focus line about 22% in from the left, so cards visibly grow as they travel toward you.
- **Lerp smoothing at 0.14.** The track chases the scroll-derived target rather than snapping to it. This is what produces the weight.
- Below 992px and under reduced motion every transform is dropped and the rail becomes a plain native swipe strip.

3 · Products — the hero device on the ridge

`src/components/sections/ProductsHero.tsx`

The device-on-a-ridge composition. It was taken off the home page because a floating terminal reads as product marketing rather than consultancy — which is exactly right on the page whose whole subject is the hardware. Three things move, all cheap: the ridge rings draw outward then rotate very slowly; the device unclips, settles and floats on a long 3.4s yoyo; and a single scan line sweeps the frame. The labels beside the device are read off the product record, not typed into the component, so they cannot drift from the catalogue.

4 · Home — the What we do cards

`src/components/sections/Services.tsx`

Four capability cards on a 2×2 grid. Each comes up from scale 0.96 and an 18px lift on the expo curve over 0.55s, staggered 0.06s, fired once when 15% of the grid is in view. Hover is three cheap composited changes at once — a 3px lift, the border warming to brand, and a wash fading up from the bottom edge. No scale, no shadow bloom,

nothing that moves the text. The whole card is the click target.

This is the exact entrance the Products catalogue grid used to run. It moved here when the Products page went over to rails, and the numbers were kept identical on purpose — two pages should not run two nearly identical card animations that differ by a hair.

Supporting motion used throughout

COMPONENT	WHAT IT DOES
SplitReveal	Splits a headline into lines with GSAP SplitText and reveals each from behind a mask
Reveal	The standard scroll fade-and-rise; optionally staggers its own children
MaskedImage	Image unclipping from one edge, with optional parallax
Counter	Counts a statistic up when it enters view
Magnetic	Cursor attraction, available but off by default — it reads playful, which is right for a studio and wrong for a consultancy
Parallax	Slow vertical drift on decorative imagery
RidgeMotif	The signature graphic: fingerprint ridges crossed with a radar sweep. Fourteen concentric ellipses that draw on via stroke-dashoffset and rotate once every four minutes

07 · Page by page

Sections in the order a visitor meets them.

Home — /

#	SECTION	WHAT IT DOES
—	Hero	The headline, the head office photograph, and a four-stat band. The word “verified” takes the single sanctioned use of green inside display type.
—	CTA	Moved directly beneath the hero on request: the page states the proposition, then immediately offers the next step.
—	TrustMarquee	A seamless looping rail of 14 client logos, greyscale at rest, paused on hover.
01	Services — What we do	The four capability cards.
02	FeaturedProducts — Product Suite	The pinned product switcher, on navy.
—	FactoryShowcase	The group's manufacturing capability.
—	WhyChooseUs	Certifications and awards as supporting evidence.

Products — /products

#	SECTION	WHAT IT DOES
—	ProductsHero	Device on the ridge, breadcrumb, headline, two calls to action, three counts.
01	ProductRails — The TPS family	Pinned horizontal rail, 8 terminals.
02	ProductRails — The platforms	Pinned horizontal rail, 7 software platforms.
—	CardFactorySolution	The group's card factory offering.
—	CTA	Request a specification.

About Us — /about

#	SECTION	WHAT IT DOES
—	PageHeader	Breadcrumb, headline, standfirst, rotating ridge.
01	Who we are	Head office photograph, the practice, headquarters and founding year.
02	Our vision	On navy. The four values — Ambition, Integrity, Transformation, Innovation.
03	Leadership	Chairman with portrait and quoted message; CEO's message paraphrased in third person. Group accreditation below.
04	Our team	Engineers, not account managers. Team photograph.
05	Awards	The five awards as a two-column ruled list.
06	Partners & customers	The full 20-logo grid.
—	CTA	Seventeen years of delivery, available to you.

Company — /company

#	SECTION	WHAT IT DOES
—	PageHeader / Metrics	Headline and the headline numbers.

#	SECTION	WHAT IT DOES
—	Positioning	What the company is for.
—	Timeline	The delivery record, year by year.
03	Recognition	Awards paired with the accreditations auditors actually check, in a sticky rail.
—	Sectors	The industries served.

Careers — /careers · Contact — /contact

#	SECTION	WHAT IT DOES
01	Benefits	Why work here.
02	Vacancies	Current openings.
03	HiringProcess	How hiring works.
04	Partners	Who you would be building for — the same logo grid, different copy.
—	ContactPanel / EnquiryForm / Offices	The enquiry form and every office location.

08 · File and component map

```
src/
  app/                    One folder per route, one page.tsx per page
    globals.css           Design tokens, utilities, keyframes  ← START HERE
    layout.tsx            Fonts, metadata, nav, footer, smooth scroll provider
  components/
    brand/                ArrowButton, Eyebrow, Pip, RidgeMotif, Logo
    cards/                ProductCard, RoleCard
    motion/               Reveal, SplitReveal, MaskedImage, Parallax, Counter, Magnetic
    products/             ProductSwitcher, ProductScroller  ← the two big ones
    sections/             One file per page section (23 files)
    layout/               Navbar, Footer, MobileMenu
    forms/                EnquiryForm
    providers/            SmoothScrollProvider (Lenis + GSAP, one loop)
  data/                   All copy and product/client records
  lib/                    gsap.ts (plugin registration), motion.ts (tokens), utils.ts
public/
  brand/  images/         clients, facility, people, products, solutions
```

Rule of thumb: text, product specifications, client logos and awards are **data**, not markup. Edit the files in `src/data/`, not the components.

09 · Content and data

TO CHANGE…	EDIT
Company name, phone, fax, address, email, office hours	src/data/site.ts → SITE
Navigation links	src/data/site.ts → NAV_LINKS
Certifications (GSMA SAS-UP, ISO 27001)	src/data/site.ts → CERTIFICATIONS
The five awards	src/data/site.ts → AWARDS
Home page hero statistics	src/data/site.ts → HERO_STATS
Products, specifications, brochure links	src/data/products.ts → PRODUCTS
Which products appear in the home switcher, and in what order	src/data/products.ts → SHOWCASE_ORDER
Client and partner logos	src/data/clients.ts → CLIENTS, ALL_CLIENTS
The four capabilities	src/data/services.ts → SERVICES
Timeline, metrics, sectors, offices, vacancies	src/data/company.ts

Adding a product

Add the record to `PRODUCTS`, drop the image in `public/images/products/`, and set `width` and `height` to the file's **true** intrinsic size. That last part matters: the existing images range from 528×374 to 996×2011, and a wrong ratio makes Next.js reserve the wrong box, which both shifts the layout on load and letterboxes the device to the wrong apparent size.

Entries added to `SHOWCASE_ORDER` must be landscape cut-out device renders and must carry a `tagline` — the switcher shows the tagline in full rather than truncating the long description.

10 · Images and assets

40 files, roughly 3.0 MB in total before Next.js optimisation. Every image is served through `next/image`, which generates modern formats and correctly sized variants at request time and caches them at the edge.

Where each group came from

FOLDER	FILES	SOURCE
public/brand/	logo.png	The company's own wordmark.
public/images/clients/	20 logos	Lifted from the customers section of the company's existing site, securetech-consultancy.com/assets/images/customers/. These are the customers' own trademarks, reproduced to identify them as customers.
public/images/products/	8 device renders	The TPS product renders from securetech-consultancy.com/assets/images/products/. Cut-outs on transparency — which is why they can float on a plinth and be scaled in the rails without showing a background edge.
public/images/facility/	head-office.jpg, hq-entrance.jpg	The company's own building, photographed at dusk. Both come from the group's Cards site (securetech-cards.com), where they appear as Cards/25.jpg and Cards/26.jpg. These are genuine photographs of Secure Tech Towers, I-9/3, Islamabad.
public/images/people/	chairman.jpg, team.jpg	The Chairman's portrait and the team photograph, both from the group's Cards site.
public/images/solutions/	7 tiles	Stock library photography, carried over from the existing securetech-consultancy.com site. See the note below.

An honest note on the solution tiles

The seven images illustrating the software platforms are commercial stock photography — fingerprints on glass, hands touching network diagrams, and so on. They were inherited from the company's existing website. Both reference sites the client supplied (securetech-cards.com and securetech-consultancy.com) were checked for better material, and **both carry the same stock images already in this repository**. There was nothing new to pull.

Rather than swap one stock photograph for another, all photographic tiles are now rendered greyscale beneath a single mix-blend-color wash in brand blue. That collapses seven unrelated stock shots into one deliberate treatment — still photographs, but unmistakably this site's photographs. Device renders are excluded from the treatment; cut-outs must keep their true colour.

What the client still needs to supply

Only four genuine photographs of the company exist anywhere across both sites: the head office at dusk, the entrance at dusk, the team, and the Chairman. The two building shots are currently reused three times each across the site. To fix the “everything looks the same” problem properly, real photographs are needed — the production floor, enrolment in the field, a terminal in a retailer's hands, the office interior. They drop into `public/images/facility/` or `solutions/` and the relevant `src` is repointed. It is a ten-minute change once the files exist.

Deliberate omissions

- **No CEO photograph.** The only portrait supplied anywhere is captioned “Chairman” at source. Reusing it for a second named individual would misattribute a real person's photograph, so the CEO block carries a monogram placeholder until one is supplied.
- **The CEO's message is paraphrased, not quoted.** Attributing invented direct speech to a real, named executive would misrepresent what he has actually said, so his message is described in third person.

- **Product brochures are linked, not copied.** The eight TPS brochure PDFs open from securetech-consultancy.com/assets/pdf/ rather than being duplicated into this repository, so the authoritative version stays in one place.

11 · Accessibility

- Every decorative layer — grain, dot matrix, ridges, glows, scan lines — is `aria-hidden` and `pointer-events-none`, so none of it reaches assistive technology or intercepts a click.
- A **Skip to content** link is the first focusable element on every page.
- Focus rings are a 2px brand outline at 3px offset and are never removed.
- Reduced motion is honoured by every animated component; both pinned sections drop their pin entirely.
- The client marquee renders its track twice for a seamless loop; the second copy is `aria-hidden` so a screen reader does not read twenty logos twice.
- All logos carry real alt text naming the organisation. Device images are named. Photographic tiles describe what they show.
- The product switcher's index row is a list of real buttons carrying `aria-current`, so the active product is announced and every product is reachable by keyboard without scrolling.
- Colour is never the only carrier of meaning — verification is a pip plus a label, not a green tint alone.
- Headings run in document order on every page; there is no styled-as-a-heading text outside the heading hierarchy.

12 · Performance

Measured from the production build, not estimated.

ROUTE	PAGE JS	FIRST LOAD JS	RENDERING
/	12.7 kB	241 kB	Static, prerendered
/products	6.13 kB	229 kB	Static, prerendered
/about	3.58 kB	222 kB	Static, prerendered
/careers	7.01 kB	230 kB	Static, prerendered
/company	10.1 kB	228 kB	Static, prerendered
/contact	4.97 kB	223 kB	Static, prerendered
/_not-found	992 B	104 kB	Static, prerendered
Shared by all	—	103 kB	Two chunks: 46.3 kB + 54.2 kB

- Fonts are self-hosted by the build. No runtime request to Google, no third-party connection on load.
- Images are served as modern formats at the right size by next/image, and cached for a day with a week of stale-while-revalidate.
- The heavy scroll work is confined to two components. Both use a single rAF-throttled listener and passive scroll handlers, and both stop ticking once there is no distance left to close.
- Card transforms are composited (translate3d and scale only), so scrolling the rails does not trigger layout.

13 · Hosting and deployment

ITEM	VALUE
Host	Vercel
Project	securetech-next
Framework preset	Next.js
Node version	24.x
Region	fra1 (Frankfurt)
Production URL	https://securetech-next-ruddy.vercel.app
Configuration	vercel.json, committed to the repository
Source control	Git. Branch: master

Security headers

Applied to every response by `vercel.json`.

HEADER	VALUE
Strict-Transport-Security	max-age=63072000; includeSubDomains; preload
X-Content-Type-Options	nosniff
X-Frame-Options	SAMEORIGIN
Referrer-Policy	strict-origin-when-cross-origin
Permissions-Policy	camera=(), microphone=(), geolocation=(), payment=(), usb=()
Cross-Origin-Opener-Policy	same-origin
X-DNS-Prefetch-Control	on
Cache-Control (/images/*, /brand/*)	public, max-age=86400, stale-while-revalidate=604800

Commands

```
npm install             Install dependencies
npm run dev             Local development server (Turbopack)
npm run build           Production build
npm run typecheck       TypeScript, no emit
npm run lint            ESLint
vercel --prod           Deploy to production
```

One gotcha. Do not run `npm run build` while the development server is running. The production build rewrites the `.next` directory underneath the dev server and it starts returning Internal Server Error. If that happens, stop the dev server, delete `.next`, and start it again.

14 · Known gaps and next steps

ITEM	STATUS	WHAT IS NEEDED
Real photography	Open	Only four genuine company photographs exist. Production floor, field enrolment, a terminal in use and office interiors would remove the last of the stock imagery. Client to supply.

ITEM	STATUS	WHAT IS NEEDED
Public mailbox address	Open	The existing site renders its email addresses as obfuscated images. The address currently used is a best guess and should be confirmed before launch. See the TODO in src/data/site.ts.
CEO portrait	Open	A monogram placeholder is in use. Drop a portrait in public/images/people/ and it takes two lines to wire in.
Custom domain	Open	The site currently runs on its Vercel URL. Point the client's domain at the Vercel project when they are ready.
Enquiry form delivery	Check	Confirm where form submissions should be delivered before launch.

Things to know before changing something

- **Never put overflow-hidden on an ancestor of a rail or the switcher.** An overflow ancestor becomes the sticky containing block, and the pinned frame will scroll away instead of pinning. Horizontal clipping happens on the frame itself.
- **Anchors into a pinned rail do not work.** A card inside a transformed track cannot be reliably scrolled to. That is why the “Also in the catalogue” links on the home page point at the platforms rail rather than at an individual product.
- **The rails re-measure when the fonts land.** The first measurement happens during commit, which on a cold load can be before the card text has its final metrics, so ProductScroller measures again on document.fonts.ready.
- **The old filterable catalogue grid** was removed when the Products page went to rails. It is recoverable from git history if the filter chips are ever wanted back — see DOCUMENTATION.md in the repository for the exact command.

A shorter, developer-facing version of this document lives in the repository as `DOCUMENTATION.md` and should be kept in step with the code.