```
#include<stdio.h>
2
   int main()
3 🔻
   {
4
       float a,b,c;
5
       scanf("%f",&a);
6
       scanf("%f",&b);
7
       c=(a*12*2.54)+(b*2.54)
       printf("%.2f",c);
8
9
   }
```

	Input	Expected	Got	
~	5	167.64	167.64	~

Passed all tests! <

```
#include<stdio.h>
2
  int main()
3 ₹ {
      int a,b;
4
5
      scanf("%d",&a);
      scanf("%d",&b);
6
      printf("%d\n%d\n%d\n%d\n",a+b,a-b,a*b,a/b,a%b);
7
8
  }
                              GULZHAR AHAMAD VM
                              ECE-B
```

240801090

	Input	Expected	Got	
~	100	106	106	~
	6	94	94	
		600	600	
		16	16	
		4	4	

Passed all tests! ✓

```
#include<stdio.h>
 1
 2
    int main()
 3 ▼
    {
 4
        float a,reg,dis,tot;
        scanf("%f",&a);
 5
        reg=a*3.49;
 6
 7
        dis=reg*0.60;
        tot=reg-dis;
 8
        printf("Regular price: %.2f\n",reg);
 9
        printf("Discount: %.2f\n", dis);
10
        printf("Total: %.2f\n", tot);
11
        return 0;
12
13
   }
14
```

	Input	Expected	Got	
~	10	Regular price: 34.90 Discount: 20.94 Total: 13.96	Regular price: 34.90 Discount: 20.94 Total: 13.96	~

Passed all tests! 🗸

```
1
    #include<stdio.h>
 2
    int main()
 3 ▼ {
 4
    int x,y;
 5
    scanf("%d",&x);
 6
    scanf("%d",&y);
 7
   if(x \le y)
    printf("YES");
 8
   else
 9
   printf("NO");
10
11
    }
```

	Input	Expected	Got	
~	100 110	YES	YES	~
~	100 90	NO	NO	~

Passed all tests! ✓

```
#include<stdio.h>
1
2
   int main()
3 ₹
   {
4
        int N,a;
5
        scanf("%d",&N);
6
        a=N*(N-1)/2;
7
        printf("%d",a);
8
       return 0;
9
   }
```

	Input	Expected	Got	
~	1	0	0	~
~	2	1	1	~

Passed all tests! <

```
#include<stdio.h>
 2
    int main()
3 ▼
    {
4
        int a,b,c;
 5
        scanf("%d %d %d",&a,&
 6
        if(a>b&&a>c)
7
        printf("%d",a);
8
       else if(b>a&&b>c)
 9
        printf("%d",b);
10
        else
        printf("%d",c);
11
12
    }
```

GULZHAR AHAMAD

VM ECE-B 240801090

	Input	Expected	Got	
~	81 26 15	81	81	~

Passed all tests! <