

Table of Contents

Introduction	2
Logo of the Academy	2
Page Details	2
Home Page	2
About Page	2
Course Page	3
Contact Page	3
Registration Page	3
Future Enhancements	4
Index page	5
About us Page	13
Course Page	18
Contact page	20
Registration Page	23



Introduction

Logo of the Academy



The "Learn with Us Academy" website is designed to provide a seamless and engaging experience for students and visitors. Developed using HTML5 and CSS, the website offers a modern, responsive design with a focus on accessibility and functionality. The site consists of five main pages: Home, About, Course, Contact, and Registration, each designed to meet specific user needs.

Page Details

Home Page

Objective: As the primary landing page, introduce visitors to the academy.

Features:


- Navbar: A responsive navigation bar for easy access to all pages.
- **Video Animation Banner:** An engaging video banner highlighting the academy's essence.
- Academy Beyond: Overview of the academy's goals and what sets it apart.
- **Vision & Mission:** A section dedicated to the academy's purpose and long-term goals.
- **Expert Instructors:** Profiles of key instructors with highlights of their expertise.
- **Certificate Program:** Details about the certifications available through the academy.
- **Footer:** Includes social media links, quick navigation options, and copyright details.

About Page

Objective: Provide in-depth information about the academy and its leadership.

Features:

• Navbar: A consistent navigation bar for user convenience.



- **Photo Background Banner:** A visually appealing banner with the academy's theme.
- **Chairman's Message:** A personal note from the chairman about the academy's vision.
- Global Partners & Award Recognitions: Highlights collaborations and accolades.
- **Academy Team:** A showcase of team members with brief descriptions of their roles.

Course Page

Objective: Offers a detailed overview of the courses available at the academy.

Features:

A list of **ten courses** with the following details:

- Name: Title of the course.
- **Description**: A concise explanation of course content.
- **Price**: Fee structure for the course.

Contact Page

Objective: Facilitates communication between the academy and its audience.

Features:

- **Contact Details:** Includes email address, phone number, and office address.
- Contact Form: Allows users to send inquiries directly through the website.
- Academy Location Map: An embedded map for easy navigation to the academy.

Registration Page

Objective: Enables students to enroll in courses online.

Features:

• **Registration Form:** Fields for student details, including name, email, course selection, and additional information.

Development Highlights

• **HTML5**: Ensures semantic structure and cross-platform compatibility.



- **CSS:** Provides a modern, responsive design that works seamlessly across devices.
- **User-Friendly Design:** Intuitive layout and easy navigation enhance the user experience.

Future Enhancements

- Adding student testimonials and reviews for courses.
- Integrating a payment gateway for online course payments.
- Expanding the course list with more advanced and diversified offerings.
- Incorporating multilingual support to cater to a global audience.

Index page

LearnWithUs Academy About Us Contact Us ts Background is Video This is Banner Section We are here to Empower Your Learning Journey a place where we make it happen. EXPLORE COURSES



ABOUT US

ACADEMY BEYAND 2024


Gathering momentum from the promising journey over the past successful years, LearnWithUs Academy sets the learning experience to the next level with Phase II. This giant step in crafting a future of greater impact gives unwavering faith to envision the academy's vision and purpose from a broader perspective.

The Phase 2 developments in another 15 acres of land adjoining the existing premises are currently in progress and believed to be a key driver of LearnWithUs Academy's future growth to further expand its services and opportunities to the generations to come as well as to impact the world at large.

- New Faculty Building Complex
- Hostel facilities for over 1,000 students
- Multipurpose Conference Hall with over 1,500 seating capacity
- Large Playground
- Scenic Walking Paths
- · Rainwater Harvesting Pond
- Extended Car Parking facilities


ABOUT MORE






This is Purpose, Vision and Mission Section.

Section.







This is Footer Section.

Navbar Html Code and CSS

```
| Comparison of the content of the c
```

```
dataground-tolin: transparent;
display: flex; /* Enable flexbox for the navbar */
justify-content: space-between; /* Separate items to left and right */
align-items: center; /* Align items vertically */
padding: lepx 20px; /* Add some padding */
color: white;
        width: 100%;
height: 100px; /* Adjust this value to increase or decrease navbar height */
how sixing: honder_box; /* Ensures padding does not add to total height */
       box-sizing: border-box; /* Ensures padding does not add to
transition: background-color 0.1s ease, height 0.3s ease;
       position: fixed; /*Smooth transition for
z-index: 10;
      position: fixed;
top: 0;
left: 0;
       width: 100%:
       match. 1909;

2-index: 999;

box-shadow: 0 0.2px 0 0 ■#88A234;

-webkit-animation: 500ms ease-in-out 0s normal none 1 running fadeInDown;

animation: 500ms ease-in-out 0s normal none 1 running fadeInDown;
        padding-top: 5px;
padding-bottom: 5px;
       height: 100px;
animation: fadeInDown 500ms ease-in-out; /* Smooth animation on stick */
background-color: <a href="mailto:rgba(49, 47, 47, 0.9)">rgba(49, 47, 47, 0.9)</a>; /* Semi-transparent background
.about-nav{
background-color: transparent;
      display: flex; /* Enable flexbox for the navbar */
justify-content: space-between; /* Separate items to left and right */
align-items: center; /* Align items vertically */
padding: 5px 20px; /* Add some padding */
color: white;
      width: 100p;
height: 100px; /* Adjust this value to increase or decrease navbar height
box-sizing: border-box; /* Ensures padding does not add to total height *
transition: background-color 0.1s ease, height 0.3s ease;
     Animation for sticky effect */
eyframes fadeInDown {
   from {
                transform: translateY(-20px);
               opacity: 1;
transform: translateY(0);
      transform: translateY(0); /* Move into view */
background-color: □rgba(49, 47, 47, 8.9); /* Add background when visible */
```

About Html Code and CSS

```
Constitution

City class="about-section">

City class="about-section">

City class="about-section">

City class="about-section">

City class="about-memory memory of the process of the pr
```

```
/*shout section cas code/
.about-section {
    padding: 18pc 0;
        beckground-color: **Dfff;
    }


    *shout-heading {
        fent-size: 2res;
        color: **Dist250;
        fent-size: 2res;
        color: **Dist250;
        fent-size: 1res;
        color: **Dist250;
        fent-size: 1res;
        color: **Dist250;
        if metalize: 1res;
        color: **Dist250;
        illum height: 1.6;

        **shout-list 1;
        asegin-too: 5pc;
        int-size-adjust u;
    }

        about-list 1;
        if font-size: 3res;
        sargin-botton: 18pc;
        color: **Dist256;
    }
        about-list 1::smarker {
        color: **Dist256;
    }

        about-list 1::smarker {
        color: **Dist256;
        bort-list 2::smarker {
        color: **Dist256;
        bort-list 3::smarker {
        color: **Dist256;
        color: **Dist256;
```

Purpose, Vision and Misson Html Code and CSS



Video Banner Html Code and CSS

```
<!--Banner Section-->
<idiv class="container-fluid background">
<idiv class="row color_banner">
<idiv class="background">
<idiv class="background">
</idoc class="background">
</i
                                    .video-bg {
    position: absolute;
    left: 0;
    width: 100%;
    height: 100%;
    bight: 100%;
    object-fit: cover;
    z-index: -1;
    will-change: transform;
          }
#banner_content p {
    font-size: 22px;
    font-family: 'Roboto', sans-serif;
    color: □#889888;
}
sheading{
font-size:22px;
font-family: 'Roboto', sans-serif;
color: □#383838;
text-align: center;
    }
sparegraph(
font-size:38px;
font-family: Moto Sans 3P', sans-scrif;
color: 
s383838;
                small_paregraph{
font-size: 18px;
color: □#383838;
font-family: 'Roboto', sans-serif;
              "button newly added features"/
.btn(
margin: @px @px @px 15px;
border: Zpx solid ☐ 988A234;
color: ☐ Dfff;
border-radius: S@px;
padding: &px 25px;
taxt-transform: uppercase;
fent-sic: 13px;
fent-sic: 13px;
fent-seight: S@e;
letter-spacing: 1px;
transition: 0.3s;
text-decoration: none;
}
            .Getstartbtn {
   position: fixed;
   z-index: 2000;
   right: 40px;
   top: 40px;
            .btn:hover{
    color: ■#ffffff;
    background-color: ■#88A234;
```



Expert Instructors Html Code and CSS

```
<div class="team-member">
  <div class="team-img-wrapper">

<
           \(div class="team-member">
\(div class="team-member">
\(div class="team-ing-wrapper">
\(div class="team-ing-wrapper">
\(div class="team-ing-wrapper">
\(div class="cassets/profile2.jpg" alt="Dr. Dillina Herath">
\(div) \(d
            <h3>Mohamed Fazal(MBA)</h3>
Lecture BM
           .team-role {
  font-size: 0.9rem;
  color: □#777;
       /* academy team */
.academic-team {
  padding: 50px 20px;
  text-align: center;
  background-color: ■#fff;
                                                                                                                                                                                                                                                                        .team-grid {
    display: grid;
    grid-template-columns: repeat(5, 1fr); /* Limit to 5 columns */
           font-size: 24px;
color: □#222;
margin-bottom: 20px;
font-weight: bold;
                                                                                                                                                                                                                                                                             gap: 20px;
justify-items: center;
                                                                                                                                                                                                                                                                      @media screen and (max-width: 1024px) {
   .team-grid {
     grid-template-columns: repeat(3, 1fr); /* Limit to 3 columns for smaller screens */
                                                                                                                                                                                                                                                                       @media screen and (max-width: 480px) {
       .team.grid {
    display: grid;
    grid-template.columns: repeat(auto-fit, minmax(188px, 1fr));
    gap: 28px;
    justify-items: center;
                                                                                                                                                                                                                                                                               .team-grid {
  grid-template-columns: 1fr; /* Stack one column on mobile */
       team-img-wrapper {
    width: 100px;
    height: 100px;
    margin: 0 auto 15px;
    border-radius: 50%;
    overflow: hidden;
    border: 3px solid ■#88A234;
```



Certificate Programmed Html Code and CSS

```
cction class="Course-Card")

div class="Course-Card")

ch2 class="slider-navigation")


div class="slider-navigation")

dbutton class="prev-btn")‹</button>

div class="Courses-container")

<div class="Course-card")</pre>
                    cimg src="assets/image1.png" alt="Course 1" class="course-image" />
<div class="course-info">
                          div class="course-info">
School of Engineering | Postgraduate Level
                         div class="course-card">
div class="course-card">
ding src="assets/image2.png" alt="Course 2" class="course-image" />
div class="course-info">
                       Master of Science in Facilities Management
                     h3 class="course-title">
BA (Hons) in Fashion (TOP UP)
                          cp class="university">London Metropolitan University (UK)
                <datus |
div class="course-card">
div class="course-timage4.png" alt="Course 4" class="course-image" />
div class="course-info">
div class="course-info">
div class="course-timage4.png" alt="Course 4" class="course-image" />
div class="course-timage4.png" |
di
                    cp class="university">London Metropolitan University (UK)</div>
                     <img src="assets/images.jpg" alt="Course 4" class="course-image" />
<div class="course-info">
                         ch3 class="course-info"/
p> ch3 class="course-title">
BSc (Hons) in Software Engineering

</p
                 ddiv class="course-card">
cimg src="assets/image6.jpg" alt="Course 4" class="course-image" />
cidiv class="course-imfo">
cp class="school">School of Management | Undergraduate Level
                         <h3 class="course-title">
BSc (Hons) in Bussiness Management
                    <button class="next-btn">&#8250;</button>
    </div>
←a href="Course.html">cbutton class="btn" style="color: □black; font-weight: bold;" >All Courses</button></a></div>
/*course slide cert:
.course-slider {
position: relative;
width: 90%;
margin: 30px auto;
text-align: center;
 .slider-title::after {
  content: "";
  display: block;
  width: 60px;
  height: 3px;
  background-color: ■#88A234;
  margin: 5px auto 15px auto;
  .slider-navigation {
  display: flex;
  align-items: center;
  position: relative;
    course-card (
position: relative;
z-index: 1;
sin-width: 280px;
sargin: 19px;
background-color: ■#fff;
border-radius: 8px;
box-shadow: 0 4px 10px □rgba(0, 0, 0, 0.2);
overflow: hidden;
```



Footer Html Code and CSS

```
onter Section -->
onter class="footer">
div class="footer">
div class="footer-container">
div class="footer-section">
div class="footer-section">
div class="footer-section">
div class="footer-section">
div class="footer-section">
div class="footer-section">
div section="footer-section">
div section="footer-section">
div section="footer-section">
div section="footer-section">
div section="footer-section"
footer-section="footer-section"
footer-
                                      (Zdi)

(Zdi)

(Alia)

(Alia)
                                      | d/als|
| d
                 (dls_class="footn-watten")
(dls_class="foot
          /*footer css*/
.footer {
    position: relative; /* To position the overlay properly */
    position: unl(*/assets/footer.jpg') no-repeat center center; /* Add the background image */
    background-size: cover; /* Ensure the image covers the entire area */
    /* background-color: #222; */
                           /* background color: ■#fff;


filter: blur(0.1px);


foile: Arial,
          }

floater::before {
   content: "";
   position: absolute;
   top: 0;
   left: 0;
   width: 100%;
   height: 100%;
   height: 100%;
   background-color: □rgba(0, 0, 0, 0.7); /* Black overlay with 50% opacity */
   z-index: -1; /* Places the overlay behind the content */
   opacity: 50px;
}
P(
color: ■#88A234;
font-size: 1rem;
                        text-shadow: ■#888888;
      .footer-container {
    display: flex;
    justify-content: space-between;
    max-width: 1200px;
    margin: 0 auto;
    padding: 20px;
    z-index: 1;
          .footer-section h3 {
  font-size: 18px;
  border-bottom: 1px solid ■#fff;
  font-weight: bold;
  padding-bottom: 18px;
  margin-bottom: 15px;
          .footer-section ul li a {
  text-decoration: none;
  color: ■#fff;
  transition: color 0.3s ease;
      .footer-section ul li a:hover { color: #88A234;
          .footer-logo {
  max-width: 100px;
  margin-bottom: 15px;
          .footer-bottom (
text-slign: center;
margin-top: 20px;
font-size: 14px;
border-top: 1px solid  #444;
padding-top: 10px;
```


This is chairman message

About us Page






This is Academy Team Section.





About Page Banner Html Code and CSS

```
margin-top: 0%;
    min-height: 50vh;
    background-image: linear-gradient(  rgba(4,9,30,0.6),  rgba(4,9,30,0.6)), url('.../assets/abouthtml.jpg');
    background-size: cover;
    width: 90%;
    color: ■#fff;
    transform: translate(-50%,50%);
 .text-box h1{
    margin: 0.5px 0 40px;
    font-size: 50px;
font-weight: bold;
color: ■#fff;
}
.text-box p{
margin: 150px 0 40px;
font-size: 17px;
.cc: ##fff;
    color: ■#fff;
font-weight: b;
```



Global partner Html Code and CSS

```
| Comparison | Partners | Section | Comparison | Comparis
```

Award Section Html Code and CSS


```
discrete control of the control of t
```

```
.Award-slider {
   width: 98%;
   margin: 20px auto;
   text-align: center;
   height: 188px;
object-fit: cover;
 .course-info {
   padding: 15px;
   text-align: left;
   font-size: 12px;
color: ■gray;
.course-title {
font-size: 16px;
margin: 18px 0;
font-weight: bold;
   font-size: 12px;
color: ■darkgray;
 .prev-btn,
.next-btn {
background-color: #88A234;
color: #white;
border-radius: 50%;
   height: 50px;
cursor: pointer;
margin: 0px 0px 0px 15px;
border: 2px solid ##88A234;
.prev-btn:hover,
.next-btn:hover {
   background-color: **88A234;
.all-courses-btn {
margin-top: 15px;
background-color: □#88A234;
color: □white;
   padding: 10px 20px;
border: none;
border-radius: 5px;
   font-size: 14px;
cursor: pointer;
.all-courses-btn:hover {
| background-color: □#0056b3;
```


Chairman Message Html code and CSS

```
/* chirman message */
.chia-container {
    display: flex;
    align-items: flex-start;
    max-width: 1000px;
    background-color: ■ sffffff;
    border: lpx solid ■ sddd;
    padding: 10px;
    bor-bandown: 4 px Spx □ rgba(e, e, e, e.1);
    position: relative;
    margin-top: 5%;
    margin-left: 300px;
 .image-container (
flex-shrink: 0;
margin-right: 20px;
display: flex;
justify-content: center;
align-items: center;
  .image-container img {
    image-container ing {
    margin-top: 180%;
    margin-left: 180x;
    border-radius: 50%;
    width 1580x;
    height: 150px;
    object-fit: cover;
    border: 5px solid #888A234;
.text-container {
    flex-grow: 1;
.text-container h1 {
   font-size: 30px;
   margin-bottom: 10px;
   font-weight: bold;
.message {
   text-align: left;
   line-height: 1.8;
   margin: 20px 0;
.message p{
    color: □#000000;
}
 .signature {
    margin-top: 28px;
    font-weight: bold;
    font-size: 18px;
.designation {
    font-size: 16px;
    color: #555;
.green-bar {
   position: absolute;
   top: 8;
   loft: 0;
   width: 10px;
   height: 180%;
   background-color: $\Begin{array}{c} \pi $88A234; \end{array}$
}
.green-bar2 {
    position: absolute;
    top: 0;
    right: 0;
    width: 1px;
    height: 198%;
    background-color: $\_$884234;

    tote: We have footers already, I have put the codes in Index. Page
```




Course Page




Note: I already put the Navbar code and Footer code.

Course list Html Code and Css

```
/* Course card styling */
.course-card {
   background-color: ■#fff;
   border-radius: 8px;
   box-shadow: 0 4px 6px □rgba(0, 0, 0, 0.1);
   padding: 20px;
   text-align: center;
   transition: transform 0.3s, box-shadow 0.3s;
   position:relative;
   /* disolar: flav: */
      /* display: flex; z-index:1;
  .course-card:hover {
	transform: translateY(-5px);
	box-shadow: 0 6px 10px □rgba(0, 0, 0, 0.2);
  .course-image {
  width: 100px;
  height: 100px;
  object-fit: cover;
  margin-bottom: 15px;
  .course-name {
font-size: 1.2rem;
color: □#000000;
margin-bottom: 10px;
font-weight: bold;
 .course-description {
  font-size: 0.9rem;
  color: □#777;
  margin-bottom: 15px;
 .course-price {
font-size: 1rem;
font-weight: bold;
color: □#88A234;
     .enroll-button {
margin: 0px 0px 0px 15px;
border: 2px solid ■#88A234;
color: □black;
border-radius: 50px;
padding: 8px 25px;
text-transform: uppercase;
font-size: 13px;
font-weight: 50e;
letter-soacine: 10x;
       tont-weight: 300;
letter-spacing: 1px;
transition: 0.35;
text-decoration: none;
background-color: transparent;
font-weight: bold;
.enroll-button:hover {
background-color: □#88A234;
```



Contact page





Contact Detail html code and CSS

```
<!-- Contact Detail Section
<div class="contact-details">
     div>
     <i class=""><img src="<u>assets/cont.gif</u>"></i>
     <h3>Contact</h3>
     Mobile:+94 81 238 8301<br/>br>Email: support@learnwithus.com
     </div>
<div>
<it class="fas fa-clock"><img src="assets/time.gif"></i>
<h3>Hours of Operation</h>

</div>

<pr
          <div class="Contact-header">
    <hi>Ready to Get Started?</hi>
    yover email address will not be published. Required fields are marked *
</div>
          <textarea placeholder="Write your message..." rows="5" required></textarea>
<button type="submit">Send Message</button>
          </div
.contact-page {
 padding: 20px;
  text-align: center:
  margin-bottom: 30px:
  font-size: 2.5rem;
  color: #88A234;
  color: □#666;
gap: 20px;
width: 100%;
margin: 20px auto;
margin-left: 200px;
.contact-details div {
padding: 20px;
text-align: left;
margin: 0 10px;
.contact-details div h3 {
color: #88A234;
font-weight: bolder;
```

```
font-size: 1.5rem;
color: #88A234;
margin-bottom: 10px;
.contact-details div p {
color: □#555;
line-height: 1.5;
  flex-wrap: wrap;
  gap: 20px;
max-width: 1200px;
   width: 100%;
   max-width: 500px;
  text-align: center:
.contact-image-container img {
  width: 100%;
  height: auto;
  overflow-clip-margin: content-box;
  overflow: clip;
  border-radius: 10px;
width: 100%;
max-width: 500px;
  padding: 40px;
   margin-left: 15VH;
  -webkit-box-shadow: 0 0 20px | rgba(158, 158, 158, .16);
box-shadow: 0 0 20px | rgba(158, 158, 158, .16);
background-color: | #fff;
.form-container form {
  flex-direction: column;
.form-container textarea {
 font-size: 1rem;
border: 1px solid ■#ccc;
 outline: none;
.form-container textarea {
 resize: none;
.form-container button {
 form-container button {
margin: 0px 0px 0px 15px;
border: 2px solid ■#88A234;
color: □#000;
border-radius: 50px;
     font-size: 13px;
     background-color: transparent;
.form-container button:hover {
background: ■#88A234;
```




Map CSS code

```
.map-container {
  width: 100vw; /* Full-screen width */
  height: 50vh; /* Full-screen height */
  /* margin-left: 5px; */
  overflow: hidden;
  margin-bottom: 8px;
  margin-top: 20px; /* Optional spacing from the rest of the content */
  border-radius: 0; /* Remove border radius for full-screen effect */
  box-shadow: none; /* Remove box shadow for full-screen effect */
}

iframe {
  width: 100%;
  height: 100%;
  border: none;
}

Close
```

Registration Page







Registration Html Code and CSS

```
div class="inform" on class="i
```

```
--white: ■#fff;
--black: ■#000;
--text-clr: □#000024;
--primary: ■#88A234;
--secondary: ■#000008;
--input-bg: #e9f0d7;
--btn-hvr: ■#88A234;
--tra: ■rgba(255, 255, 255, 0.959);
.App-head{
 font-weight: bold;
 color: #88A234;
 margin-left: 225px;
.r_form_wrap{
max-width: 25%;
padding: 25px;
background: var(--white);
border-radius: 3px;
margin-bottom: 20px;
font-size: 25px;
text-align: center;
padding: 100px;
border-radius: 3px;
margin-bottom: 0%;
margin-left: 350px;
margin-bottom: 25px;
.r_form .input_wrap label{
margin-bottom: 5px;
```

```
.r_form .input_wrap .input_item{
width: 100%;
width: 100%;
height: 40px;
border: 2px solid var(--input-bg);
background: var(--input-bg);
padding: 10px 20px;
padding-left: 50px;
color: var(--secondary);
border-color: var(--bordcolor);
border-color: var(--primary);
.r_form .input_wrap .input_item .icon{
position: absolute;
.r_form .input_wrap .input_radio{
background: var(--input-bg);
margin-right: 25px;
padding: 20px;
border-radius: 3px;
width: 100px;
```

```
.r_form .input_wrap .input_radio .input_radio_item .radio_mark{
position: absolute;
height: 100%;
justify-content: center;
border-radius: 3px;
margin: 0;
cursor: pointer;
.r_form .input_wrap .input_radio .input_radio_item .radio_mark .i{
margin-right: 5px;
position: absolute;
opacity: 0;
color: var(--primary);
border-color: var(--primary);
 margin-top: 10px;
  width: 70%;
  border: 2px solid ■#88A234;
  color: □#000;
  background: var(--btn-hvr);
  background-color: transparent;
  padding: 10px;
  height: 40px;
  color: var(--black);
  transition: 0.3s;
  font-weight: 500;
  letter-spacing: 1px;
```

```
.button:hover{
background: var(--btn-hvr);
height: 100px;
border-color: var(--primary);
.r_form .input_wrap .input_item{
width: 100%;
.r_form .input_wrap .input_item .input{
width: 100%;
border-radius: 3px;
height: 40px;
border: 2px solid var(--input-bg);
background: var(--input-bg);
padding: 10px 20px;
padding-left: 50px;
color: var(--secondary);
border-color: var(--bordcolor);
.clear_ad{
margin-top: 10px;
width: 70%;
border: 2px solid ■#88A234;
color: □#000;
background: var(--btn-hvr);
background-color: transparent;
padding: 10px;
border-radius: 50px;
height: 40px;
cursor: pointer;
text-transform: uppercase;
font-weight: 500;
letter-spacing: 1px;
```