18 March 2023 14:35		
	bbe6769995	f75e3649f7
backend logs	Executing task: docker logstail 1000 -f 818385ae1835257e080a8c6d87a11dab6ad2e6b2640f94ebf63714842df51c02	* Executing task: docker logs —tail 1000 -f 1b7f0dee1eb0db7782d2ec42a5d69d31cd8129a12f5a80a7b90a51ec8a511fda
	debug 1 - L&H - some message	debug 1 - L&H - some message
	Debug 2 - Test_LOG_HomeActivities debug 3 - Hello Cloudwatch! from /api/activities/home	Debug 2 - Test_LOG_HomeActivities debug 3 - Hello Cloudwatch! from /api/activities/home
	'FLASK_ENV' is deprecated and will not be used in Flask 2.3. Use 'FLASK_DEBUG' instead.	'FLASK_ENV' is deprecated and will not be used in Flask 2.3. Use 'FLASK_DEBUG' instead.
	initializing xray middleware	initializing xray middleware
	'FLASK_ENV' is deprecated and will not be used in Flask 2.3. Use 'FLASK_DEBUG' instead. 'FLASK_ENV' is deprecated and will not be used in Flask 2.3. Use 'FLASK_DEBUG' instead.	'FLASK_ENV' is deprecated and will not be used in Flask 2.3. Use 'FLASK_DEBUG' instead. 'FLASK_ENV' is deprecated and will not be used in Flask 2.3. Use 'FLASK_DEBUG' instead.
	* Debug mode: on	* Debug mode: on
	WARNING: This is a development server. Do not use it in a production deployment. Use a	WARNING: This is a development server. Do not use it in a production deployment. Use a
	production WSGI server instead. * Running on all addresses (0.0.0.0)	production WSGI server instead. * Running on all addresses (0.0.0.0)
	* Running on http://127.0.0.1:4567	* Running on http://127.0.0.1:4567
	* Running on http://172.18.0.4:4567 Press CTRL+C to quit	* Running on http://172.18.0.5:4567 Press CTRL+C to quit
	* Restarting with stat	* Restarting with stat
	debug 1 - L&H - some message	debug 1 - L&H - some message
	Debug 2 - Test_LOG_HomeActivities debug 3 - Hello Cloudwatch! from /api/activities/home	Debug 2 - Test_LOG_HomeActivities debug 3 - Hello Cloudwatch! from /api/activities/home
	'FLASK_ENV' is deprecated and will not be used in Flask 2.3. Use 'FLASK_DEBUG' instead.	'FLASK_ENV' is deprecated and will not be used in Flask 2.3. Use 'FLASK_DEBUG' instead.
	initializing xray middleware	initializing xray middleware
	'FLASK_ENV' is deprecated and will not be used in Flask 2.3. Use 'FLASK_DEBUG' instead. 'FLASK_ENV' is deprecated and will not be used in Flask 2.3. Use 'FLASK_DEBUG' instead.	'FLASK_ENV' is deprecated and will not be used in Flask 2.3. Use 'FLASK_DEBUG' instead. 'FLASK_ENV' is deprecated and will not be used in Flask 2.3. Use 'FLASK_DEBUG' instead.
	* Debugger is active!	* Debugger is active!
	* Debugger PIN: 988-972-513 [2023-Mar-18 13:20] 192.168.251.11 GET http /api/activities/home? 200 OK	* Debugger PIN: 341-121-184 [2023-Mar-19 14:16] 192.168.148.77 OPTIONS http /api/activities/home? 200 OK
	192.168.251.11 [18/Mar/2023 13:20:43] "GET /api/activities/home HTTP/1.1" 200 -	192.168.148.77 [19/Mar/2023 14:16:54] "OPTIONS /api/activities/home HTTP/1.1" 200 -
	[2023-Mar-18 13:34] 192.168.148.77 GET http /api/activities/home? 200 OK	[2023-Mar-19 14:16] 192.168.148.77 GET http /? 404 NOT FOUND
	192.168.148.77 [18/Mar/2023 13:34:07] "GET /api/activities/home HTTP/1.1" 200 - [2023-Mar-18 13:39] 192.168.148.77 GET http /api/activities/home? 200 OK	192.168.148.77 [19/Mar/2023 14:16:57] "GET / HTTP/1.1" 404 - [2023-Mar-19 14:16] 192.168.148.77 GET http /favicon.ico? 404 NOT FOUND
	192.168.148.77 [18/Mar/2023 13:39:21] "GET /api/activities/home HTTP/1.1" 200 -	192.168.148.77 [19/Mar/2023 14:16:58] "GET /favicon.ico HTTP/1.1" 404 -
		[2023-Mar-19 14:17] 192.168.148.77 GET http://api/activities/home? 200 OK
		192.168.148.77 [19/Mar/2023 14:17:12] "GET /api/activities/home HTTP/1.1" 200 - api/activities/home
backend env	Executing task: docker exec -it	* Executing task: docker exec -it
	818385ae1835257e080a8c6d87a11dab6ad2e6b2640f94ebf63714842df51c02 bash	1b7f0dee1eb0db7782d2ec42a5d69d31cd8129a12f5a80a7b90a51ec8a511fda bash
	root@818385ae1835:/backend-flask# env	root@1b7f0dee1eb0:/backend-flask# env
	FRONTEND_URL=https://3000-aharalebato-awsbootcamp-wh4sehug41l.ws-eu90.gitpod.io HOSTNAME=818385ae1835	FRONTEND_URL=https://3000-aharalebato-awsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io HOSTNAME=1b7f0dee1eb0
	PYTHON_VERSION=3.10.10	PYTHON_VERSION=3.10.10
	OTEL_EXPORTER_OTLP_HEADERS=x-honeycomb-team=0SfhpM8TUIAgjJALJPjVTD	OTEL_EXPORTER_OTLP_HEADERS=x-honeycomb-team=0SfhpM8TUIAgjJALJPjVTD
	AWS_DEFAULT_REGION=us-east-1 PWD=/backend-flask	AWS_DEFAULT_REGION=us-east-1 PWD=/backend-flask
	PYTHON_SETUPTOOLS_VERSION=65.5.1	PYTHON_SETUPTOOLS_VERSION=65.5.1
	HOME=/root OTEL EXPORTER OTLP ENDPOINT=https://api.honeycomb.io	HOME=/root OTEL EXPORTER OTLP ENDPOINT=https://api.honeycomb.io
	LANG=C.UTF-8	LANG=C.UTF-8
	GPG_KEY=A035C8C19219BA821ECEA86B64E628F8D684696D	GPG_KEY=A035C8C19219BA821ECEA86B64E628F8D684696D
	AWS_SECRET_ACCESS_KEY=BRZX2hTtNJBYu6/YJap19mAnetnRvKDnLARbM4e7 BACKEND_URL=https://4567-aharalebato-awsbootcamp-wh4sehug41l.ws-eu90.gitpod.io	AWS_SECRET_ACCESS_KEY=BRZX2hTtNJBYu6/YJap19mAnetnRvKDnLARbM4e7 BACKEND_URL=https://4567-aharalebato-awsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io
	TERM=xterm	TERM=xterm
	AWS_XRAY_DAEMON_ADDRESS=xray-daemon:2000 SHLVL=1	AWS_XRAY_DAEMON_ADDRESS=xray-daemon:2000 SHLVL=1
	AWS_ACCESS_KEY_ID=AKIA5OMDCYAHZ7QEK7MT	AWS_ACCESS_KEY_ID=AKIA5OMDCYAHZ7QEK7MT
	PYTHON_PIP_VERSION=22.3.1	PYTHON_PIP_VERSION=22.3.1
	PYTHON_GET_PIP_SHA256= 394be00f13fa1b9aaa47e911bdb59a09c3b2986472130f30aa0bfaf7f3980637	PYTHON_GET_PIP_SHA256= 394be00f13fa1b9aaa47e911bdb59a09c3b2986472130f30aa0bfaf7f3980637
	PYTHON_GET_PIP_URL=https://github.com/pypa/get-	PYTHON_GET_PIP_URL=https://github.com/pypa/get-
	pip/raw/d5cb0afaf23b8520f1bbcfed521017b4a95f5c01/public/get-pip.py	pip/raw/d5cb0afaf23b8520f1bbcfed521017b4a95f5c01/public/get-pip.py
	OTEL_SERVICE_NAME=backend-flask ROLLBAR ACCESS TOKEN=027d721170b1415682f556001e117b5f	OTEL_SERVICE_NAME=backend-flask ROLLBAR ACCESS TOKEN=027d721170b1415682f556001e117b5f
	PATH=/usr/local/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/sbin:/bin	PATH=/usr/local/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/bin
	FLASK_ENV=development AWS XRAY URL=*4567-aharalebato-awsbootcamp-wh4sehug41l.ws-eu90.gitpod.io*	FLASK_ENV=development AWS XRAY URL=*4567-aharalebato-awsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io*
	_=/usr/bin/env	=/usr/bin/env
	root@818385ae1835:/backend-flask#	root@1b7f0dee1eb0:/backend-flask#
frontend logs	Executing task: docker logstail 1000 -f 50c4890314197268e76a6d91cc3c61ae92cd49068f0f6c8e00526feb23b17b87	* Executing task: docker logstail 1000 -f c77ad008f6ffa61292ac5ff1561e5713c8e649f58c46614d02b291c762450edd
	3004830314137200670800310030018022010032010023017007	
	> frontend@0.1.0 start	> frontend@0.1.0 start
	> react-scripts start	> react-scripts start
	(I. AAV DED WEDDAGK DELV SEDVED ON AFTED SETUD ANDDIEWADE)	(node:44) [DEP WEBPACK DEV SERVER ON AFTER SETUP MIDDLEWARE]
	(node:44) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the	DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the
	'setupMiddlewares' option.	'setupMiddlewares' option.
	(Use `nodetrace-deprecation` to show where the warning was created) (node:44) [DEP WEBPACK DEV SERVER ON BEFORE SETUP MIDDLEWARE]	(Use `nodetrace-deprecation` to show where the warning was created) (node:44) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE]
	DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the	DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the
	'setupMiddlewares' option.	'setupMiddlewares' option.
	Starting the development server	Starting the development server
	Failed to compile.	Failed to compile.
	[eslint]	[eslint]
	src/pages/ConfirmationPage.js	src/pages/ConfirmationPage.js
	Line 40:9: 'setCognitoErrors' is not defined no-undef	Line 40:9: 'setCognitoErrors' is not defined no-undef Line 42:9: 'setCognitoErrors' is not defined no-undef
	Line 42:9: 'setCognitoErrors' is not defined no-undef	Line 42.3. Setteogrifications is flot definited flo-unider
	src/pages/RecoverPage.js	src/pages/RecoverPage.js

```
Line 33:7: 'setCognitoErrors' is not defined no-undef
Line 33:7: 'setCognitoErrors' is not defined no-undef
                                                                                                 Search for the keywords to learn more about each error.
Search for the keywords to learn more about each error.
                                                                                                 WARNING in ./src/components/ActivityContent.css (./node_modules/css-loader/dist/cjs.js?? ruleSet[1].rules[1].oneOf[5].use[1]!./node_modules/postcss-loader/dist/cjs.js??
WARNING in ./src/components/ActivityContent.css (./node modules/css-
loader/dist/cjs.js??ruleSet[1].rules[1].oneOf[5].use[1]!./node_modules/postcss -
                                                                                                 ruleSet[1].rules[1].oneOf[5].use[2]!./node_modules/source-map-
loader/dist/cjs.js??ruleSet[1].rules[1].oneOf[5].use[2]!./node_modules/source-map-
                                                                                                 loader/dist/cjs.js!./src/components/ActivityContent.css)
loader/dist/cjs.jsl./src/components/ActivityContent.css)
Module Warning (from ./node_modules/postcss-loader/dist/cjs.js):
                                                                                                 Module Warning (from ./node_modules/postcss-loader/dist/cjs.js):
                                                                                                 Warning
Warning
                                                                                                 (4:3) autoprefixer: start value has mixed support, consider using flex-start instead
(4:3) autoprefixer: start value has mixed support, consider using flex -start instead
                                                                                                 WARNING in ./src/components/MessageGroupItem.css (./node modules/css-
WARNING in ./src/components/MessageGroupItem.css (./node_modules/css
                                                                                                 loader/dist/cjs.js??ruleSet[1].rules[1].oneOf[5].use[1]!./node_modules/postcss
loader/dist/cjs.js??ruleSet[1].rules[1].oneOf[5].use[1]!./node_modules/postcss
                                                                                                 loader/dist/cjs.js??ruleSet[1].rules[1].oneOf[5].use[2]!./node_modules/source-map-
loader/dist/cjs.js??ruleSet[1].rules[1].oneOf[5].use[2]!./node_modules/source-map-loader/dist/cjs.js!./src/components/MessageGroupItem.css)
                                                                                                 loader/dist/cjs.js!./src/components/MessageGroupItem.css)
                                                                                                 Module Warning (from ./node_modules/postcss-loader/dist/cjs.js):
Module Warning (from ./node_modules/postcss-loader/dist/cjs.js):
                                                                                                 Warning
                                                                                                 \hbox{(3:3) autoprefixer: start value has mixed support, consider using flex-start instead}\\
(3:3) autoprefixer: start value has mixed support, consider using flex-start instead
                                                                                                 WARNING in ./src/components/MessageItem.css (./node_modules/css-loader/dist/cjs.js??
WARNING in ./src/components/MessageItem.css (./node_modules/css-loader/dist/cjs.js??
                                                                                                 ruleSet[1].rules[1].oneOf[5].use[1]!./node_modules/postcss-loader/dist/cjs.js??
rule Set [1]. rules [1]. one Of [5]. use [1]!. / node_modules / postcss-loader / dist/cjs. js?? \\ rule Set [1]. rules [1]. one Of [5]. use [2]!. / node_modules / source-map-
                                                                                                 ruleSet[1].rules[1].oneOf[5].use[2]!./node_modules/source-map-
                                                                                                 loader/dist/cjs.js!./src/components/MessageItem.css)
loader/dist/cjs.js!./src/components/MessageItem.css)
                                                                                                 Module Warning (from ./node_modules/postcss-loader/dist/cjs.js):
Module Warning (from ./node_modules/postcss-loader/dist/cjs.js):
Warning
                                                                                                 (3:3) autoprefixer: start value has mixed support, consider using flex-start instead
(3:3) autoprefixer: start value has mixed support, consider using flex-start instead
                                                                                                 WARNING in [eslint]
WARNING in [eslint]
                                                                                                 src/components/DesktopNavigationLink.is
src/components/DesktopNavigationLink.js
                                                                                                  Line 18:5: Expected a default case default-case
 Line 18:5: Expected a default case default-case
                                                                                                  Line 21:9: Unreachable code
                                                                                                                                     no-unreachable
Line 21:9: Unreachable code
Line 24:9: Unreachable code
                                   no-unreachable
                                                                                                  Line 24:9: Unreachable code
                                                                                                                                     no-unreachable
                                   no-unreachable
                                                                                                  Line 27:9: Unreachable code
                                                                                                                                     no-unreachable
 Line 27:9: Unreachable code
                                   no-unreachable
                                                                                                  Line 30:9: Unreachable code
                                                                                                                                     no-unreachable
 Line 30:9: Unreachable code
                                                                                                  Line 33:9: Unreachable code
                                                                                                                                     no-unreachable
 Line 33:9: Unreachable code
                                    no-unreachable
src/components/DesktopSidebar.js
                                                                                                 src/components/DesktopSidebar.is
                                                                                                  Line 36:9: The href attribute requires a valid value to be accessible. Provide a valid,
 Line 36:9: The href attribute requires a valid value to be accessible. Provide a valid,
                                                                                                  navigable address as the href value. If you cannot provide a valid href, but still need the
navigable address as the href value. If you cannot provide a valid href, but still need the
                                                                                                 element to resemble a link, use a button and change it with appropriate styles. Learn more:
element to resemble a link, use a button and change it with appropriate styles. Learn more:
                                                                                                 https://github.com/isx-eslint/eslint-plugin-isx-a11v/blob/HEAD/docs/rules/an-
https://github.com/jsx-eslint/eslint-plugin-jsx-a11y/blob/HEAD/docs/rules/ancho
                                                                                                 valid.md jsx-a11y/anchor-is-valid
valid.md jsx-a11y/anchor-is-valid
                                                                                                  Line 37:9: The href attribute requires a valid value to be accessible. Provide a valid,
Line 37:9: The href attribute requires a valid value to be accessible. Provide a valid, navigable address as the href value. If you cannot provide a valid href, but still need the
                                                                                                 navigable address as the href value. If you cannot provide a valid href, but still need the
                                                                                                 element to resemble a link, use a button and change it with appropriate styles. Learn more:
element to resemble a link, use a button and change it with appropriate styles. Learn more
                                                                                                 https://github.com/jsx-eslint/eslint-plugin-jsx-a11y/blob/HEAD/docs/rules/anchor-is-
https://github.com/jsx-eslint/eslint-plugin-jsx-a11y/blob/HEAD/docs/rules/ancho
                                                                                                 valid.md jsx-a11y/anchor-is-valid
valid.md jsx-a11y/anchor-is-valid
                                                                                                  Line 38:9: The href attribute requires a valid value to be accessible. Provide a valid,
Line 38:9: The href attribute requires a valid value to be accessible. Provide a valid
                                                                                                 navigable address as the href value. If you cannot provide a valid href, but still need the
navigable address as the href value. If you cannot provide a valid href, but still need the
                                                                                                 element to resemble a link, use a button and change it with appropriate styles. Learn more:
element to resemble a link, use a button and change it with appropriate styles. Learn more
                                                                                                 https://github.com/jsx-eslint/eslint-plugin-jsx-a11y/blob/HEAD/docs/rules/anchor-is-
https://github.com/jsx-eslint/eslint-plugin-jsx-a11y/blob/HEAD/docs/rules/anchor-is
                                                                                                 valid.md jsx-a11y/anchor-is-valid
valid.md jsx-a11y/anchor-is-valid
                                                                                                 src/components/MessageGroupItem.js
src/components/MessageGroupItem.js
                                                                                                  Line 27:23: Expected '===' and instead saw '==' eqeqeq
Line 27:23: Expected '===' and instead saw '==' eqeqeq
                                                                                                 src/components/ProfileInfo.is
src/components/ProfileInfo.js
                                                                                                  Line 35:16: Expected '===' and instead saw '==' eqeqeq
Line 35:16: Expected '===' and instead saw '==' eqeqeq
                                                                                                 src/components/ReplyForm.is
src/components/ReplyForm.js
                                                                                                  Line 4:27: 'Bomblcon' is defined but never used no-unused-vars
 Line 4:27: 'Bomblcon' is defined but never used no-unused-vars
                                                                                                 src/components/TrendItem.js
src/components/TrendItem.is
                                                                                                  Line 13:5: The href attribute requires a valid value to be accessible. Provide a valid,
Line 13:5: The href attribute requires a valid value to be accessible. Provide a valid,
                                                                                                 navigable address as the href value. If you cannot provide a valid href, but still need the
navigable address as the href value. If you cannot provide a valid href, but still need the
                                                                                                  element to resemble a link, use a button and change it with appropriate styles. Learn more:
element to resemble a link, use a button and change it with appropriate styles. Learn more
                                                                                                 https://github.com/jsx-eslint/eslint-plugin-jsx-a11y/blob/HEAD/docs/rules/anchor-is-
https://github.com/isx-eslint/eslint-plugin
                                             isx-a11v/blob/HEAD/docs/rules/ancho
                                                                                                 valid.md jsx-a11y/anchor-is-valid
valid.md jsx-a11y/anchor-is-valid
                                                                                                 src/pages/ConfirmationPage.js
src/pages/ConfirmationPage.js
                                                                                                  Line 39:23: Expected '===' and instead saw '=='
Line 39:23: Expected '===' and instead saw '=='
                                                                                                 eaeaea
eqeqeq
                                                                                                  Line 41:30: Expected '===' and instead saw '=='
Line 41:30: Expected '===' and instead saw '=='
                                                                                                  Line 76:6: React Hook React.useEffect has a missing dependency: 'params.email'. Either
Line 76:6: React Hook React.useEffect has a missing dependency: 'params.email'. Either
                                                                                                 include it or remove the dependency array react-hooks/exhaustive-deps
include it or remove the dependency array react-hooks/exhaustive-deps
                                                                                                 src/pages/MessageGroupPage.js
src/pages/MessageGroupPage.js
                                                                                                  Line 16:10: 'popped' is assigned a value but never used
Line 16:10: 'popped' is assigned a value but never used
                                                                                                 no-unused-vars
                                                                                                  Line 75:6: React Hook React.useEffect has a missing dependency: 'loadMessageGroupData'.
Line 75:6: React Hook React.useEffect has a missing dependency:
                                                                                                 Either include it or remove the dependency array react-hooks/exhaustive-deps
'loadMessageGroupData'. Either include it or remove the dependency array react -
hooks/exhaustive-deps
                                                                                                 src/pages/MessageGroupsPage.js
                                                                                                  Line 12:10: 'popped' is assigned a value but never used no-unused-vars
src/pages/MessageGroupsPage.js
 Line 12:10: 'popped' is assigned a value but never used no-unused-vars
                                                                                                 src/pages/RecoverPage.js
Line 28:18: Expected '===' and instead saw '==' eqeqeq
src/pages/RecoverPage.js
                                                                                                  Line 130:17: Expected '===' and instead saw '==' eqeqeq
Line 28:18: Expected '===' and instead saw '==' eqeqeq
Line 130:17: Expected '===' and instead saw '==' eqeqeq
                                                                                                  Line 133:22: Expected '===' and instead saw '==' eqeqeq
 Line 133:22: Expected '===' and instead saw '==' eqeqeq
                                                                                                  Line 136:22: Expected '===' and instead saw '==' eqeqeq
 Line 136:22: Expected '===' and instead saw '==' egegeg
                                                                                                 src/pages/SigninPage.js
                                                                                                  Line 35:22: Expected '===' and instead saw '==' eqeqeq
src/pages/SigninPage.js
 Line 35:22: Expected '===' and instead saw '==' eqeqeq
                                                                                                 src/pages/UserFeedPage.js
```

Line 57:6: React Hook React.useEffect has a missing dependency: 'loadData'. Either include src/pages/UserFeedPage.js Line 57:6: React Hook React.useEffect has a missing dependency: 'loadData'. Either it or remove the dependency array react-hooks/exhaustive-deps include it or remove the dependency array react-hooks/exhaustive-deps ERROR in [eslint] src/pages/ConfirmationPage.is ERROR in [eslint] Line 40:9: 'setCognitoErrors' is not defined no-undef src/pages/ConfirmationPage.js Line 42:9: 'setCognitoErrors' is not defined no-undef Line 40:9: 'setCognitoErrors' is not defined no-undef Line 42:9: 'setCognitoErrors' is not defined no-undef src/pages/RecoverPage.is Line 33:7: 'setCognitoErrors' is not defined no-undef src/pages/RecoverPage.js Line 33:7: 'setCognitoErrors' is not defined no-undef Search for the keywords to learn more about each error. Search for the keywords to learn more about each error. webpack compiled with 1 error and 4 warnings webpack compiled with 1 error and 4 warnings fronend env Executing task: docker exec -it * Executing task: docker exec -it 50c4890314197268e76a6d91cc3c61ae92cd49068f0f6c8e00526feb23b17b87 bash c77ad008f6ffa61292ac5ff1561e5713c8e649f58c46614d02b291c762450edd bash root@50c489031419:/frontend-react-js# env root@c77ad008f6ff:/frontend-react-js# env HOSTNAME=50c489031419 HOSTNAME=c77ad008f6ff YARN VERSION=1.22.19 YARN VERSION=1.22.19 PWD=/frontend-react-js PWD=/frontend-react-js PORT=3000 PORT=3000 HOME=/root HOME=/root REACT_APP_AWS_PROJECT_REGION=us-east-1 REACT_APP_AWS_PROJECT_REGION=us-east-1 REACT_APP_CLIENT_ID=408c285ej7goub5fmu500d7qef REACT_APP_CLIENT_ID=408c285ej7goub5fmu500d7qef REACT_APP_AWS_USER_POOLS_ID=us-east-1_MnvcXApsk REACT_APP_AWS_USER_POOLS_ID=us-east-1_MnvcXApsk TERM=xterm TERM=xterm REACT_APP_BACKEND_URL=https://4567-aharalebato-awsbootcamp-wh4sehug41l.ws-REACT_APP_BACKEND_URL=https://4567-aharalebato-awsbootcamp-4xrg3bp7got.wseu90.gitpod.io eu90.gitpod.io SHLVL=1 PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin REACT APP AWS COGNITO REGION=us-east-1 PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/bin REACT APP AWS COGNITO REGION=us-east-1 NODE_VERSION=16.18.1 NODE_VERSION=16.18.1 _=/usr/bin/env _=/usr/bin/env root@c77ad008f6ff:/frontend-react-js# root@50c489031419:/frontend-react-is# Download the React DevTools for a better development experience: consol of home center feed https://reactjs.org/link/react-devtools HomeFeedPage.js:63 The user is not authenticated content.js:213 GPT-prompter content script is running Download the React DevTools for a better development experience: WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebato-awsbootcamp-HomeFeedPage.js:66 The user is not authenticated wh4sehug41l.ws-eu90.gitpod.io:3000/ws' failed: content.js:213 GPT-prompter content script is running WebSocketClient @ WebSocketClient.js:16 3000-aharalebato-awsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io/:1 Access to fetch at WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebato-awsbootcamp-'https://4567-aharalebato-awsbootcamp-4xrg3bp7got.wswh4sehug41l.ws-eu90.gitpod.io:3000/ws' failed: eu90.gitpod.io/api/activities/home' from origin 'https://3000-aharalebato-WebSocketClient @ WebSocketClient.js:16 awsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io has been blocked by CORS policy: Request WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebato-awsbootcampheader field authorization is not allowed by Access-Control-Allow-Headers in preflight wh4sehug41l.ws-eu90.gitpod.io:3000/ws' failed: response. WebSocketClient @ WebSocketClient.js:16 4567-aharalebato-awsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io/api/activities/home:1 WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebato-awsbootcamp-Failed to load resource: net::ERR_FAILED wh4sehug41l.ws-eu90.gitpod.io:3000/ws' failed: WebSocketClient @ WebSocketClient.js:16 HomeFeedPage.js:41 TypeError: Failed to fetch at loadData (HomeFeedPage.js:28:1) WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebato-awsbootcampat HomeFeedPage.js:77:1 wh4sehug41l.ws-eu90.gitpod.io:3000/ws' failed: at commitHookEffectListMount (react-dom.development.js:23150:1) at commitPassiveMountOnFiber (react-dom.development.js:24926:1) at commitPassiveMountEffects complete (react-dom.development.js:24891:1) WebSocketClient @ WebSocketClient.js:16 WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebato-awsbootcampwh4sehug41l.ws-eu90.gitpod.io:3000/ws' failed: at commitPassiveMountEffects_begin (react-dom.development.js:24878:1) WebSocketClient @ WebSocketClient.js:16 $at\ commit Passive Mount Effects\ (react-dom. development. js: 24866:1)$ DevTools failed to load source map: Could not load content for chrome at flushPassiveEffectsImpl (react-dom.development.js:27039:1) extension://lcgpdbficokndjodlcgflbhaibicompp/node_modules/@webcomponents/custom at flushPassiveEffects (react-dom.development.js:26984:1) elements/custom-elements.min.js.map: System error: net::ERR_BLOCKED_BY_CLIENT at react-dom.development.js:26769:1 WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebato-awsbootcamp WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebatowh4sehug41l.ws-eu90.gitpod.io:3000/ws' failed: awsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io:3000/ws' failed: WebSocketClient @ WebSocketClient.js:16 WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebatoawsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io:3000/ws' failed: WebSocketClient @ WebSocketClient.js:16 WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebatoawsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io:3000/ws' failed: WebSocketClient @ WebSocketClient.js:16
WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebatoawsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io:3000/ws' failed: WebSocketClient @ WebSocketClient.js:16 WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebato-awsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io:3000/ws' failed: WebSocketClient @ WebSocketClient.js:16 WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebatoawsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io:3000/ws' failed: WebSocketClient @ WebSocketClient.js:16 WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebatoawsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io:3000/ws' failed WebSocketClient @ WebSocketClient.js:16 DevTools failed to load source map: Could not load content for chrome $extension://lcgpdbficokndjodlcgflbhaibicompp/node_modules/@webcomponents/custom-node_modules/$ elements/custom-elements.min.js.map: System error: net::ERR_BLOCKED_BY_CLIENT consol after refresh DevTools failed to load source map: Could not load content for chrome Download the React DevTools for a better development experience: $\hbox{extension://gighmmpiobklfepjocnamgkkbiglidom/browser-polyfill.js.map: System error:}\\$ https://reactjs.org/link/react-devtools net::ERR_FILE_NOT_FOUND HomeFeedPage.js:66 The user is not authenticated react-dom.development.js:29840 Download the React DevTools for a better development content.js:213 GPT-prompter content script is running $3000\text{-}aharale bato-awsboot camp-4xrg3bp7got.ws-eu90.gitpod.io/:1\ Access to\ fetch\ at$ experience: https://reactjs.org/link/react-devtools HomeFeedPage.js:63 The user is not authenticated https://4567-aharalebato-awsbootcamp-4xrg3bp7got.wscontent.js:213 GPT-prompter content script is running eu90.gitpod.io/api/activities/home from origin https://3000-aharalebate DevTools failed to load source map: Could not load content for chrome - extension://lcgpdbficokndjodlcgflbhaibicompp/node_modules/@webcomponents/custom awsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io' has been blocked by CORS policy: Request header field authorization is not allowed by Access-Control-Allow-Headers in preflight elements/custom-elements.min.js.map: System error: net::ERR_BLOCKED_BY_CLIENT response. WebSocketClient.js:16 WebSocket connection to 'wss://3000-aharalebato-awsbootcamp-4567-aharalebato-awsbootcamp-4xrg3bp7got.ws-eu90.gitpod.io/api/activities/home:1 wh4sehug41l.ws-eu90.gitpod.io:3000/ws' failed: WebSocketClient @ WebSocketClient.js:16 Failed to load resource: net::ERR FAILED HomeFeedPage.js:41 TypeError: Failed to fetch

initSocket @ socket.js:24 ./node_modules/webpack-dev-server/client/index.js?protocol=ws%3A&hostname=0.0.0.0 &port=3000&pathname=%2Fws&logging=none&overlay=%7B%22errors%22%3Atrue%2C% 22warnings%22%3Afalse%7D&reconnect=10&hot=true&live-reload=true @ index.js:309 options.factory @ react refresh:6webpack_require@ bootstrap:24 (anonymous) @ startup:5 (anonymous) @ startup:7	at loadData (HomeFeedPage.js:28:1) at HomeFeedPage.js:77:1 at commitHookEffectListMount (react-dom.development.js:23150:1) at commitHookEffectListMount (react-dom.development.js:24926:1) at commitPassiveMountEffects_complete (react-dom.development.js:24891:1) at commitPassiveMountEffects_begin (react-dom.development.js:24878:1) at commitPassiveMountEffects (react-dom.development.js:24866:1) at flushPassiveEffectsImpl (react-dom.development.js:27039:1) at flushPassiveEffects (react-dom.development.js:26984:1) at react-dom.development.js:26769:1 DevTools failed to load source map: Could not load content for chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/browser-polyfill.js.map: System error: net::ERR_FILE_NOT_FOUND DevTools failed to load source map: Could not load content for chrome-extension://cgpdbficokndjodlcgflbhaibicompp/node_modules/@webcomponents/custom-elements/custom-e